



FILLED WITH QUALITY PRODUCTS

Autumn 2025 Product Catalogue



Lighting



Wiring
Accessories



Data
Networking



Wiring
Management



Circuit
Protection



HVAC



Tools



Fasteners
& Fixings



Clearance



We know when it comes to getting the job done you need products you can count on.


That's why we have put together this catalogue filled with quality brands you can trust.

All Your Essentials

You can find all the essentials you need from Newlec, including wiring to lighting and everything in between. The Bizline range includes all the tools and commodities you need and the Gigamedia data comms range is built for speed, reliability and ease of installation.

Whether you are stocking up, starting a new project or just looking for reliable alternatives, we've got you covered.

Visit our websites today





Everything electrical made simple

230

Over 230 branches
nationwide



Order before 5pm
for next day delivery



30,000 products online
and 1000's in branch



Request a quote
in 3 simple steps



Local experts to
help support you



Industry leading
quality brands

**GET
THE JOB
DONE**

A decorative brushstroke underline in shades of blue and green, positioned beneath the word 'DONE'.

Our values

Quality

At great value.

Reliable

And ready for the job.


Professional

From start to finish.

Trusted

For over 40 years.





BizLine, always by your side

For over twenty years, we have had the privilege of accompanying you, placing your demands at the heart of our mission.

Whether you are an electrician, plumber, or heating engineer, BizLine is committed to offering you the best in four areas of expertise: Residential, Tertiary, Industrial, and HVAC.

By evolving alongside you in France and abroad, we are able to provide you with products and services tailored to your professions. This is what we mean by BizLine's proximity!

And because reliability and quality are our top priorities, each product undergoes rigorous testing in our accredited COFRAC laboratory.



Closer to you, everywhere in the world

With a presence in 15 countries internationally, BizLine offers you over 4200 targeted references to meet your specific needs, tailored to the particularities of each country. The 1600 Rexel branches, distributing all BizLine products, are located near you.

In each country, a dedicated team is available to provide you with personalized and attentive support for your needs.

Our commitments: Quality, Reliability, and Responsibility

The Fabrik is our headquarters where the minds of our teams come together to design, innovate, and develop sustainable and standardized solutions. In our accredited COFRAC laboratory, we ensure 100% reliability by testing our products before they are launched on the market.

A real obstacle course for your future product!

Our challenge: A more responsible world

Since 2018, with "BizCare", we have set course towards a more environmentally friendly future. This eco-responsible approach represents a bold challenge that we are taking on with you to successfully navigate the transition. At BizLine, what drives us is you. We are your ally at every stage of your projects.

Our innovative CSR approach across our entire value chain enables us to reconcile professional excellence and environmental responsibility, a truly winning combination. After achieving the Gold medal in 2021 and Platinum in 2022 with a score of 77/100, we have retained the Platinum Ecovadis medal in 2023 and improved our score to reach 84/100. This places us in the top 1% of companies evaluated by Ecovadis, a global reference in CSR ratings.



Did you know?

We evolve with you! Depending on your country, your practices, and your specific needs, we adjust our range to offer you tailored products. We learn with you to provide you with a customized offering.





www.rexel.co.uk
www.denmans.co.uk

01 | Lighting

Downlights	10
Bulkheads	10
Emergency Lighting	10-11
Photocells	12
Occupancy Detectors	13
Exterior PIRs	13



FIRE RATED GU10 CAN IP20

- Bezels sold separately



Order No.	Model No.	Description
DOWNLIGHT FIRE RATED GU10 CAN		
2501097861	NLFRDGUI0	IP20 Fire Rated GU10 Can

IP20 & IP65 TRIMS

- Compatible with Newlec NLFRDGUI0 Fire Rated GU10 Can and the KSR KSRDL402 Downlight Lampholder (Both shown above)



NLFRDWHI20



NLFRDCHR20



NLFRDS/CHR20

Order No.	Model No.	Description
IP20 TRIMS		
2501097862	NLFRDWHI20	White
2501097863	NLFRDCHR20	Chrome
2501097864	NLFRDS/CHR20	Satin Chrome
IP65 TRIMS		
2501097865	NLFRDWHI65	White
2501097866	NLFRDCHR65	Chrome
2501097867	NLFRDS/CHR65	Satin Chrome

LED SECURITY BULKHEAD IP55 5W 310LM 4000K

- Life expectancy: 30,000 hours



Order No.	Model No.	Description
LED 5W 310LM 4000K IP55 DECORATIVE SECURITY BULKHEAD		
2501009932	NLLRB3	LED Security Bulkhead
2501009933	NLLRB3PIR	LED Security Bulkhead with PIR

LED IP65 EMERGENCY TWINSPOT

- A range of emergency twinspots with twin heads that can rotate and tilt. The fitting can also be mounted in any orientation for flexibility during installation. Suitable for general emergency lighting applications in commercial and industrial use
- Polycarbonate body, polycarbonate heads, including lens
- Push fit terminal block for quick and simple installation
- 3 hour non-maintained



Order No.	Model No.	Description
LED IP65 EMERGENCY TWINSPOT		
2503005397	NLE3TWINSP-LI	2 x 1.5W LED Non-Maintained Twinspot

LED EMERGENCY WALL EXIT BOX

- No re-lamping or maintenance required for lifetime of the fitting
- Can be installed in maintained switchable, maintained non-switchable and non-maintained mode
- Supplied with euro down legend fitted
- Maximum viewing distance of 30m
- Supplied with Euro legend as standard
- 5 Year Warranty
- IP20



LED EMERGENCY SUSPENDED EXIT SIGN

- A suspended LED exit sign with a drop blade and range of legends allowing complete flexibility in any installation
- No re-lamping or maintenance required for lifetime of the fitting
- Maintained operation with charge indicator lamp
- Maximum viewing distance of 30m
- Supplied with Euro legend as standard
- 5 Year Warranty
- IP20



Order No.	Model No.	Description
LED EMERGENCY WALL EXIT BOX		
2503005398	NLE3WALLESLI	2W LED M/NM E3 Wall Exit Box c/w Euro Legend

Order No.	Model No.	Description
LEGENDS		
2501421833	NLE3WALLILU	ISO 7010 Legend Arrow Up
2501421834	NLE3WALLILD	ISO 7010 Legend Arrow Down
2501421835	NLE3WALLILL	ISO 7010 Legend Arrow Left
2501421836	NLE3WALLILR	ISO 7010 Legend Arrow Right
2501421829	NLE3WALLESELU	Euro Legend Arrow Up
2501421831	NLE3WALLESELL	Euro Legend Arrow Left
2501421832	NLE3WALLESELR	Euro Legend Arrow Right

Order No.	Model No.	Description
LED EMERGENCY SUSPENDED EXIT SIGN		
2503005396	NLE3SUSES-LI	White Suspended Exit Sign c/w Euro Legend Arrow Down

Order No.	Model No.	Description
ACCESSORIES		
2501497265	NLE3SUSESELU	Euro Legend Arrow UP for NLE3SUSES
2501497266	NLE3SUSESELLR	Euro Legend Arrow L/R for NLE3SUSES
2501497267	NLE3SUSESILU	ISO 7010 Legend Arrow Up for NLE3SUSES
2501497268	NLE3SUSESILLR	ISO 7010 Legend Arrow L/R for NLE3SUSES
2501497269	NLE3SUSESILD	ISO 7010 Legend Arrow Down for NLE3SUSES

LED EMERGENCY BULKHEAD

- The new Newlec bulkhead uses up-to-date Lithium LiFePO4 battery technology for long battery life. It is a slim multi-purpose IP65 rated LED emergency bulkhead suitable for use on corridors, exits and escape routes. A range of attachments and legends enable the bulkhead to also be used as an exit sign or double sided exit sign.
- Supplied complete with Euro legend kit (man running towards door) to enable use as an exit sign
- Lithium Iron Phosphate Battery (LiFePO4)
- 20m maximum viewing distance with standard legends
- Drop down attachment (DDA) supplied with Euro legend kit to enable use as a double sided exit sign
- 30m maximum viewing distance with drop down attachment (DDA).
- Can be installed in maintained or non-maintained mode (based on wiring) for flexibility
- ISO 7010 / BS 5266 legends (man running through door) are available separately.
- 3 hour operation on battery power after mains failure
- Supplied with Euro legend as standard
- 5 Year warranty
- IP65

Order No.	Model No.	Description
LED EMERGENCY BULKHEAD		
2501673128	NLE3B-LI	Emergency Bulkhead
ACCESSORIES		
1051088377	NLE3BISOL	ISO 7010 Legend Kit
1051088378	NLE3BRMK	Recessed Mounting Kit
1051088379	NLE3BDDA	Drop Down Attachment



PHOTOCELLS

- Photocells provide dusk-dawn operation of external lights
- All UV stabilised polycarbonate construction
- Operating voltage 198V to 264V 50Hz
- Offers excellent energy/cost saving
- Consumes less than 0.5W (Day and Night)
- 1000W (4A) max resistive load
- 500W (2A) max inductive load
- 70/105 lux level (positive switching ratio to suit commercial applications)
- Photodiode sensor
- UK manufactured and product tested



Order No.	Model No.	Description
PHOTOCELLS		
1000005886	NL5600	Commercial Photocell
1000015760	NL5601	Commercial Photocell Kit with NEMA Fitting
1050150455	NL5605	Surge Suppressed Photocell Kit
1050334793	NL5608	Miniature Commercial Photocell - 1 Part
1051059427	NL5514R	Miniature Photocell 2 Part Remote Sensor





WALL & CEILING MOUNTED OCCUPANCY DETECTORS

- Presence detectors (occupancy detectors) are designed to reduce the amount of time lighting is left on unnecessarily
- A presence detector monitors the detection zone for occupancy; if a person is sensed then the detector will automatically turn the lighting on
- Controlling lighting with a presence detector can save up to 60% of lighting energy costs dependent on occupancy behaviour and the amount of natural light available
- Class 1 Surface, Class 2 Recess and Wall



Order No.	Model No.	Description
WALL & CEILING MOUNTED OCCUPANCY DETECTORS		
2501673867	NLPIR-RECESS	Occupancy Detector Ceiling PIR Recess Mount
2501673868	NLPIR-SURFACE	Occupancy Detector Ceiling PIR 3 Surface Mount
2501673870	NLPIR-WALL2W	Occupancy Detector Wall PIR 2 Wire
2501673869	NLPIR-WALL3W	Occupancy Detector Wall PIR 3 Wire
2501673871	NLMWS	Microwave Motion Sensor

EXTERIOR PIR'S

- Lens can be masked to reduce nuisance detection
- Adjustable time from 5 seconds to 5 minutes
- Adjustable lens angle to optimise detection zone
- Manual override function available
- PIRs can be 'daisy chained' to a single load
- 140° detection angle
- 1000W resistive switching capacity
- 12m range
- Day and night or night only operation



Order No.	Model No.	Colour	Wattage	IP Rating
PIR'S				
1050378531	NLPIRB1A	Black	1000W	IP44
1050378532	NLPIRW1A	White	1000W	IP44
1050378533	NLPIRB2A	Black	2300W	IP55
1050378534	NLPIRW2A	White	2300W	IP55



EFL

Rexel

Denmans
REXEL GROUP

OFFICIAL ELECTRICAL WHOLESALE OF THE EFL

GOAL-DEN TICKETS GIVEAWAY

**100s OF EFL MATCH TICKETS
+ HOSPITALITY EXPERIENCES
TO BE WON ALL SEASON – ENTER EVERY MONTH**

TO ENTER

SCAN QR CODE BELOW

**Spend £300* each month with
Rexel or Denmans for your
chance to win**



Rexel



**SCAN
HERE
TO
ENTER**

rexel.co.uk

T&Cs apply. Visit www.rexel.co.uk or www.denmans.co.uk.
Promotional Period: 28 July 2025 – Wednesday 13 May 2026.

*To enter spend £300 (Ex VAT) with Rexel or Denmans in the 30** days
before the monthly promotional draw. **Monthly Promotional Periods
may vary slightly – see full T&Cs. Excludes Nationals.

Denmans
REXEL GROUP



**SCAN
HERE
TO
ENTER**

denmans.co.uk

02 | Wiring Accessories


Slimline White Moulded	16-19, 33-34
Square Edged White Moulded	20-21, 38-39
Converter Sockets	22, 40
Surface Pattress Boxes	22, 34
LED Dimmer Switches	22
Ceiling Accessories	23, 34
Metalclad	24
Weatherproof	25
Junction Boxes	26
RCD Sockets	27
Dry Lining Boxes	28, 40
Extension Leads	29
Industrial Plugs & Sockets	30-32
Decorative Wiring Accessories	35-36
Data Modules	37



13A SOCKETS



NLS8300/1




NLS8300/S2USBC

Order No.	Model No.	Description
13A SOCKETS		
2501425323	NLS8300/1	13A 1G SP Switched Socket
2501425324	NLS8300/2	13A 2G SP Switched Socket
2501425325	NLS8300/IDP	13A 1G DP Switched Socket
2501425326	NLS8300/2DP	13A 2G DP Switched Socket
2501425327	NLS8300/S2USBC	13A 2G Switched Socket With 2x USB 3.1A Max
2501425328	NLS8300/1US	13A 1G Unswitched Socket
2501425329	NLS8300/2US	13A 2G Unswitched Socket

PLATE SWITCHES



NLS8310/12



NLS8310/32

Order No.	Model No.	Description
PLATE SWITCHES		
2501425330	NLS8310/12	10A 1G 2W Switch
2501425331	NLS8310/22	10A 2G 2W Switch
2501425332	NLS8310/32	10A 3G 2W Switch
2501425335	NLS8310/INT	10A 1G Intermediate Switch

INTERMEDIATE SWITCH MODULE

- To be used with plate switches range NLS8310



Order No.	Model No.	Description
INTERMEDIATE SWITCH		
2501425336	NLS8310/INTMOD	Intermediate Switch Module

10A FAN ISOLATOR



Order No.	Model No.	Description
10A FAN ISOLATOR		
2501425352	NLS8360	10A Fan Isolator

CONNECTION UNITS




Order No.	Model No.	Description
CONNECTION UNITS		
2501425337	NLS8313	13A Fused Spur
2501425338	NLS8313/F	13A Fused Spur/Flex Outlet
2501425339	NLS8313/S	13A DP Switched Fused Spur
2501425340	NLS8313/SF	13A DP Switched Fused Spur/Flex Outlet
2501425341	NLS8313/SN	13A DP Switched Fused Spur/Neon
2501425342	NLS8313/SNF	13A DP Switched Fused Spur/Neon/Flex Outlet
2501425344	NLS8320/S	20A DP Switch
2501425345	NLS8320/SN	20A DP Switch/Neon
2501425346	NLS8320/WH	20A DP Switch Water Heater/Neon

45A DP COOKER SWITCHES



Order No.	Model No.	Description
45A DP COOKER SWITCHES		
2501425347	NLS8345/1N	45A DP Switch/Neon
2501425348	NLS8345/2N	45A DP D/Length Switch/Neon

45A DP COOKER CONTROL UNITS



Order No.	Model No.	Description
45A DP COOKER CONTROL UNITS		
2501425349	NLS8345/2NS	45A DP Cooker Control/Neon
2501425350	NLS8345/2S	45A DP Cooker Control

FLEX CONNECTION OUTLET



Order No.	Model No.	Description
FLEX CONNECTION OUTLET		
2501425343	NLS8320/F	25A Connection Unit

45A COOKER OUTLET



Order No.	Model No.	Description
45A COOKER OUTLET		
2501425351	NLS8345/F	45A Cooker Connection

SHAVER SOCKET



Order No.	Model No.	Description
SHAVER SOCKET		
2501425353	NLS8365	110/240V Shaver Socket

TELEPHONE OUTLETS



Order No.	Model No.	Description
TELEPHONE OUTLETS		
2501425355	NLS8375/MAS	Flush Master Telephone Socket
2501425356	NLS8375/SEC	Flush Slave Telephone Socket

TV SOCKET




Order No.	Model No.	Description
TV SOCKET		
2501425354	NLS8370/1	1G TV Outlet

BLANK PLATES



NLS8380/1



NLS8380/2

Order No.	Model No.	Description
BLANK PLATES		
2501425357	NLS8380/1	1 Gang Blanking Plate
2501425358	NLS8380/2	2 Gang Blanking Plate

Newlec

Our products are right for you and fit for the job.

SURFACE PATTRESS BOXES



NLS8385/147



NLS8385/225

Order No.	Model No.	Description
-----------	-----------	-------------

SURFACE PATTRESS BOXES

2501425359	NLS8385/116	1G 16mm Surface Pattress Box
2501425360	NLS8385/125	1G 25mm Surface Pattress Box
2501425362	NLS8385/225	2G 25mm Surface Pattress Box
2501425361	NLS8385/147	1G 47mm Surface Pattress Box
2501425363	NLS8385/247	2G 47mm Surface Pattress Box

DATA & COMMUNICATIONS PLATES



NLMOD/P11



NLMOD/P12

Order No.	Model No.	Description
-----------	-----------	-------------

DATA & COMMUNICATIONS PLATES

2501425313	NLMOD/P11	1 Gang 1 Module Media Plate
2501425314	NLMOD/P12	1 Gang 2 Module Media Plate
2501425315	NLMOD/P24	2 Gang 4 Module Media Plate

DUAL SURFACE PATTRESS BOX



Order No.	Model No.	Description
-----------	-----------	-------------

DUAL SURFACE PATTRESS BOX

2501425364	NLS8385/DUAL	2 x 1G 25mm Surface Pattress Box
-------------------	--------------	----------------------------------

EURO MODULES



NLMOD/TELM



NLMOD/TV



NLMOD/SAT



NLMOD/RJ45



NLMOD/QUAD



NLMOD/USBC

Order No.	Model No.	Description
-----------	-----------	-------------

EURO MODULES

2501425319	NLMOD/TELM	25x50mm BT Telephone Master
2501425320	NLMOD/TELS	25x50mm BT Telephone Slave
2501425321	NLMOD/TV	25x50mm TV Outlet
2501425318	NLMOD/SAT	25x50mm Satellite Outlet F Connector
2501425317	NLMOD/RJ45	25x50mm RJ45 Cat5E Data Module
2501425312	NLMOD/1BLANK	25x50mm Blank Plate
2501425316	NLMOD/QUAD	50x50mm Satellite Outlet Sat 1/2/Radio Triplexer
2501425322	NLMOD/USBC	25x50mm 3.1A USB Type C Charger

13A SOCKETS



NLSQ8300/1



NLSQ8300/2

Order No.	Model No.	Description
13A SOCKETS		
2501425365	NLSQ8300/1	13A 1G Switched Socket
2501425367	NLSQ8300/2	13A 2G Switched Socket
2501425366	NLSQ8300/1DP	13A 1G DP Switched Socket
2501425368	NLSQ8300/2DP	13A 2G DP Switched Socket

PLATE SWITCHES



NLSQ8310/12



NLSQ8310/32


Order No.	Model No.	Description
PLATE SWITCHES		
2501425369	NLSQ8310/12	10A 1G 2 Way SP Switch
2501425370	NLSQ8310/22	10A 2G 2 Way SP Switch
2501425371	NLSQ8310/32	10A 3G 2 Way SP Switch
2501425372	NLSQ8310/INT	10A 1G Intermediate Switch

FAN ISOLATOR SWITCH



Order No.	Model No.	Description
FAN ISOLATOR SWITCH		
2501425385	NLSQ8360	10A TP Fan Isolator Switch

45A DP COOKER CONTROL UNITS



NLSQ8350/N

Order No.	Model No.	Description
45A DP COOKER CONTROL UNITS		
2501425382	NLSQ8350	45A DP with 13A Switched Socket
2501425383	NLSQ8350/N	45A DP Switched Socket & Neon

20A/45A PLATE SWITCHES



NLSQ8320/SN



NLSQ8345/1N

Order No.	Model No.	Description
20A/45A PLATE SWITCHES		
2501425377	NLSQ8320/S	20A DP Switch
2501425378	NLSQ8320/SN	20A DP Switch with Neon
2501425379	NLSQ8320/SNWH	20A DP Switch Water Heater
2501425380	NLSQ8345/1N	45A DP Switch with Neon
2501425381	NLSQ8345/2N	45A DP Switch with Neon 2G

13A FUSED CONNECTION UNITS



NLSQ8313



NLSQ8313/SN


Order No.	Model No.	Description
13A FUSED CONNECTION UNITS		
2501425373	NLSQ8313	13A Fused Connection Flex Outlet Fused Spur
2501425374	NLSQ8313/S	13A DP Switched Fused Flex Outlet Spur
2501425375	NLSQ8313/SN	13A DP Switched Fused Flex Outlet Spur Neon

FLEX CONNECTION OUTLET



Order No.	Model No.	Description
FLEX CONNECTION OUTLET		
2501425376	NLSQ8320/FO	25A Flex Outlet

45A COOKER OUTLET



Order No.	Model No.	Description
45A COOKER OUTLET		
2501425384	NLSQ8355	45A Cooker Outlet

SHAVER SOCKET



Order No.	Model No.	Description
SHAVER SOCKET		
2501425386	NLSQ8365	110/240V Dual Voltage Shaver Socket

TELEPHONE OUTLETS



Order No.	Model No.	Description
TELEPHONE OUTLETS		
2501425388	NLSQ8375/MAS	Telephone Master Single
2501425389	NLSQ8375/SEC	Telephone Secondary Single

TV SOCKET




Order No.	Model No.	Description
TV SOCKET		
2501425387	NLSQ8370/1	TV Coaxial Single

BLANK PLATES



NLSQ8380/1



NLSQ8380/2

Order No.	Model No.	Description
BLANK PLATES		
2501425390	NLSQ8380/1	1G Blank Plate
2501425391	NLSQ8380/2	2G Blank Plate



DIMMER SWITCHES

- BS EN 60669

Order No.	Model No.	Description
-----------	-----------	-------------

DIMMER SWITCHES

2501087053	NLSL8306/12	1G 2 Way - 150W
2501087054	NLSL8306/22	2G 2 Way - 150W



LED DIMMER SWITCHES

- BS EN55014, BS EN50082 & BS EN60669



NL8815W

Order No.	Model No.	Description
-----------	-----------	-------------

LED DIMMER SWITCHES

2501087052	NL8815W	1G 2 Way - 150W
2500933096	NL8806BA	1G 2 Way - 250W (Black)
2500933095	NL8806WA	1G 2 Way - 250W
2501087055	NLSL8307	2 Way - 150W - Module

SLIMLINE CURVED DIMMER PLATES



NLS8310/DIMP1



NLS8310/DIMP2

Order No.	Model No.	Description
-----------	-----------	-------------

SLIMLINE CURVED DIMMER PLATES

2501425333	NLS8310/DIMP1	Slimline Curved 1 Gang Dimmer Plate
2501425334	NLS8310/DIMP2	Slimline Curved 2 Gang Dimmer Plate

13A CONVERTER SOCKET

- Quick and easy to fit
- BS 1363



NL8300/23SCA

SURFACE PATTRESS BOXES

- BS 5733
- Multiple knockouts provide flexible cable entry to suit the installation
- Solid brass earth terminal



NLSQ8385/116



NLSQ8385/225

Order No.	Model No.	Description
-----------	-----------	-------------

13A CONVERTER SOCKETS

1050391757	NL8300/12SCA	1G - 2G Switched - Outboard Rockers
1050391758	NL8300/23SCA	2G - 3G Switched

Order No.	Model No.	Description	Depth
-----------	-----------	-------------	-------

SURFACE PATTRESS BOXES

2501425392	NLSQ8385/116	1G	16mm
2501425393	NLSQ8385/125	1G	25mm
2501425395	NLSQ8385/225	2G	25mm
2501425394	NLSQ8385/147	1G	47mm
2501425396	NLSQ8385/247	2G	47mm
2501425397	NLSQ8385/DUAL	2x1G	35mm

CEILING SWITCHES



NL8701N



NL8702N



NL8703

Order No.	Model No.	Description
-----------	-----------	-------------

CEILING SWITCHES

2501425286	NL8701N	10A 1 Way Ceiling Switch
2501425287	NL8702N	10A 2 Way Ceiling Switch
2501425288	NL8703	45A DP 1 Way/Neon Ceiling Switch

LAMP HOLDERS



NL8712N



NL8710N



NL8716N

Order No.	Model No.	Description
-----------	-----------	-------------

LAMP HOLDERS

2501425290	NL8710N	Enclosed Pre-Wired Straight T2 Batten Lampholder
2501425291	NL8712N	Enclosed Pre-Wired Angled T2 Batten Lampholder
2501425293	NL8716N	Short Skirt T2 Lampholder

CEILING ROSE



Order No.	Model No.	Description
-----------	-----------	-------------

CEILING ROSE

2501425292	NL8715N	6A Clear Base Ceiling Rose
-------------------	---------	----------------------------

CEILING PENDANT



Order No.	Model No.	Description
-----------	-----------	-------------

CEILING PENDANT

2501425289	NL8706	6 Inch Pre-Wired T2/Clear Base Pendant
-------------------	--------	--

CONNECTOR BOX

- BS EN60598-1
- Connector strip not included



Order No.	Model No.	Description
-----------	-----------	-------------

CONNECTOR BOX

1051042708	NLCHOC30A	30A Screwed Terminal
-------------------	-----------	----------------------

RCD SOCKETS




NLMC8400/1RCD



NLMC8400/2RCD



NLMC8400/1



NLMC8400/2

Order No.	Model No.	Description
RCD SOCKETS		
2501425300	NLMC8400/1RCD	13A 30mA 1G Switched Type A RCD Socket (Latching)
2501425302	NLMC8400/2RCD	13A 30mA 2G Switched Type A RCD Socket (Latching)

Order No.	Model No.	Description
13A SOCKETS		
2501425299	NLMC8400/1	1G Switched Socket
2501425301	NLMC8400/2	2G Switched Socket

PLATE SWITCHES



NLMC8410/12



NLMC8410/22



NLMC8413



NLMC8413/SNFO

Order No.	Model No.	Description
PLATE SWITCHES		
2501425303	NLMC8410/12	1G 2 Way SP Switch
2501425304	NLMC8410/22	2G 2 Way SP Switch

Order No.	Model No.	Description
FUSED CONNECTION UNITS		
2501425306	NLMC8413/S	13A DP Switched Fused Spur
2501425305	NLMC8413	13A Fused Spur
2501425308	NLMC8413/SN	13A DP Switched Fused Spur/Neon
2501425307	NLMC8413/SFO	13A DP Switched Fused Spur/Flex Outlet
2501425309	NLMC8413/SNFO	13A DP Switched Fused Spur/Flex Outlet/Neon

DOUBLE POLE SWITCHES



NLMC8420/S



NLMC8420/SN

Order No.	Model No.	Description
DOUBLE POLE SWITCHES		
2501425310	NLMC8420/S	20A DP Switch
2501425311	NLMC8420/SN	20A DP Switch/Neon

IP55 SWITCHES



NLWP8610/12



NLWP8610/22

Order No.	Model No.	Description
IP55 SWITCHES		
2501425404	NLWP8610/12	20AX Switch 1G 2 Way IP55 Grey
2501425405	NLWP8610/22	20AX Switch 2G 2 Way IP55 Grey

IP66 SWITCHES



NLWP8600/12



NLWP8600/22

Order No.	Model No.	Description
IP66 SWITCHES		
2501425398	NLWP8600/12	20AX Switch 1G 2 Way IP66 Grey
2501425400	NLWP8600/22	20AX Switch 2G 2 Way IP66 Grey

IP66 FUSED SPUR



Order No.	Model No.	Description
IP66 FUSED SPUR		
2501425403	NLWP8600/FCU	DP Switched Fused Spur/Neon IP66 Grey

IP66 RCD SOCKET




Order No.	Model No.	Description
RCD SOCKET		
2501425401	NLWP8600/2RCD	13A 30mA 2G Switched Type A RCD (Latching)

IP66 SOCKETS

Order No.	Model No.	Description
IP66 SOCKETS		
2501425399	NLWP8600/1SW	1G DP Switched Socket IP66 Grey
2501425402	NLWP8600/2SW	2G DP Switched Socket IP66 Grey



NLWP8600/1SW



NLWP8600/2SW

JUNCTION BOXES



NLJB204/KOS

NLJB303/SEL

Order No.	Model No.	Description	Ø Dia.
ROUND JUNCTION BOXES			
2501425295	NLJB204/KOS	20A Non-Selective Entry 4 Terminal Junction Box	58mm
2501425296	NLJB204/SEL	20A Selective Entry 4 Terminal Junction Box	80mm
2501425297	NLJB206/SEL	20A Selective Entry 6 Terminal Junction Box	86mm
2501425298	NLJB303/SEL	30A Selective Entry 3 Terminal Junction Box	90mm

JUNCTION BOX - SWA

- General purpose joint box suitable for surface industrial applications.
- 1, 2, 3 or 4 way, 20mm entries
- Dust and waterproof to IP66/68 when used with approved glands
- Mounting studs provided for DIN rail terminals
- Internal earth continuity ring to earth gland entries
- 4 blanking plugs provided
- Screw on lid providing ease of installation
- Made from impact, corrosion and UV resistant GRP
- Operating temperature -30°C to +130°C



Order No.	Model No.	Description
JUNCTION BOX		
1051043279	NLJB68	Junction Box SWA

3 PIN PLUG TOP



Order No.	Model No.	Description
13A 3 PIN PLUG TOP		
2501425285	NL3PT	Plug Top 3A 3 Pin White Fitted with 3 Amp Fuse
2501425284	NL13PT	Plug Top 13A 3 Pin White Fitted with 3 Amp Fuse
2501616039	NL13PT-A	Plug Top 13A 3 Pin White Fitted with 13 Amp Fuse

WATERPROOF PLUG & SOCKET CONNECTORS

- 3 pole 16A, 250V AC/DC connector
- IP68 - 2 bar (20M depth) 30 minutes
- Wide cable capacity up to 4mm²
- Quick-release latch collar mechanism to open
- Current rating: 16A (max) rated on 2.5mm² cable, 10A rated on 1.5mm² cable
- Temperature range -25°C to +80°C
- IEC 61984 approved



NLWPC1

Order No.	Model No.	Description
WATERPROOF PLUG & SOCKET CONNECTORS		
1051042706	NLWPC1	5 - 9mm

IN-LINE CONNECTOR


- 3 pin in-line heavy duty connector in black



Order No.	Model No.	Description
IN-LINE CONNECTOR		
1000009160	NC103B	Black Lead Connector 10A 3Pin

METAL SAFEPLATE

- Galvanised protective steel plate 50 x 76mm, with fixings
- Helps to prevent penetration of cables & pipes by nails/ screws when laying floorboards, installing wall panels or ceilings and during other fixing activities
- Easy and quick to fit - no screws or nails
- Meets NHBC requirements
- NICEIC approved



Order No.	Model No.	Pack Qty
METAL SAFEPLATE		
1051043278	NLSP1	100

RCD SOCKETS



NLMC8400/1RCD



NLMC8400/2RCD

Order No.	Model No.	Description
RCD SOCKETS		
2501425300	NLMC8400/1RCD	13A 30mA 1G Switched Type A RCD Socket (Latching)
2501425302	NLMC8400/2RCD	13A 30mA 2G Switched Type A RCD Socket (Latching)

RCD SOCKET



Order No.	Model No.	Description
RCD SOCKET		
2501425401	NLWP8600/2RCD	13A 30mA 2G Switched Type A RCD (Latching)

RCDS - PLUG IN

- Rated at 230-250V AC
- Maximum current: 13A
- Maximum load: 3,120W
- Trip current rated at 30mA
- Typical rated speed: 40ms
- Manufactured to BS 7071

Order No.	Model No.	Description
RCDS - PLUG IN		
1050360189	NLRA1330A	Adaptor
1050360190	NLRP1330A	Plug



NLRA1330A



NLRP1330A

METAL BOXES

- BS 4662
- Adjustable lug
- Two steel earth terminals
- With knockouts



Order No.	Model No.	Depth	Type	Entry
BOXES - METAL				
1050150609	NL635A	16mm	1 Gang	Oval
1050150610	NL621A	25mm	1 Gang	Round KO
1050150611	NL622A	25mm	2 Gang	Round KO
1050153573	NL802B	25mm	1 + 1 Gang	Round KO
1050150612	NL685A	35mm	1 Gang	Round KO
1050150613	NL683A	35mm	2 Gang	Round KO
1050150614	NL802A	35mm	1 + 1 Gang	Round KO
1000008704	NL7040A	48mm	1 Gang	Round KO
1000009616	NL7080A	48mm	2 Gang	Round KO

PVC DRY LINING BOXES


- BS4662 + relevant parts of BS5733
- Flush fitting box in flame retardant thermoplastic (ABS)
- 2 x 25mm diameter base knockouts
- Board thicknesses (65mm - 15mm)
- Warranty 10 Years Domestic



Order No.	Model No.	Description
PVC DRY LINING BOXES		
1051057879	NL811A	1G 35mm
1051057880	NL812A	2G 35mm
1051057882	NL814A	1G 47mm
1051057883	NL815A	2G 47mm

METAL DRY LINING BOXES

- As simple and quick to install as standard (thermoplastic) dry lining boxes
- Fire tested up to 90 minutes with the capability of boxes being mounted back to back
- Board thicknesses (65mm- 15mm)
- Spring loaded lugs and brass earth terminal fitted



Order No.	Model No.	Type	Mounting Depth
METAL DRY LINING BOXES			
1051057885	NLFG135	1G	35mm
1051057886	NLFG235	2G	35mm
1051057887	NLFG147	1G	47mm
1051057888	NLFG247	2G	47mm

PVC DRY LINING BOXES

- BS4662 & relevant parts of BS5733
- Flush fitting box in flame retardant thermoplastic (ABS)
- 2 x 20mm diameter base knockouts
- Board thicknesses (65mm - 15mm)



Order No.	Model No.	Type	Mounting Depth
PVC DRY LINING BOXES			
1051057881	NL810A	1G Circular 34mm	34mm

DRY LINING BOX CONNECTOR

- Can be used to connect any combination of NL811A, NL812A, NL814A and NL815A
- Thermoplastic



Order No.	Model No.	Description
DRY LINING BOX CONNECTOR		
1051057884	NL817A	Dry Lining Box Connector

■ EXTENSION LEAD - 4 WAY + NEON

- BS 1363/A
- 2m power cord
- With plug and neon



Order No.	Model No.	Description
-----------	-----------	-------------

EXTENSION LEAD - 4 WAY + NEON

1000009158	NLEL2W	White Extension Lead & Neon 4 Way c/w 2mtr Flex
-------------------	--------	--

■ EXTENSION LEAD - 4 WAY HEAVY DUTY + NEON

- BS 1363/A
- Incorporates switch and fuse



Order No.	Model No.	Description
-----------	-----------	-------------

EXTENSION LEAD - 4 WAY HEAVY DUTY + NEON

1000009410	NLEL4WHD	White 13A Extension Lead 4 Way & 4mtr Flex+Neon
-------------------	----------	--

■ TRAILING SOCKET - 1 WAY

- BS1363/4



Order No.	Model No.	Description
-----------	-----------	-------------

TRAILING SOCKET - 1 WAY

1000009155	NLTS1W	White 13A Trailing Socket 1 Way
-------------------	--------	------------------------------------

■ TRAILING SOCKET - 4 WAY + NEON

- BS1363/4
- With neon tailing



Order No.	Model No.	Description
-----------	-----------	-------------

TRAILING SOCKET - 4 WAY + NEON

1000009157	NLTS4W	White 13A Trailing Socket c/w Neon 4 Way
-------------------	--------	---

■ TRAILING SOCKET - 2 WAY + NEON

- BS1363/4
- With neon tailing



Order No.	Model No.	Description
-----------	-----------	-------------

TRAILING SOCKET - 2 WAY + NEON

1000009156	NLTS2W	White 13A Trailing Socket c/w Neon 2 Way
-------------------	--------	---

Newlec

**Great value
products.**

Made for installers.

IP44 PLUGS - SCREWLESS TERMINALS

- IP44
- Maintenance free screwless terminals
- Two piece body with multigrip gland



Order No.	Model No.	Pins	Rating	Voltage
IP44 PLUGS - SCREWLESS TERMINALS				
1051013023	NLP1116P	2 P+E	16A	110V
1051013024	NLP1132P	2 P+E	32A	110V
1051013025	NLP2316P	2 P+E	16A	230V
1051013026	NLP2332P	2 P+E	32A	230V
1051013027	NLP2363P	2 P+E	63A	230V
1051013028	NLP4016P	3 P+E	16A	400V
1051013029	NLP4032P	3 P+E	32A	400V
1051013030	NLP4063P	3 P+E	63A	400V
1051013031	NLP4016NP	3 P+N+E	16A	400V
1051013032	NLP4032NP	3 P+N+E	32A	400V
1051013033	NLP4063NP	3 P+N+E	63A	400V

IP44 PLUGS - SCREW TERMINALS

- IP44
- One piece body with multigrip gland
- Screw terminals



Order No.	Model No.	Pins	Rating	Voltage
PLUGS - SCREW TERMINALS				
1051013011	NLS1116P	2 P+E	16A	110V
1051013012	NLS1132P	2 P+E	32A	110V
1051013013	NLS2316P	2 P+E	16A	230V
1051013014	NLS2332P	2 P+E	32A	230V
1051013015	NLS4016P	3 P+N+E	16A	400V
1051013016	NLS4032P	3 P+N+E	32A	400V

IP44 CONNECTOR - SCREWLESS TERMINALS

- IP44
- Maintenance free screwless terminals
- Two piece body with multigrip gland



Order No.	Model No.	Pins	Rating	Voltage
IP44 CONNECTOR - SCREWLESS TERMINALS				
1051013034	NLP1116C	2 P+E	16A	110V
1051013035	NLP1132C	2 P+E	32A	110V
1051013036	NLP2316C	2 P+E	16A	230V
1051013037	NLP2332C	2 P+E	32A	230V
1051013038	NLP2363C	2 P+E	63A	230V
1051013039	NLP4016C	3 P+E	16A	400V
1051013040	NLP4032C	3 P+E	32A	400V
1051013041	NLP4063C	3 P+E	63A	400V
1051013042	NLP4016NC	3 P+N+E	16A	400V
1051013043	NLP4032NC	3 P+N+E	32A	400V
1051013044	NLP4063NC	3 P+N+E	63A	400V

IP44 CONNECTOR - SCREW TERMINALS

- IP44
- One piece body with multigrip gland
- Screw terminals



Order No.	Model No.	Pins	Rating	Voltage
CONNECTOR - SCREW TERMINALS				
1051013017	NLS1116C	2 P+E	16A	110V
1051013018	NLS1132C	2 P+E	32A	110V
1051013019	NLS2316C	2 P+E	16A	230V
1051013020	NLS2332C	2 P+E	32A	230V
1051013021	NLS4016C	3 P+N+E	16A	400V
1051013022	NLS4032C	3 P+N+E	32A	400V

PANEL SOCKETS - SCREWLESS TERMINALS

- Maintenance free screwless terminals
- IP44



NL1116PS

Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

PANEL SOCKETS

1051013082	NL1116PS	2 P+E	16A	110V
1051013083	NL1132PS	2 P+E	32A	110V

IP44 SURFACE MOUNT SOCKET

- Two gang surface mount socket



NL2316DS

Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

IP44 SURFACE MOUNT SOCKET

1051013084	NL1116DS	2 P+E	16A	110V
1051013085	NL2316DS	2 P+E	16A	230V

IP44 INTERLOCK SWITCHED SOCKETS

- IP44
- Plug interlocking mechanism prevents removal of plug in the 'on' position
- Top and bottom cable entry
- Switch padlockable



NLP2316SS



NLP4016NSS

Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

INTERLOCK SWITCHED SOCKETS

1051013056	NLP1116SS	2 P+E	16A	110V
1051013057	NLP1132SS	2 P+E	32A	110V
1051013058	NLP2316SS	2 P+E	16A	230V
1051013059	NLP2332SS	2 P+E	32A	230V
1051013060	NLP2363SS	2 P+E	63A	230V
1051013061	NLP2316SS	2 P+E	16A	230V
1051013062	NLP4032SS	3 P+E	32A	400V
1051013063	NLP4063SS	3 P+E	63A	400V
1051013064	NLP4016NSS	3 P+N+E	16A	400V
1051013065	NLP4032NSS	3 P+N+E	32A	400V
1051013066	NLP4063NSS	3 P+N+E	63A	400V

IP44 INTERLOCK SWITCHED TYPE A RCD SOCKETS

- IP44
- Plug interlocking mechanism prevents removal of plug in the 'on' position
- Top and bottom cable entry
- Switch padlockable
- RCD 30mA
- Type A



NL2316RSS

Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

INTERLOCK SWITCHED RCD SOCKETS

2501571768	NL1116RSS-A	2 P+E	16A	110V
2501571767	NL1132RSS-A	2 P+E	32A	110V
2501571766	NL2316RSS-A	2 P+E	16A	230V
2501571765	NL2332RSS-A	2 P+E	32A	230V
2501571764	NL4016RSS-A	3 P+E	16A	400V
2501571763	NL4032RSS-A	3 P+E	32A	400V
2501571762	NL4016NRSS-A	3 P+N+E	16A	400V
2501571761	NL4032NRSS-A	3 P+N+E	32A	400V

IP44 WALL SOCKETS - SCREWLESS TERMINALS

- IP44
- Maintenance free screwless terminals
- Heat resistant contact carrier
- Problem free wiring even in the case of connection from below



NLP1116WS



NLP2316WS



NLP4016NWS

Order No.	Model No.	Pins	Rating	Voltage
-----------	-----------	------	--------	---------

WALL SOCKETS - SCREWLESS TERMINALS

1051013045	NLP1116WS	2 P+E	16A	110V
1051013046	NLP1132WS	2 P+E	32A	110V
1051013047	NLP2316WS	2 P+E	16A	230V
1051013048	NLP2332WS	2 P+E	32A	230V
1051013049	NLP2363WS	2 P+E	63A	230V
1051013050	NLP4016WS	3 P+E	16A	400V
1051013051	NLP4032WS	3 P+E	32A	400V
1051013052	NLP4063WS	3 P+E	63A	400V
1051013053	NLP4016NWS	3 P+N+E	16A	400V
1051013054	NLP4032NWS	3 P+N+E	32A	400V
1051013055	NLP4063NWS	3 P+N+E	63A	400V

IP44 TYPE A RCD SOCKETS

- IP44
- Top and bottom cable entry
- RCD 30mA
- Type A



NL4032RS-A

Order No.	Model No.	Pins	Rating	Voltage
IP44 RCD SOCKETS				
2501571760	NL2316RS-A	2 P+E	16A	230V
2501571759	NL2332RS-A	2 P+E	32A	230V
2501571758	NL2363RS-A	2 P+E	63A	230V
2501571757	NL4016RS-A	3 P+E	16A	400V
2501571756	NL4032RS-A	3 P+E	32A	400V
2501571755	NL4016NRS-A	3 P+N+E	16A	400V
2501571754	NL4032NRS-A	3 P+N+E	32A	400V

IP67 INTERLOCK SWITCHED SOCKETS

- Manufactured in accordance with EN 60309-2
- IP67
- High dust and water ingress protection
- Plug interlocking mechanism prevents removal of plug in the 'on' position
- Top and bottom cable entry



NLP2316SS67*

Order No.	Model No.	Pins	Rating	Voltage
IP67 INTERLOCK SWITCHED SOCKETS				
1051034161	NLP2316SS67	2P+E	16A	230V
1051034162	NLP2332SS67	2P+E	32A	230V
1051034163	NLP4016SS67	3 P+N+E	16A	400V
1051034164	NLP4032SS67	3 P+N+E	32A	400V
1051034165	NLP4063SS67	3 P+N+E	63A	400V
1051034166	NLP40125SS67	3 P+N+E	125A	400V

IP67 PLUGS - SCREW TERMINALS

- Manufactured in accordance with EN 60309-2
- IP67
- High dust and water ingress protection
- Multi grip gland system



NLS2316P67

Order No.	Model No.	Pins	Rating	Voltage
IP67 PLUGS - SCREW TERMINALS				
1051034149	NLS2316P67	2P+E	16A	230V
1051034151	NLS2332P67	2P+E	32A	230V
1051034153	NLS4016P67	3 P+N+E	16A	400V
1051034155	NLS4032P67	3 P+N+E	32A	400V
1051034157	NLS4063P67	3 P+N+E	63A	400V
1051034159	NLS40125P67	3 P+N+E	125A	400V

IP67 CONNECTORS - SCREW TERMINALS

- Manufactured in accordance with EN 60309-2
- IP67
- High dust and water ingress protection
- Multi grip gland system





NLS2316C6

Order No.	Model No.	Pins	Rating	Voltage
IP67 CONNECTORS - SCREW TERMINALS				
1051034150	NLS2316C6	2P+E	16A	230V
1051034152	NLS2332C67	2P+E	32A	230V
1051034154	NLS4016C67	3 P+N+E	16A	400V
1051034156	NLS4032C67	3 P+N+E	32A	400V
1051034158	NLS4063C67	3 P+N+E	63A	400V
1051034160	NLS40125C67	3 P+N+E	125A	400V

13A SOCKET OUTLETS SWITCHED

Hidden fixing screws to give a modern elegant appearance

Gentle curved slimline profile



Colour codes terminals & backed out & captivated screws for fast installation

Order No.	Model No.	Description
-----------	-----------	-------------

13A SOCKET OUTLETS

2500549210	2ISS131SP	1 Gang 13A Single Pole
2500549211	2ISS132SP	2 Gang 13A Single Pole

13A SOCKET OUTLETS UNSWITCHED



Order No.	Model No.	Description
-----------	-----------	-------------

13A SOCKET OUTLETS UNSWITCHED

2500549209	2IS131UN	1 Gang 13A Unswitched
2500549329	2IS132UN	2 Gang 13A Unswitched

13A SOCKET OUTLETS DOUBLE POLE SWITCHED




Order No.	Model No.	Description
-----------	-----------	-------------

13A SOCKET OUTLETS DOUBLE POLE SWITCHED

2500549328	2ISS131DP	1 Gang 13A Double Pole Switched
2500549330	2ISS132DP	2 Gang 13A Double Pole Switched

10A PLATE SWITCHES (*6A RATED)

- Our extensive range of wall light switches are all 10AX rated as standard ensuring that they are suitable for commercial as well as domestic applications.



Order No.	Model No.	Description
-----------	-----------	-------------

10A PLATE SWITCHES

2500549205	2ISS12	1 Gang 2 Way
2500549208	2ISS22	2 Gang 2 Way
2500549219	2ISS32	3 Gang 2 Way
2500551287	2ISS42	4 Gang 2 Way
2500551338	2ISS62	6 Gang 2 Way
2500549220	2ISS13	1 Gang Intermediate
2500549222	2ISSFS	3 Pole Fan Isolator
2500549215	2IA512	1 Gang 2 Way Architrave

TELEPHONE, TV & SATELLITE, NETWORKING



Order No.	Model No.	Description
TELEPHONE & TV SOCKETS		
2500549214	21TV1	1 Gang TV Point (Non Isolated)
2500549331	21SAT1	1 Gang Satellite Point
2500551263	21MASTEL	Telephone Point - Master
2500549218	21SECTEL	Telephone Point - Secondary

BLANK PLATES

- Slim 5.5mm raised curve profile design
- Supplied with conceal screw covers



Order No.	Model No.	Description
BLANK PLATES		
2500549200	21BP1	1 Gang Blank Plate
2500549202	21BP2	2 Gang Blank Plate

CEILING PULL SWITCHES



Order No.	Model No.	Description
CEILING PULL SWITCHES		
2500549213	21CS102	10AX 2 Way
2500549245	21CS50	50A Double Pole

PATTRESSES

- Fully adjustable with large pillar fixing point
- Supports surface mounting method
- Top entry suitable for mini-trunking
- Suitable for Designa Curve accessories
- Earth loop provision



Order No.	Model No.	Description
PATTRESSES		
2500549201	21P116	16mm 1 Gang Pattress
2500549203	21P128	28mm 1 Gang Pattress
2500549206	21P228	28mm 2 Gang Pattress
2500675690	21P135	35mm 1 Gang Pattress
2500675691	21P235	35mm 2 Gang Pattress
2500549207	21P147	47mm 1 Gang Pattress
2500549212	21P247	47mm 2 Gang Pattress
2500549326	21P237D	37mm Dual Box Pattress

BRUSH INSERTS

- Insert plates for use with Designa & Essentials grid plates
- Clip on design for easy retrofit



Order No.	Model No.	Description
BRUSH INSERTS		
2501587717	41BRUSH1	Brush Insert 1 Gang
2501587718	41BRUSH2	Brush Insert 2 Gang

**SOCKET OUTLETS - SWITCHED
SATIN STEEL/WHITE INSERTS**


Order No.	Model No.	Description
13A SOCKET OUTLETS SWITCHED		
2500549228	23SSI131DP	1G Switched
2500549235	23SSI132DP	2G Switched

**SOCKET OUTLETS - SWITCHED
POLISHED CHROME/WHITE INSERTS**


Order No.	Model No.	Description
13A SOCKET OUTLETS SWITCHED		
2500549227	22SSI131DP	1G Switched
2500549234	22SSI132DP	2G Switched

**SOCKET OUTLETS - SWITCHED
SATIN STEEL/BLACK INSERTS**


Order No.	Model No.	Description
13A SOCKET OUTLETS SWITCHED		
2500549345	23SSI131DPB	1G Switched
2500549358	23SSI132DPB	2G Switched

**SOCKET OUTLETS - SWITCHED
GRAPHITE/BLACK INSERTS**


Order No.	Model No.	Description
13A SOCKET OUTLETS SWITCHED		
2500668179	25SSI131DP	1G Switched
2500668180	25SSI132DP	2G Switched



SWITCHES SATIN STEEL



Order No.	Model No.	Description
-----------	-----------	-------------

10A PLATE SWITCH

2500566234	23S512J	1G 2 Way 10A
-------------------	---------	--------------

SWITCHES POLISHED CHROME/WHITE INSERTS



Order No.	Model No.	Description
-----------	-----------	-------------

10A PLATE SWITCH

2500549231	22S512	1G 2 Way 10A
-------------------	--------	--------------

SWITCHES SATIN STEEL/BLACK INSERTS



Order No.	Model No.	Description
-----------	-----------	-------------

10A PLATE SWITCH

2500549357	23S512B	1G 2 Way 10A
-------------------	---------	--------------

SWITCHES POLISHED CHROME



Order No.	Model No.	Description
-----------	-----------	-------------

10A PLATE SWITCH

2500566214	22S512J	1G 2 Way 10A
-------------------	---------	--------------

SWITCHES SATIN STEEL/WHITE INSERTS



Order No.	Model No.	Description
-----------	-----------	-------------

10A PLATE SWITCH

2500549232	23S512	1G 2 Way 10A
-------------------	--------	--------------

SWITCHES GRAPHITE



Order No.	Model No.	Description
-----------	-----------	-------------

10A PLATE SWITCH

2500668174	25S512J	1G 2 Way 10A
-------------------	---------	--------------

SHAVER SOCKETS

- Designed to fit UK standard 2 Gang accessory boxes 35mm - 47mm
- Double wound safety isolating transformer 2VA rated
- Transformer earthing terminal
- 110V or 240V Output

Order No.	Model No.	Description
-----------	-----------	-------------

SHAVER SOCKETS

2500549192	23DVSS	Satin Steel/White Inserts
2500549191	22DVSS	Polished Chrome/White Inserts
2500549189	23DVSSB	Satin Steel/Black Inserts



23DVSS



23DVSSB

WHITE MODULES

- Gridswitch range to match the Designa White Plastic & Designa Decorative range of wiring accessories



41S202KELT



4120DPK



4120DP-FRI



4120DP-CKR



41SAT1



41TV1

Order No.	Model No.	Description
WHITE MODULES		
2500549582	41S202	20AX 2 Way Switch
2500549596	41S103	10AX Intermediate Switch
2500549312	41S202K	20AX 2 Way Keyswitch
2500549588	41S202KELT	20AX 2 Way Keyswitch "EMG LTG TEST"
2500549592	4120DP	20A DP Switch
2500549594	4120DPK	20A DP Keyswitch
2500549589	4120DPKELT	20A DP Keyswitch "EMG LTG TEST"
2500549277	4120DP-CKR	20A DP Switch "COOKER"
2500549278	4120DP-DSH	20A DP Switch "DISHWASHER"
2500549279	4120DP-FAN	20A DP Switch "EXTRACTOR FAN"
2500549280	4120DP-FFR	20A DP Switch "FRIDGE FREEZER"
2500549281	4120DP-FRI	20A DP Switch "FRIDGE"
2500549283	4120DP-HOB	20A DP Switch "HOB"
2500549284	4120DP-HOO	20A DP Switch "COOKER HOOD"
2500549286	4120DP-WAS	20A DP Switch "WASHING MACHINE"
2500549576	41FCUI3	Fused Spur Unit
2500549613	41MASTEL	Telephone Master Socket
2500549585	41SECTEL	Telephone Slave Socket
2500549577	41TV1	Coaxial Socket
2500549579	41SAT1	Satellite Socket
2500549568	41BLANK	1 Module Blank
2500549566	41BLANK1/2	1/2 Module Blank

BLACK MODULES


41S202B



4120DPCKRB



41TV1B



41BLANK12B


Order No.	Model No.	Description
BLACK MODULES		
2500549583	41S202B	20 Ax 2 Way Switch Module Black
2500549597	41S103B	10AX Intermediate Switch
2500549587	41S202KELB	20AX 2 Way Keyswitch "EMG LTG TEST"
2500549593	4120DPB	20A DP Switch
2500568648	4120DPKELB	20A DP Keyswitch "EMG LTG TEST"
2500549291	4120DPCKRB	20A DP Switch "COOKER"
2500549292	4120DPDSHB	20A DP Switch "DISHWASHER"
2500549293	4120DPFANB	20A DP Switch "EXTRACTOR FAN"
2500549294	4120DPFFRB	20A DP Switch "FRIDGE FREEZER"
2500549295	4120DPFRIB	20A DP Switch "FRIDGE"
2500549298	4120DPHOOB	20A DP Switch "COOKER HOOD"
2500549300	4120DPWASB	20A DP Switch "WASHING MACHINE"
2500549581	41FCUI3B	Fused Spur Unit
2500549614	41MASTELB	Telephone Master Socket
2500549586	41SECTELB	Telephone Slave Socket
2500549578	41TV1B	Coaxial Socket
2500549580	41SAT1B	Satellite Socket
2500549569	41BLANKB	1 Module Blank
2500549567	41BLANK12B	1/2 Module Blank

*Can vary depending on lamp characteristics.
Some LED lamps may require the use of a load resistor.
Multi-switching requires the use of slave units.
PLEASE NOTE: All retractable switches feature 'Bell' symbol



13A SOCKET OUTLETS SWITCHED

- Engraved ON indicator on switch



Order No.	Model No.	Description
-----------	-----------	-------------

13A SOCKET OUTLETS SWITCHED

2500551183	11SS131SP	1 Gang 13A Single Pole
2500551185	11SS132SP	2 Gang 13A Single Pole

13A SOCKET OUTLET UNSWITCHED

- Perfect for undercounter appliances



Order No.	Model No.	Description
-----------	-----------	-------------

13A SOCKET OUTLET UNSWITCHED

2500551182	11S131UN	1 Gang 13A Unswitched
-------------------	----------	-----------------------

45A COOKER CONTROL UNITS

- Switches have a positive yet easy push mechanism



Order No.	Model No.	Description
-----------	-----------	-------------

45A COOKER CONTROL SWITCH

2500551209	11CC45SS1	Control Panel
2500551210	11CC45SS1L	Control Panel + Neon
2500551201	11CCOT1	Cable Outlet

10A PLATE SWITCHES (*6A RATED)



Order No.	Model No.	Description
-----------	-----------	-------------

10A PLATE SWITCHES

2500551178	11S512	1 Gang 2 Way
2500551181	11S522	2 Gang 2 Way
2500551189	11S532	3 Gang 2 Way
2500551207	11S542	4 Gang 2 Way
2500551192	11S513	1 Gang Intermediate
2500551193	11S5FS	3 Pole Fan Isolator

SHAVER SOCKETS

- Double wound safety isolating transformer 2VA rated
- Transformer earthing terminal




Order No.	Model No.	Description
-----------	-----------	-------------

SHAVER SOCKETS

2500551212	11DVSS	Dual Voltage Shaver Socket
-------------------	--------	----------------------------

45A DP SWITCHES (*50A)

- Clearly marked terminals for ease of identification



Order No.	Model No.	Description
-----------	-----------	-------------

45A DP SWITCH

2500551203	11S451	45A 1 Gang DP
2500551205	11S451L	45A 1 Gang + Neon DP
2500551208	11S452L	45A 2 Gang Vertical + Neon DP



20A DP SWITCHES

- Clearly marked terminals for ease of identification



Order No.	Model No.	Description
20A DP SWITCHES		
2500551194	11S20	20A DP Switch
2500551200	11S20L	20A DP + Neon

SPURS/CONNECTION UNITS SWITCHED

- Captive fuse carrier



Order No.	Model No.	Description
13A FUSED SPURS		
2500551195	11SPU13	13A Switched Spur
2500549260	11SPU13L	13A Switched Spur + Neon

FACEPLATES

- Traditional square edge profile design to suit any application
- Accepts all standard Euro modules
- Certified to ASTA:BEAB, Intertek & HKSTC standards
- No yokes required



Order No.	Model No.	Description
FACEPLATES		
2500549570	11FACE1MOD	1 Gang Plate, White
2500549571	11FACE2MOD	2 Gang Plate, White
2500549574	11FACE4MOD	4 Gang Plate, White

BLANK PLATES

- Supplied with M3.5x25mm fixing screws
- 25 year guarantee



Order No.	Model No.	Description
BLANK PLATES		
2500549271	11BP1	1 Gang Blank Plate
2500549272	11BP2	2 Gang Blank Plate

SPURS/CONNECTION UNITS UNSWITCHED

- Captive fuse carrier



Order No.	Model No.	Description
SPURS/CONNECTION UNITS		
2500551190	11SPU13UN	13A Unswitched Spur
2500551188	11FOP25	20A Flex Outlet Plate (*25A Rated)

PATRASSES



Order No.	Model No.	Description
PATRASSES		
2500551175	11P116	16mm 1 Gang Pattress
2500551176	11P128	28mm 1 Gang Pattress
2500551179	11P228	28mm 2 Gang Pattress
2500551180	11P143	43mm 1 Gang Pattress
2500551184	11P243	43mm 2 Gang Pattress
2500551187	11P228D	28mm Dual Box Pattress

METAL-ADJUSTABLE LUGS & EARTH TERMINALS

- Made of steel with pre-galvanised finish
- Oval entry



S1011N

Order No.	Model No.	Description
METAL BOXES		
2500551744	S1011N	25mm, 2 Gang
2500551745	S1012N	35mm, 1 Gang
2500551746	S1013N	35mm, 2 Gang
2500551747	S1014N	47mm, 1 Gang
2500551748	S1015N	47mm, 2 Gang
2500786426	S1020N	35mm 6-8 Gang
2500551751	MBARCH	25mm 1 Gang Arch Metal Box

13A SWITCHED CONVERTER SOCKETS

- Simple retrofit solution where extra outlets are required, no need to change the back box
- IP20 Rated



Order No.	Model No.	Description
CONVERTER SOCKETS		
2501306721	DCONVERT2	Convert 1 Gang to 2 Gang

10AX 6 GANG 2-WAY SWITCH

- Hard wearing, all purpose Square Edge 9mm plate with anti-microbial properties



Order No.	Model No.	Description
6 GANG 2 WAY SWITCH		
2500549268	11S562	10AX 6 Gang 2-Way Switch

TELEPHONE SOCKETS

- Traditional square edge profile design to suit any application



Order No.	Model No.	Description
TELEPHONE SOCKETS		
2500551202	11MASTEL	Master Telephone Socket 1 Gang
2500551191	11SECTEL	Secondary Telephone Socket 1 Gang

03 | Data Networking

Data Cable **42**

Data Tools **43**

Data Solutions **44-46**

Data Accessories **47**

Wall Mount Cabinets
& Accessories **48-49**

Floor Standing Cabinets
& Accessories **50**



■ CAT 6 PATCHCORDS

- INTIO Category 6 U/UTP patchcords is an economical alternative offered for Network, efficient for high speed data transmission, phone application and work area. High performances that are complying with the effective cabling standards (ISO-IEC / EIA-TIA) They are suitable for transmission frequencies up to 100 MHz.
- All patchcords are supplied with moulded boots.



Order No.	Model No.	Length
-----------	-----------	--------

CAT 6 PATCHCORDS

2503000121	INIC6U20MGY	20m
2503000120	INIC6U15MGY	15m
2503000119	INIC6U10MGY	10m
2503000118	INIC6U5MGY	5m
2503000117	INIC6U3MGY	3m
2503000116	INIC6U2MGY	2m
2503000115	INIC6U1MGY	1m
2503000114	INIC6U05MGY	0.5m
2503000122	INIC6U03MGY	0.3m

■ CAT 5 PATCHCORDS

- INTIO Category 5E U/UTP patchcords is an economical alternative offered for Network, efficient for high speed data transmission, phone application and work area. High performances that are complying with the effective cabling standards (ISO-IEC / EIA-TIA) They are suitable for transmission frequencies up to 100 MHz.
- All patchcords are supplied with moulded boots.



Order No.	Model No.	Length
-----------	-----------	--------

CAT 5 PATCHCORDS

2503000113	INIC5EU20MGY	20m
2503000112	INIC5EU15MGY	15m
2503000111	INIC5EU10MGY	10m
2503000110	INIC5EU5MGY	5m
2503000109	INIC5EU3MGY	3m
2503000108	INIC5EU2MGY	2m
2503000107	INIC5EU1MGY	1m
2503000106	INIC5EU05MGY	0.5m

■ BLACK EXTERNAL GRADE CABLE

- 305m drums



Order No.	Model No.	Length
-----------	-----------	--------

BLACK EXTERNAL GRADE CABLE

2501674391	C5EU4PPET3	CAT 5e
2501674384	C6U4PPET3	CAT 6
2501674397	C6AUF4PPET3	CAT 6A

■ DATA CABLE

- 305m drums



Order No.	Model No.	Length	Colour
-----------	-----------	--------	--------

DATA CABLE

2501674396	C6AUF4PHFU3	CAT6A	White
2501674390	C5EU4PPVCU3	CAT5e	Grey
2501674382	C6U4PDCARPU3	CAT6	Purple
2501674381	C6U4PECARU3	CAT6	Grey
2501674380	C6U4PDCARU3	CAT6	White



CONTINUITY RJ45/RJ12 TESTER

- Tests main functions: continuity, short circuit, inverted pairs, LED tester, automatic or step by step cabling tester in local or remote mode
- Delivered with 9V battery and carrying case
- Battery level indicator
- Type of connector: RJ12 and RJ45



Order No.	Model No.	Description
CONTINUITY RJ45/RJ12 TESTER		
2501674420	DIAGLC90 GM	Continuity RJ45/RJ12 Tester With Holster

PUNCH DOWN TOOL

- Unscreened version
- Type of connection: block 110
- Requires an impact tool: GGM 907H110



Order No.	Model No.	Description
PUNCH DOWN TOOL		
2501674418	907H110 GM	Punch Down Tool 110/LSA

PRECISION CUTTING PLIERS

- Carbon wire cutters providing precision cutting for conductors up to 20AWG
- Especially suited for RJ45 termination



Order No.	Model No.	Description
PRECISION CUTTING PLIERS		
2501674419	907CUT15S GM	Precision Cutting Pliers 15mm AWG16/26

PROFESSIONAL CRIMPING TOOL

- Professional RJ modular crimping tool
- High Quality dies and Zinc alloy head ensures high quality, accurate and aligned termination



Order No.	Model No.	Description
PROFESSIONAL CRIMPING TOOL		
2501674416	907H468B GM	Professional Crimping Tool for 4/6/8 Contacts Plugs

ADJUSTABLE STRIPPING TOOL


- Allows multi-pair or ribbon cables to be cut or stripped



Order No.	Model No.	Description
ADJUSTABLE STRIPPING TOOL		
2501674417	907X501 GM	Adjustable Stripping Tool

■ DISTRIBUTION CABLES


- Standards: ISO/IEC 11801 ; EN 50173 and ANSI/TIA-568.2-D
- For applications up to 10 Gigabit Ethernet
- 4PPoE compliant
- Aluminium/polyester foil tape shield on each pair
- 23AWG
- GGM C6AUF4PHFU3: LSZH, flame retardant
Fire behaviour: Dca-s2, d2, a1
- GGM C6AUF4PPET3: PE



Order No.	Model No.	Description
DISTRIBUTION CABLES		
2501674396	GGM C6AUF4PHFU3	4 Pairs Cat6a U/Ftp LSZH DCA, White 305 M Reelex Box
2501674397	GGM C6AUF4PPET3	4 Pairs Cat6a U/FTP External Grade PE, Black 305 M Drum

■ PATCH PANEL


- Format: 19", 1U
- Keystone format
- Individually numbered and labelled ports
- Removable rear management bar



Order No.	Model No.	Description
PATCH PANELS		
2501674412	GGM PAN24VK	24-Port Unloaded Patch Panel, Keystone Format, Black

■ RJ45 JACK


- Standards: ISO 11801; EN 50173 and ANSI/TIA-568.2-D
- For applications up to 10 Gigabit Ethernet
- 4PPoE compliant
- For 22 to 24AWG solid cables
- Keystone format
- Toolless termination



Order No.	Model No.	Description
RJ45 JACK		
2501674398	GGM PRJC6A10G	Slim Profile Cat6a Shielded Toolless Keystone Jack

■ INLINE COUPLER


- RJ45 female/female
- Keystone format
- Compatible with GIGAMEDIA patch panels and faceplates



Order No.	Model No.	Description
INLINE COUPLER		
2501674399	GGM 6210210GS00	CAT6A Shielded Coupler, Keystone Format

■ DISTRIBUTION CABLES

- CAT6 U/UTP solid cables
- 23 or 24AWG
- GGM C6U4PDCARU3/PU3: LSZH, flame retardant Fire behaviour: Dca-s2, d2, a1
- GGM C6U4PECARU3: PVC, Eca
- GGM C6U4PPET3: PE



Order No.	Model No.	Description
DISTRIBUTION CABLES		
2501674380	GGM C6U4PDCARU3	4 Pairs Cat6 U/Utp 24AWG LSZH Dca, White 305m Reelex Box
2501674382	GGM C6AUF4PPET3	4 Pairs Cat6 U/Utp 24AWG LSZH Dca, Purple 305m Reelex Box
2501674381	GGM C6U4PECARU3	4 Pairs Cat6 U/Utp 24AWG PVC Eca, Grey 305m Reelex Box
2501674384	GGM C6U4PPET3	4 Pairs Cat6 U/UTP 23AWG External Grade PE, Black 305m Drum

■ RJ45 JACK

- For 22 to 24AWG solid cables
- Compact design
- Keystone format
- Toolless termination



Order No.	Model No.	Description
RJ45 JACK		
2501674385	GGM NKJUC6TL	Short profile CAT6 UTP Toolless KeystoneJack

■ FIELD PLUG

- For 22 to 24AWG solid cables
- Toolless termination



Order No.	Model No.	Description
FIELD PLUG		
2501674413	GGM NFPLUGITC6U	CAT6 UTP Field Plug, 5G Class E

■ PATCH PANEL

- Format: 19", 1U
- Keystone format
- Individually numbered and labelled ports
- Removable rear management bar



Order No.	Model No.	Description
PATCH PANELS		
2501674412	GGM PAN24VK	24-Port Unloaded Patch Panel, Keystone Format, Black
2501674387	GGM INIC6U24P	24-Port CAT6 UTP Patch Panel, IDC 90°, 1U, Black
2501674388	GGM INIC6U24PS	24-port CAT6 UTP Patch Panel, IDC 180°, 1U, Black

■ EURO MODULE



Order No.	Model No.	Length
EURO MODULES		
2501674386	GGM PLUKC6U	CAT6 UTP IDC Euro Module, White 25 x 50mm

■ CONSOLIDATION POINT


- For 22 to 24AWG solid cables
- To be used with IDC punchdown tools



Order No.	Model No.	Description
CONSOLIDATION POINT		
2501674389	GGM 6210260U00	CAT6 UTP IDC Consolidation Point

■ DISTRIBUTION CABLES

- CAT5e U/UTP solid cables
- 24 or 25AWG
- Outer jacket: GGM C5EU4PPVCU3: PVC, Eca
GGM C5EU4PZHBU3: LSZH, Eca
GGM C5EU4PPET3: PE



Order No.	Model No.	Description
DISTRIBUTION CABLES		
2501674390	GGM C5EU4PPVCU3	4 Pairs CAT5e U/UTP PVC Eca, Grey 305m Box
2503000558	GGM C5EU4PZHBU3	4 Pairs CAT5e U/UTP LSZH Eca, White 305m Box
2501674391	GGM C5EU4PPET3	4 Pairs CAT5e U/UTP 24AWG PE External Grade, Black 305m Box

■ RJ45 JACK

- For 22 to 24AWG solid cables
- Keystone format
- Toolless termination



Order No.	Model No.	Description
RJ45 JACK		
2501674392	GGM PRJC5UTL	CAT5e Jack SLIM Profile UTP Keystone Toolless

■ CONSOLIDATION POINT

- For 22 to 24AWG solid cables
- To be used with IDC punchdown tools



Order No.	Model No.	Description
CONSOLIDATION POINT		
2501674395	GGM 6210240U00	CAT5e UTP IDC Consolidation Point

■ PATCH PANEL

- For 22 to 24AWG solid cables
- To be used with IDC punchdown tools



Order No.	Model No.	Description
PATCH PANELS		
2501674394	GGM INIC5EU24P	24-port CAT5e UTP Patch Panel, IDC 90°, 1U, Black

■ EURO MODULE



Order No.	Model No.	Description
EURO MODULES		
2501674393	GGM PLUKC5EU	CAT5e UTP IDC Euro Module, White 25mm x 50mm

CAT5E/CAT6 U/UTP MODULAR PLUGS

- For solid/flex cables (pack of 10 pcs)



Order No.	Model No.	Description
MODULAR PLUGS		
2501674414	GGM MJ8EP8CR	CAT5e/CAT6 U/UTP Modular Plugs For Solid/Flex Cables (Pack Of 10 Pcs)


RJ45 BOOTS

- RJ45 boots, grey (pack of 10 pcs)



Order No.	Model No.	Description
RJ45 BOOTS		
2501674415	GGM 2105XM45G	RJ45 Boots, Grey (Pack Of 10 Pcs)

FACE PLATES AND SURFACE MOUNT BOXES



Order No.	Model No.	Description
FACE PLATES AND SURFACE MOUNT BOXES		
2501674407	GGM PLIELJ6	25mm x 38.5mm LJ6 Keystone Adapter for GIGAMEDIA Keystone
2501674408	GGM PLIELJ6A	25mm x 38.5mm LJ6 Angled Keystone Adapter for GIGAMEDIA Keystone
2501674410	GGM PLUK86SG	86mm x 86mm Single Gang Faceplate
2501674409	GGM PLUK86DG	86mm x 146mm Double Gang Faceplate
2501674406	GGM PLIEIS	25mm x 50mm Module Empty for GIGAMEDIA Keystone
2501674411	GGM BOX002KV	2-Port Surface Mount Box with Shutter, White
2501674404	GGM PLIEB01	12.5 x 50mm Blanker for PLUK86 Faceplate
2501674405	GGM PLIEB02	25 x 50mm Blanker for PLUK86 Faceplate

■ FLATBOX - 19" WALL-MOUNT CABINETS

- Flatpack delivery to save space during transport and storage
- Vertical packaging to make it easy to pick up parts during assembly
- Handling handles and protective cardboards for enhanced protection without crushing
- Removable front door and side panels for an easy access when setting up your cabling
- Assembly under five minutes (hex key supplied)
- Fully recyclable carton packaging



■ INIBOX - 19" WALL-MOUNT CABINETS

- Cost optimised solution
- Removable front door and side panels for an easy access when setting up your cabling



Order No.	Model No.	Height
WALL-MOUNT CABINETS - 500MM DEPTH		
2501674426	GGM COF6U5FPN	6U
2501674427	GGM COF9U5FPN	9U
2501674428	GGM COF12U5FPN	12U
2501674429	GGM COF15U5FPN	15U
2501674430	GGM COF18U5FPN	18U
2501674431	GGM COF21U5FPN	21U
WALL-MOUNT CABINETS - 600MM DEPTH		
2501674432	GGM COF9U6FPN	9U
2501674433	GGM COF12U6FPN	12U
2501674434	GGM COF15U6FPN	15U
2501674435	GGM COF18U6FPN	18U
2501674436	GGM COF21U6FPN	21U

WALL-MOUNT CABINETS - 500MM DEPTH

2501674426	GGM COF6U5FPN	6U
2501674427	GGM COF9U5FPN	9U
2501674428	GGM COF12U5FPN	12U
2501674429	GGM COF15U5FPN	15U
2501674430	GGM COF18U5FPN	18U
2501674431	GGM COF21U5FPN	21U

WALL-MOUNT CABINETS - 600MM DEPTH

2501674432	GGM COF9U6FPN	9U
2501674433	GGM COF12U6FPN	12U
2501674434	GGM COF15U6FPN	15U
2501674435	GGM COF18U6FPN	18U
2501674436	GGM COF21U6FPN	21U

Order No.	Model No.	Height
WALL-MOUNT CABINETS - 400MM DEPTH		
2501674437	GGM COF6U400IBN	6U
2501674438	GGM COF9U400IBN	9U
2501674439	GGM COF12U400IBN	12U
WALL-MOUNT CABINETS - 560MM DEPTH		
2501674440	GGM COF6U560IBN	6U
2501674441	2GGM COF9U560IBN	9U
2501674442	GGM COF12U560IBN	12U
2501674443	GGM COF15U560IBN	15U
2501674444	GGM COF21U560IBN	21U

WALL-MOUNT CABINETS - 400MM DEPTH

2501674437	GGM COF6U400IBN	6U
2501674438	GGM COF9U400IBN	9U
2501674439	GGM COF12U400IBN	12U

WALL-MOUNT CABINETS - 560MM DEPTH

2501674440	GGM COF6U560IBN	6U
2501674441	2GGM COF9U560IBN	9U
2501674442	GGM COF12U560IBN	12U
2501674443	GGM COF15U560IBN	15U
2501674444	GGM COF21U560IBN	21U

■ WALL RACKS

- 19" horizontal wall bracket
- Convenient and cost-saving solution
- Width: 500 mm
- Adjustable depth from 235 to 350 mm



Order No.	Model No.	Description
-----------	-----------	-------------

WALL RACKS

2501674423	GGM WR2U	Wall Bracket 2U - Black
2501674424	GGM WR4U	Wall Bracket 4U - Black
2501674425	GGM WR8U	Wall Bracket 8U - Black

■ CABLE MANAGEMENT




Order No.	Model No.	Description
-----------	-----------	-------------

CABLE MANAGEMENT

2501674471	GGM 628020100	19" Duct Cables Management Panel 1U - Black
2501674472	GGM 628020200	19" Duct Cables Management Panel 2U - Black
2501674468	GGM ARPPCA1N	19" Rings Cables Management Panel 1U - Black
2501674469	GGM ARPPCA2N	19" Rings Cables Management Panel 2U - Black

■ 19" ACCESSORIES



Order No.	Model No.	Description
-----------	-----------	-------------

19" ACCESSORIES


2501674470	GGM ARPBPCIN	19" Brush Cables Management Panel 1U - Black
2501674473	GGM ARPLM2501N	19" Fixed Shelf 1U, 2 Fixing Points, Depth 250mm - Black
2501674474	GGM ARPLM250N	19" Fixed shelf 2U, 2 Fixing Points, Depth 250mm - Black
2501674475	GGM ARPLM375N	19" Fixed shelf 2U, 2 Fixing Points, Depth 375mm - Black
2501674476	GGM ARPO1N	19" Blanking Panel 1U - Black
2501674477	GGM ARPO2N	19" Blanking Panel 2U - Black
2501674478	GGM ARPO3N	19" Blanking Panel 3U - Black
2501674479	GGM ARPO5N	19" Blanking Panel 5U - Black
2501674480	GGM VER3095	Set of 30 M6 Screws + Cup Washers + Cage Nuts - Black
2501674481	GGM VER10095	Set of 100 M6 Screws + Cup Washers + Cage Nuts - Black

■ INIRACK - 19" CABLING FLOOR STANDING CABINETS

- Mechanically screwed steel frame
- Reversible securit glass door with side profiles, can be opened up to 190°
- Rear cable entry cable entries on top and bottom
- Removable rear and side panels for a 360° access
- Two depth adjustable 19" mounting profiles
- Load capacity 500 kg



■ CABINET ACCESSORIES



Order No.	Model No.	Description
CABINET ACCESSORIES		
2501674451	GGM ELMON26U	Set of 2 Rear 19" Mounting Profiles for 26U Cabinet
2501674452	GGM ELMON42U	Set of 2 Rear 19" Mounting Profiles for 42U Cabinet
2501674458	GGM ELEF400N	19" Fixed Shelf 1U, 4 Fixing Points, Depth 400mm - Black
2501674459	GGM ELEF600N	19" Fixed Shelf 1U, 4 Fixing Points, Depth 600mm - Black
2501674460	GGM ELEG400N	19" Sliding Shelf 1U, 4 Fixing Points, Depth 400mm - Black
2501674461	GGM ELEG600N	19" Sliding Shelf 1U, 4 Fixing Points, Depth 600mm - Black
2501674454	GGM ELVCMHD42UN	Set of 2 Vertical Duct Cables Management 42U - Black
2501674453	GGM ELVCMR42UN	Set of 2 Vertical Rings Cables Management 42U - Black
2501674455	GGM ELVCO26U	Vertical Cables Tray 260mm for 26U High Cabinet
2501674456	GGM ELVCO42U	Vertical Cables Tray 260mm for 42U High Cabinet
2501674457	GGM ALB	Cables Entry Brush Strip 350mm - Black
2501674462	GGM EL2VENN	Top Fan Unit Equipped with 2 Fans, Thermostat and Power Cord
2501674463	GGM EL4VENN	Top Fan Unit Equipped with 4 Fans, Thermostat and Power Cord
2501674464	GGM ELSOC66N	Plinth 100mm for 600x600mm Cabinet
2501674465	GGM ELSOC68N	Plinth 100mm for 600x800mm Cabinet
2501674466	GGM ELSOC86N	Plinth 100mm for 800x600mm Cabinet
2501674467	GGM ELSOC88N	Plinth 100mm for 800x800mm Cabinet
2503000123	GGM ELMASSE	Earthing Kit

Order No.	Model No.	Height	Dimensions
FLOOR STANDING CABINETS			
2501674445	GGM IR2666N	26U	600x600mm
2501674446	GGM IR2688N	26U	800x800mm
2501674447	GGM IR4266N	42U	600x600mm
2501674448	GGM IR4268N	42U	600x800mm
2501674449	GGM IR4286N	42U	800x600mm
2501674450	GGM IR4288N	42U	800x800mm

300+ cable lines to choose from

04 | Cable Management

PVC Conduit & Accessories	52-53
PVC Mini Trunking & Accessories	54
PVC Dado Trunking & Accessories	55
Steel Conduit & Accessories	56-57
Channel & Accessories	58-59
Cable Accessories	60-61
Flexible Conduit	62-63
Floorboxes & Accessories	64
Cable Glands	64-67
Cable Ties & Mounts	68
Lugs & Connectors	69-71
Connector Strips & Blocks	72
Gels	73, 83
Sleeving	73
Cable Covers	73
Tapes, Chain & Band	75, 83
Terminal Packs & Rail	76
Cable	77
Boxes	78
Catenary Wire & Accessories	79
Girder Fixings	80-81
Connectors	82, 84



CONDUIT - PVC ROUND

- BS/EN 61386-1
- Available in light and heavy gauge
- 3m length

Order No.	Model No.	Size	Gauge	Colour
-----------	-----------	------	-------	--------

CONDUIT - PVC ROUND

1000017751	NLPRC1	20mm	Light	White
1000017752	NLPRC2	25mm	Light	White
1000017753	NLPRC3	20mm	Heavy	White
1000017754	NLPRC4	25mm	Heavy	White
1000017755	NLPRC5	20mm	Heavy	Black
1000017756	NLPRC6	25mm	Heavy	Black



CONDUIT - PVC ROUND ACCESSORIES



Order No.	Model No.	Description	Colour	Size
-----------	-----------	-------------	--------	------

PVC CONDUIT ACCESSORIES

1000017757	NLRCA10	Spacer Bar Saddle	White	20mm
1000017758	NLRCA11	Spacer Bar Saddle	Black	20mm
1000017759	NLRCA12	Snap-Lock Spacer Saddle	White	20mm
1000017760	NLRCA13	Snap-Lock Spacer Saddle	Black	20mm
1000017761	NLRCA14	Male Adaptor	White	20mm
1000017762	NLRCA15	Male Adaptor	Black	20mm
1000017763	NLRCA16	Female Adaptor	White	20mm
1000017764	NLRCA17	Female Adaptor	Black	20mm
1000017765	NLRCA18	Straight Coupler	White	20mm
1000017766	NLRCA19	Straight Coupler	Black	20mm
1000017767	NLRCA20	Terminal Box	White	20mm
1000017768	NLRCA21	Terminal Box	Black	20mm
1000017769	NLRCA22	Through Box	White	20mm
1000017770	NLRCA23	Through Box	Black	20mm
1000017771	NLRCA24	Angle Box	White	20mm
1000017772	NLRCA25	Angle Box	Black	20mm
1000017773	NLRCA26	Tee Box	White	20mm
1000017774	NLRCA27	Tee Box	Black	20mm
1000017778	NLRCA30	Bend c/w Coupling	White	20mm
1000017779	NLRCA31	Bend c/w Coupling	Black	20mm
1000017775	NLRCA28	Snap-Lock Inspection Elbow	White	20mm
1000017776	NLRCA29	Snap-Lock Inspection Elbow	Black	20mm

Order No.	Model No.	Description	Colour	Size
-----------	-----------	-------------	--------	------

PVC CONDUIT ACCESSORIES

1000017782	NLRCA40	Spacer Bar Saddle	White	25mm
1000017783	NLRCA41	Spacer Bar Saddle	Black	25mm
1000017784	NLRCA42	Snap-Lock Spacer Saddle	White	25mm
1000017785	NLRCA43	Snap-Lock Spacer Saddle	Black	25mm
1000017788	NLRCA46	Male Adaptor	White	25mm
1000017789	NLRCA47	Male Adaptor	Black	25mm
1000017786	NLRCA44	Female Adaptor	White	25mm
1000017787	NLRCA45	Female Adaptor	Black	25mm
1000017790	NLRCA48	Straight Coupler	White	25mm
1000017791	NLRCA49	Straight Coupler	Black	25mm
1000017792	NLRCA50	Terminal Box	White	25mm
1000017793	NLRCA51	Terminal Box	Black	25mm
1000017794	NLRCA52	Through Box	White	25mm
1000017795	NLRCA53	Through Box	Black	25mm
1000017796	NLRCA54	Angle Box	White	25mm
1000017797	NLRCA55	Angle Box	Black	25mm
1000017798	NLRCA56	Tee Box	White	25mm
1000017799	NLRCA57	Tee Box	Black	25mm
1000017800	NLRCA58	Bend c/w Coupling	White	25mm
1000017801	NLRCA59	Bend c/w Coupling	Black	25mm
1000017780	NLRCA32	Circular Lid	White	-
1000017781	NLRCA33	Circular Lid	Black	-

CONDUIT - PVC OVAL

- BS/EN 50085
- Material - White PVC-U
- 3m length



NLOC1

CHANNEL CAPPING - PVC

- White UPVC
- 2m length



NLPWC2

Order No.	Model No.	Size
CONDUIT - PVC OVAL		
1000017802	NLOC1	16mm
1000017803	NLOC2	20mm
1000017804	NLOC3	25mm

Order No.	Model No.	Width
CHANNEL CAPPING		
1050152167	NLPWC1	12mm
1050152168	NLPWC2	25mm
1050152169	NLPWC3	38mm

BENDING SPRINGS

- Heavy gauge 20mm and 25mm bending springs suitable for bending Newlec PVC round conduit




NLRCAbs20mm

Order No.	Model No.	Size
BENDING SPRINGS		
1052051448	NLRCAbs20mm	20mm
1052051449	NLRCAbs25mm	25mm

PVC K/O SURFACE BOXES

- uPVC Conduit & Mini Trunking Back Boxes
- BS/EN 60670 & BS/EN 4662
- Combined Conduit & Mini Trunking Knockouts
- Round & Square Corners
- 32mm deep back boxes
- For 16mmx25mm Mini Trunking adaptor use NLMTA16



NLCTBBR1

NLCTBBR2

NLCTBBS1

NLCTBBS2

Order No.	Model No.	Description	Type	Depth
ROUND CORNER				
2501536595	NLCTBBR1	PVC K/O Box	1 Gang	32mm
2501536596	NLCTBBR2	PVC K/O Box	2 Gang	32mm
SQUARE CORNER				
2501536606	NLCTBBS1	PVC K/O Box	1 Gang	32mm
2501536607	NLCTBBS2	PVC K/O Box	2 Gang	32mm

MINI TRUNKING


- Conforms to BS/EN 50085
- 3m length complete with lid & pre-punched base as standard



Order No.	Model No.	Size
MINI TRUNKING		
1000017805	NLPMT1	16 x 16mm
1000017806	NLPMT2	25 x 16mm
1000017807	NLPMT3	40 x 25mm
1000017808	NLPMT4	40 x 40mm
1000017809	NLPMT5	50 x 50mm

SELF ADHESIVE MINI TRUNKING


- 3m length
- Secure snap-on lid
- 3m length complete with lid and pre-punched base as standard



Order No.	Model No.	Size
SELF ADHESIVE MINI TRUNKING		
1000017810	NLPMTS1	16 x 16mm
1000017811	NLPMTS2	25 x 16mm

MINI TRUNKING - ACCESSORIES

Order No.	Model No.	Size	Description
MINI TRUNKING - ACCESSORIES			
1000017813	NLMTA2	16 x 16mm	End Cap
1000017814	NLMTA3	16 x 16mm	90° Flat Angle
1000017815	NLMTA4	16 x 16mm	90° External Angle
1000017816	NLMTA5	16 x 16mm	90° Internal Angle
1000017817	NLMTA6	16 x 16mm	Flat Tee
1000017812	NLMTA1	16 x 16mm	External Coupler
1000017818	NLMTA10	25 x 16mm	External Coupler
1000017819	NLMTA11	25 x 16mm	End Cap
1000017820	NLMTA12	25 x 16mm	90° Flat Angle
1000017821	NLMTA13	25 x 16mm	90° External Angle
1000017822	NLMTA14	25 x 16mm	90° Internal Angle
1000017823	NLMTA15	25 x 16mm	Flat Tee
1052051447	NLMTA16	25 x 16mm	Adaptor
1000017825	NLMTA21	40 x 25mm	End Cap
1000017826	NLMTA22	40 x 25mm	90° Flat Angle
1000017827	NLMTA23	40 x 25mm	90° External Angle
1000017828	NLMTA24	40 x 25mm	90° Internal Angle
1000017829	NLMTA25	40 x 25mm	Flat Tee
1000017824	NLMTA20	40 x 25mm	Internal Coupler
1000017833	NLMTA33	40 x 40mm	90° External Angle
1000017831	NLMTA31	40 x 40mm	End Cap
1000017832	NLMTA32	40 x 40mm	90° Flat Angle
1000017834	NLMTA34	40 x 40mm	90° Internal Angle
1000017835	NLMTA35	40 x 40mm	Flat Tee
1000017830	NLMTA30	40 x 40mm	Internal Coupler
1000017837	NLMTA41	50 x 50mm	End Cap
1000017838	NLMTA42	50 x 50mm	90° Flat Angle
1000017839	NLMTA43	50 x 50mm	90° External Angle
1000017840	NLMTA44	50 x 50mm	90° Internal Angle
1000017841	NLMTA45	50 x 50mm	Flat Tee
1000017836	NLMTA40	50 x 50mm	External Coupler



DADO TRUNKING CURVE - 3 COMPARTMENT 170 X 50MM

- Made in accordance with BS/EN50085
- Now fully Cat5e/6/6A/7 and Cat8 compliant, for the latest high-density structured cabling
- New adjustable internal & external corners, with a 50mm bend radius
- New moulded Flat Angle & Flat Tees, with a 50mm bend radius
- Adjustable 1G & 2G back boxes from 30mm-50mm in depth
- Supplied fully assembled in 3M lengths (back boxes sold separately)
- Curved profile for aesthetics & easy cleaning
- Designed to accommodate a range of wiring accessories, including Newlec



Order No.	Model No.	Size
-----------	-----------	------


DADO TRUNKING - 3 COMPARTMENT

2501536597	NLSVT3COMP	170mm x 50mm
-------------------	------------	--------------


DADO TRUNKING - 3 COMPARTMENT ACCESSORIES



NLSVTSEBN



NLSVTIBN



NLSVT3FBN



NLSVTJC




NLSVTSEC


Order No.	Model No.	Description
-----------	-----------	-------------

3 COMPARTMENT ACCESSORIES


2501536598	NLSVTSEBN	Adjustable external corner Cat6/6A/7/8 compliant
2501536599	NLSVTIBN	Adjustable internal corner Cat6/6A/7/8 compliant
2501536600	NLSVTJC	Jointing Cover
2501536601	NLSVTSEC	End Cap
2501536604	NLSVT3FBN	Moulded Flat Angle Cat6/6A/7/8 compliant
2501536605	NLSVTSETN	Moulded Flat Tee Cat6/6A/7/8 compliant
2501536602	NLSVT57001	One Gang Adjustable Box 30mm to 50mm (Four Pillar Lugs)
2501536603	NLSVT57002	Two Gang Adjustable Box 30mm to 50mm



NLSVTSETN



NLSVT57001



NLSVT57002



STEEL CONDUIT BOXES

Order No. Model No.

GALVANISED CONDUIT BOXES

2501109335	NLMB1G	20mm Terminal Box
2501109337	NLMB2G	20mm Through Box
2501109347	NLMB3G	20mm Angle Box
2501109348	NLMB4G	20mm Tee Box
2501109390	NLMB5G	20mm Intersection Box
2501109340	NLMB6G	20mm U Box
2501109358	NLMB7G	20mm Y Box
2501109385	NLIB1G	20mm Inspection Bend
2501109386	NLIE1G	20mm Inspection Elbow
2501109400	NLIT1G	20mm Inspection Tee
2501109388	NLTB1G	Back Outlet Box
2501109351	NLMB8G	25mm Terminal Box
2501109364	NLMB9G	25mm Through Box
2501109361	NLMB10G	25mm Angle Box
2501109369	NLMB11G	25mm Tee Box
2501109401	NLMB12G	25mm Intersection Box
2501109398	NLMB13G	25mm U Box
2501109397	NLMB14G	25mm Y Box
2501109402	NLIB2G	25mm Inspection Bend
2501109396	NLIE2G	25mm Inspection Elbow
2501109406	NLIT2G	25mm Inspection Tee
2501109342	NLSC2G	25mm Solid Coupler
2501109366	NLLP1G	1 Hole Loop In Box
2501109405	NLLP4G	4 Hole Loop In Box



NLMB1G



NLMB2G



NLMB3G



NLMB5G



NLMB6G



NLMB7G



NLIB1G



NLIE1G

FIRE RESISTANT SPACER BAR SADDLES

- BS7671
- Helps prevent cable collapse in fire situations to satisfy chapter 52 Amendment 3 compliance
- Fire rated to 930 °C for 120 minutes to BS 8434-2
- Available for use with either 20 or 25mm conduit tube
- Fully RoSH compliant



NLRCA10FR

Order No. Model No. Conduit Size Colour

FIRE RESISTANT SPACER BAR SADDLES

1051088649	NLRCA10FR	20mm	White
1051088650	NLRCA40FR	25mm	White

GALVANISED SPRAY PAINT

- Cold galvanising spray paint
- Used extensively for 'sealing' bare steel, especially where galvanised products have been cut
- **WARNING** Flammable product - COSHH restrictions apply. Safety sheet available from your local branch



Order No. Model No.

GALVANISED SPRAY PAINT

1000009596	NLGALVPAINT
-------------------	-------------

STEEL CONDUIT ACCESSORIES



NLD51G



NLSBS20G



NLFC1G



NLHSP1G




NLNS1



NLDC1G



NLMHM1G



NLFC51G



NLSC1G



NLHR2G




NLHP1G



NLBL1G



NLGR1



NLMBBL1



NLFB1



NLLN1G



NLLR1

Order No.	Model No.	Description
STEEL CONDUIT ACCESSORIES		
2501109395	NLPS1G	20mm Plain Saddle - Galvanised
2501109345	NLD51G	20mm Distance Saddle - Galvanised
2501109346	NLSBS20G	20mm Spacer Bar Saddle - Galvanised
2501109387	NLHOSPIG	20mm Hospital Saddle Galvanised
2501109394	NLHOSP2G	25mm Hospital Saddle Galvanised
2501109383	NLFC1G	20mm Flat Crampet - Galvanised
2501109359	NLHSP1G	20mm Hex Stopping Plug - Galvanised
2501109365	NLNS1	20mm Nipple - BZP
2501109373	NLDC1G	20mm Dome Cover - Galvanised
2501109407	NLMHM1G	20mm Male Hook - Malleable - Galvanised
2501109380	NLFC51G	20mm Flanged Coupler - Galvanised
2501109332	NLSC1G	20mm Solid Coupler - Galvanised
2501109392	NLPS2G	25mm Plain Saddle - Galvanised
2501109355	NLD52G	25mm Distance Saddle - Galvanised
2501109353	NLSBS25G	25mm Spacer Bar Saddle - Galvanised
2501109384	NLFC2G	25mm Flat Crampet - Galvanised
2501109376	NLHSP2G	25mm Hex Stopping Plug - Galvanised
2501109379	NLNS2	25mm Nipple - BZP
2501109350	NLHR2G	25mm - 20mm Reducer - Galvanised
2501109357	NLHP1G	Hook Plate - Galvanised
2501109393	NLSR20G	20mm Extension Ring - Galvanised
2501109391	NLSR25G	25mm Extension Ring - Galvanised
2501109404	NLSR32G	32mm Extension Ring - Galvanised
2501109399	NLSR50G	50mm Extension Ring - Galvanised
2501109333	NLBL1G	Box Lids Light - Galvanised
2501109336	NLGR1	Circular Gasket
2501109338	NLMBBL1	20mm Male Bush Long - Brass
2501109354	NLMBBL2	25mm Male Bush Long - Brass
2501109367	NLMBBL3	32mm Male Bush Long - Brass

Order No.	Model No.	Description
STEEL CONDUIT ACCESSORIES		
2501109378	NLMBBL4	1 1/2" Male Bush Long - Brass
2501109360	NLMBBL5	2" Male Bush Long - Brass
2501109331	NLMBBS1	20mm Male Bush Short - Brass
2501109339	NLMBBS2	25mm Male Bush Short - Brass
2501109352	NLMBBS3	32mm Male Bush Short - Brass
2501109363	NLMBBS4	1 1/2" Male Bush Short - Brass
2501109344	NLMBBS5	2" Male Bush Short - Brass
2501109370	NLFB1	20mm Female Bush - Brass
2501109372	NLFB2	25mm Female Bush - Brass
2501109377	NLFB3	32mm Female Bush - Brass
2501109382	NLFB4	1 1/2" Female Bush - Brass
2501109368	NLFB5	2" Female Bush - Brass
2501109356	NLLN1G	20mm Locknut - Galvanised
2501109371	NLLN2G	25mm Locknut - Galvanised
2501109375	NLLN3G	32mm Locknut - Galvanised
2501109381	NLLN4G	1 1/2" Locknut - Galvanised
2501109374	NLLN5G	2" Locknut - Galvanised
2501109334	NLLR1	20mm Lock Ring - BZP
2501109341	NLLR2	25mm Lock Ring - BZP
2501109349	NLLR3	32mm Lock Ring - BZP
2501109362	NLLR4	1 1/2" Lock Ring - BZP
2501109343	NLLR5	2" Lock Ring - BZP
2501109389	NLFC52G	25mm Flanged Coupler - Galvanised
2501109403	NLBES	M4 Earth Stud - Brass
2501109410	NLRFW20	M20 Red Fibre Washer
2501109411	NLRFW25	M25 Red Fibre Washer
2501109408	NLSW20	20mm Shakeproof Washer - BZP
2501109409	NLSW25	25mm Shakeproof Washer - BZP

CHANNEL - FLAT BRACKETS

- Hot dipped galvanised finish



Order No.	Model No.	Description
FLAT BRACKETS		
1051047740	NLZ612A	Straight 2 Hole
1051047741	NLZ613A	Straight 3 Hole
1051047742	NLZ614A	Straight 4 Hole
1051047743	NLZ615A	Straight 5 Hole
1051047744	NLZ600A	"L" 3 Hole
1051047745	NLZ603A	"L" 4 Hole

CHANNEL ACCESSORIES - ANGLE BRACKETS

- Hot dipped galvanised finish
- For acute and obtuse 45° assemblies



Order No.	Model No.	Description
ANGLE BRACKETS		
1051047751	NLZ510A	Obtuse 2 Hole
1051047752	NLZ511A	Acute 2 Hole

CHANNEL ACCESSORIES - PLATES

- Hot dipped galvanised finish



IN BRANCH

Order No.	Model No.	Type	Hole	Size
PLATES				
1051047732	NLZ506/06A	Square	M6	40 x 40mm
1051047733	NLZ506/08A	Square	M8	40 x 40mm
1051047734	NLZ506/10A	Square	M10	40 x 40mm
1051047735	NLZ506/12A	Square	M12	40 x 40mm

CHANNEL ACCESSORIES - 90° BRACKETS

- Hot dipped galvanised finish
- The range covers most 90° assembly requirements



Order No.	Model No.	Description
90° BRACKETS		
1051047728	NLZ500A	1 Hole 1 Hole - "L"
1051047729	NLZ502A	1 Hole 2 Hole - "L"
1051047730	NLZ503A	1 Hole 3 Hole - "L"
1051047731	NLZ504A	2 Hole 2 Hole - "L"
1051047736	NLZ551A	1 Hole 3 Hole - "T"
1051047737	NLZ550A	2 Hole 2 Hole - "L"
1051047738	NLZ552A	2 Hole 2 Hole - Gusset
1051047739	NLZ553A	2 Lug Wing (41 x 41)

CHANNEL ACCESSORIES - BASE PLATES

- Hot dipped galvanised finish
- Base plates for a variety of single and double channel requirements



Order No.	Model No.	Description
BASE PLATES		
1051047747	NLZ704A	Base Plate Single Channel
1051047748	NLZ705A	Base Plate Double Channel
1051047749	NLZ706A	Base Plate Single Channel Gusset
1051047750	NLZ707A	Base Plate Double Channel Gusset

CHANNEL ACCESSORIES - CANTILEVER ARMS

- Hot dipped galvanised finish



Order No.	Model No.	Length
CANTILEVER ARMS		
1051047758	NLZ750A	150mm
1051047759	NLZ752A	300mm
1051047760	NLZ753A	450mm
1051047761	NLZ754A	600mm
1051047762	NLZ755A	750mm
1051047763	NLZ756A	900mm

CHANNEL ACCESSORIES - BEAM CLAMPS

- Hot dipped galv. finish, except purlin clip which is zinc plated
- Hole in brackets are 14mm diameter for M12 hexagon head bolt
- Beam clamps should be used in pairs
- M10 x 40mm HT8.8 cone point supplied where required as standard



Order No.	Model No.	Description
-----------	-----------	-------------

BEAM CLAMPS

1051047765	NLZ850A	"C" - Beam Clamp c/w Cone Point - Small
1051047764	NLZ851A	"C" - Beam Clamp c/w Cone Point - Large
1051047769	NLZ854A	"Z" - Beam Clamp c/w Cone Point
1051047772	NLZ856A	"L" - Beam Clamp Toe
1051047774	NLZ859A	Purlin Clip (M10 Rod)
1051047768	NLZ852/82A	Bracket Window 41 x 82mm c/w Cone Point
1051047770	NLZ855A	Beam Clamp 41 x 41mm U Bolt
1051047771	NLZ857A	Beam Clamp 41 x 82mm U Bolt

CHANNEL - COUPLERS

- For 41 x 41mm slotted or plain channel
- Internal version tapped and supplied with 4 No. M6 x 12mm roofing bolts
- External version for more robust requirements & galvanised
- Internal coupler zinc plated finish




Order No.	Model No.	Type	Size	Length
-----------	-----------	------	------	--------

COUPLERS

1051047778	NLZCCOUP41EXT	External Coupler	41 x 41mm	168mm
1051047777	NLZCCOUP41INT	Internal Coupler	41 x 41mm	309mm

CHANNEL ACCESSORIES - FIXING BRACKETS

- Range of brackets for versatile installation requirements
- Hot dipped galv. finish



Order No.	Model No.	Description
-----------	-----------	-------------

FIXING BRACKETS

1051047753	NLZ512A	2 Hole 21mm "Z" Bracket
1051047754	NLZ513A	3 Hole 48mm "Z" Bracket
1051047755	NLZ514A	3 Hole 27mm "U" Bracket
1051047756	NLZ515A	3 Hole 48mm "U" Bracket
1051047757	NLZ516A	3 Hole 89mm "U" Bracket

CHANNEL - LIGHTING ADAPTOR

- Zinc plated finish
- Designed for the suspension of light fittings



Order No.	Model No.	Description
-----------	-----------	-------------

LIGHTING ADAPTOR

1051047746	NLZ686A	Lighting Adaptor
-------------------	---------	------------------

CHANNEL ACCESSORIES - BEAM CLAMPS

- Hot dipped galvanised finish, except purlin clip which is zinc plated
- Hole in brackets are 14mm diameter for M12 hexagon head bolt
- Beam clamps should be used in pairs
- M10 x 40mm HT8.8 cone point supplied where required as standard



Order No.	Model No.	Description
-----------	-----------	-------------

BEAM CLAMPS

1051047773	NLZ858A	Clamp G (M10 Rod)
1051047766	NLZ852/21A	Bracket Window 41 x 21mm c/w Cone Point
1051047767	NLZ852/41A	Bracket Window 41 x 41mm c/w Cone Point

SPRING NUTS

- Short spring to suit 21 x 41mm channel
- Long spring to suit 41 x 41mm channel
- Zinc plated finish



Order No.	Model No.	Type	Size
SPRING NUTS			
1051047785	NLZN060A	No Spring	M6
1051047786	NLZN061A	Long Spring	M6
1051047787	NLZN062A	Short Spring	M6
1051047788	NLZN080A	No Spring	M8
1051047789	NLZN081A	Long Spring	M8
1051047790	NLZN082A	Short Spring	M8
1051047791	NLZN100A	No Spring	M8
1051047792	NLZN101A	Long Spring	M10
1051047793	NLZN102A	Short Spring	M10
1051048800	NLZN120A	No Spring	M12
1051048801	NLZN121A	Long Spring	M12
1051048802	NLZN122A	Short Spring	M12

CABLE TRAY - TOP HAT BRACKET

- Fitted with M6 captive nut for labour saving installation
- Captive nut can be moved to pick up all cable tray slot arrangements
- Zinc plated finish
- Elongated fixing holes for 6mm fixing to assist positioning



Order No.	Model No.	Size
TOP HAT BRACKET		
1051047807	NLZTHB050A	50mm
1051047808	NLZTHB075A	75mm
1051047809	NLZTHB100A	100mm
1051047810	NLZTHB150A	150mm
1051047811	NLZTHB225A	225mm
1051047812	NLZTHB300A	300mm

CHANNEL - END CAPS



Order No.	Model No.	Description
END CAPS		
1051047775	NLZ950WA	White - 41 x 41mm
1051047776	NLZ951WA	White - 41 x 21mm

CABLE TRAY & TRUNKING - HANGER BRACKETS

- Suitable for cable tray and trunking
- Used with M6 & M10 threaded rod
- Slot for threaded rod fixture allows easy cable tray alignment
- Zinc plated finish



Order No.	Model No.	Size
CABLE TRAY & TRUNKING - HANGER BRACKETS		
1051047813	NLZTTH100A	100mm
1051047814	NLZTTH150A	150mm
1051047815	NLZTTH225A	225mm
1051047816	NLZTTH300A	300mm

WEDGE NUTS

- For use in precast concrete sections
- Supplied in packs of 10



Order No.	Model No.	Size
WEDGE NUTS		
1051047804	NLZWNO6A	M6
1051047805	NLZWNO8A	M8
1051047806	NLZWNO10A	M10



HEXAGON NUTS



Order No.	Model No.	Description	Pack Size
BRASS			
1050152128	NLS4320AN	M4 Nut	100
1050152133	NLS4320BN	M4 Washer	100
1050152129	NLS4320C	M6 Nut	50
1050152134	NLS4320D	M6 Washer	50
1050152130	NLS4320E	M8 Nut	50
1050152135	NLS4320F	M8 Washer	50
1050152131	NLS4320G	M10 Nut	50
1050152136	NLS4320H	M10 Washer	50
STEEL ZINC PLATED HT8.8			
1051047782	NLZHN06A	M6 Nut	10
1051047783	NLZHN08A	M8 Nut	10
1051047784	NLZHN10A	M10 Nut	10
1051048799	NLZHN12A	M12 Nut	10

ROOF NUT & GUTTER BOLTS



Order No.	Model No.	Size	Pack Size
ROOF NUTS			
1050152137	NLS4333AN	M6 x 12mm	200
1050152138	NLS4333AN1	M6 x 16mm	200
1050152139	NLS4333BN	M6 x 20mm	200
1050152140	NLS4333CN	M6 x 25mm	100
1050152141	NLS4333DN	M6 x 50mm	100
GUTTER BOLTS			
1050152142	NLS4334AN	M6 x 12mm	200
1050152143	NLS4334BN	M6 x 16mm	200
1050152144	NLS4334CN	M6 x 20mm	200
1050152145	NLS4334DN	M6 x 25mm	100

PENNY WASHERS - BZP



Order No.	Model No.	Size	Pack Size
PENNY WASHERS - BZP			
1051047794	NLZPW06A	M6	10
1051047795	NLZPW08A	M8	10
1051047796	NLZPW10A	M10	10

FLAT WASHERS - BZP



Order No.	Model No.	Size	Pack Size
FLAT WASHERS - BZP			
1051047779	NLZFW06A	M6	10
1051047780	NLZFW08A	M8	10
1051047781	NLZFW10A	M10	10
1051048798	NLZFW12A	M12	10

CABLE CLIPS

- Made from impact resistant UV stabilised polypropylene
- Safety nail bends before breaking - hardened & zinc coated
- Can withstand high impact together with extremes of heat, cold and acid - temperature range -40°C
- Flexible design - for use with various sizes of cable
- Features a return 'hook' that holds the cable tightly assisting installation



Order No.	Model No.	For Use with	Colour	Qty
FLAT CABLES				
1050151261	NLCBELL	Bell Wire	Clear	100
1050151252	NLCTE1GRY	6242Y-1/1.5mm	Grey	100
1050151254	NLCTE2GRY	6242Y-2.5mm	Grey	100
1050151256	NLCTE3GRY	6242Y-4 & 6mm	Grey	100
1050151258	NLCTE4GRY	6242Y-10mm	Grey	50
1051014977	NLCTE1WH	6242Y-1/1.5mm	White	100
1050151250	NLCDTE2GRY	6242Y - Double 2.5mm	Grey	100
1050151286	NLC3CGRY	6243Y - 1/1.5mm	Grey	100
1051014978	NLCTE2WH	6242Y-2.5mm	White	100
1051091293	NLCTE3WH	6242Y - 4 & 6mm	White	100

Order No.	Model No.	Colour	Suitable for cable dia.	Qty
ROUND CABLES				
1050151263	NLCR2	White	3 - 5mm	100
1050151264	NLCR3	White	6 - 7mm	100
1050151284	NLCRED	Red	7 - 8mm	100
1050151265	NLCR4	White	7 - 8mm	100
1050341486	NLCR4.5	White	9 - 11mm	100
1050341487	NLCR4.5RED	Red	9 - 11mm	100
1050151266	NLCR5	White	12 - 14mm	100
1050151283	NLCR6	White	15 - 18mm	50

Order No.	Model No.	Colour	Pack Qty	Coax/Sat
COAX/SATELLITE CABLE				
1050151244	NLCTVBL	Black	100	Single
1051091294	NLCTE3BLK	Black	100	Double

PREMIUM FLEXIBLE CONDUIT - NYLON KIT

- IP66, 67, 68 & 69k performance
- Self extinguishing, halogen free conduit and fittings
- Oil & UV resistant
- Approval marks
- Kit includes: 10m flexible nylon conduit, 10 straight one piece quick fit fitting and locknuts, quick removal tool for fittings, 10 conduit clips



NLNY20KITP

Order No.	Model No.	Size
-----------	-----------	------

PREMIUM FLEXIBLE CONDUIT - NYLON KIT

1052025478	NLNY20KITP	20mm
1052025479	NLNY25KITP	25mm

FLEXIBLE CONDUIT - GREY PVC KIT

- IP54
- Self extinguishing
- Kit includes: 10m flexible PVC conduit, 10 straight fittings and locknuts



Order No.	Model No.	Size	Description
-----------	-----------	------	-------------

FLEXIBLE CONDUIT & ACCESSORIES - GREY PVC

1000008972	NLPVC20KIT	20mm	Conduit Kit
1000008978	NLPVC20SF	20mm	Straight Fitting
1000008979	NLPVC20CCB	20mm	Conduit Clips (10)
1000008973	NLPVC25KIT	25mm	Conduit Kit
1000008980	NLPVC25SF	25mm	Straight Fitting

FLEXIBLE CONDUIT - NYLON

- IP66 fittings
- Self extinguishing, halogen free
- Straight fittings are not one piece quick fit as the premium flexible nylon kit
- Fittings complete with locknuts



NLNY25SF

Order No.	Model No.	Size	Description
-----------	-----------	------	-------------

FLEXIBLE CONDUIT - NYLON ACCESSORIES

1050151031	NLNY20AF	20mm	90° Fitting
1050151032	NLNY25AF	25mm	90° Fitting
1000008982	NLNY20SF	20mm	Straight Fitting
1000008983	NLNY20CCB	20mm	Conduit Clip - Pack 10
1000008984	NLNY25SF	25mm	Straight Fitting
1000008985	NLNY25CCB	25mm	Conduit Clip - Pack 10

FLEXIBLE CONDUIT - WHITE PVC KIT

- IP54
- Self extinguishing
- Kit includes: 10m flexible PVC conduit, 10 straight one piece quick fit fittings and locknuts




Order No.	Model No.	Size
-----------	-----------	------

FLEXIBLE CONDUIT - WHITE PVC KIT

1052025475	NLPVC20KITWH	20
1052025476	NLPVC25KITWH	25

IP68 NYLON ACCESSORIES

- Straight and 90° fittings are one piece quick-fit fittings
- Integral face seal washer
- Self extinguishing, halogen free
- Fittings complete with locknuts
- IP66, 67, 68 and 69k performance
- Approval marks:



Order No.	Model No.	Size	Description
-----------	-----------	------	-------------

IP68 NYLON ACCESSORIES

1050390529	NLNY20ATSE	20mm	90° Fitting IP68
1050390530	NLNY25ATSE	25mm	90° Fitting IP68
1050390531	NLNY20ATSS	20mm	Straight Fitting IP68
1050390532	NLNY25ATSS	25mm	Straight Fitting IP68

PREMIUM FLEXIBLE CONDUIT - STEEL/PVC KIT

- IP54
- Versatile fittings for installation into knockouts using a locknut, or into threaded entries
- Excellent crush & tensile strength
- Excellent chemical & UV resistance
- Fittings complete with locknuts
- Kit includes: 10m flexible PVC covered steel conduit, 5 x 'A' fittings (fixed external thread), 5 x 'B' fittings (swivel external thread), 10 P-clips.



Order No.	Model No.	Size	Description	Colour
-----------	-----------	------	-------------	--------

PREMIUM FLEXIBLE CONDUIT - STEEL/PVC KIT

1052025480	NLSP20KITP	20	Conduit Kit	Black
------------	------------	----	-------------	-------

FLEXIBLE CONDUIT - STEEL/PVC ACCESSORIES

- IP54 fittings



Order No.	Model No.	Size	Description
-----------	-----------	------	-------------

FLEXIBLE CONDUIT - STEEL/PVC ACCESSORIES

1050151034	NLSP20SSF	20mm	Straight Swivel Fitting
1050151033	NLSP20SFF	20mm	Straight Fixed Fitting

CABLE CLEATS - TELECLEATS

- For use with 1kV PVC armoured cable to BS 5467



Order No.	Model No.	Cable Diameter	Pack Qty
-----------	-----------	----------------	----------

CABLE CLEATS - TELECLEATS

1000015829	NL38501	10.5 - 14.5mm	25
1000015830	NL38502	12.2 - 16.7mm	25
1000015831	NL38503	14.6 - 19.8mm	25
1000015832	NL38504	17.7 - 24.0mm	25
1000015833	NL38505	21.7 - 28.5mm	10
1000015834	NL38506	26.2 - 34.2mm	10
1000015835	NL38507	31.9 - 14.6mm	10
1000015836	NL38508	39.3 - 51.1mm	10

CABLE CLEATS - HEAVY DUTY

- Heavy duty
- Stable at temperatures -35 to +85°C



Order No.	Model No.	Cable Diameter	Pack Qty
-----------	-----------	----------------	----------

CABLE CLEATS - HEAVY DUTY


1000008150	NLCC5	12.7mm	50
1000008151	NLCC6	15.2mm	50
1000008152	NLCC7	17.8mm	50
1000008153	NLCC8	20.3mm	50
1000008154	NLCC9	22.8mm	50
1000008155	NLCC10	25.4mm	50
1000008409	NLCC11	27.7mm	20
1000008156	NLCC12	30.4mm	20
1000008157	NLCC14	35.6mm	20
1000008158	NLCC16	40.6mm	20

FLOORBOX - 3 COMPARTMENT

- Installation is via twin securing clamp mechanism - simple to operate and adjust to suit a range of floor panel and compressed carpet heights from 20 to 50mm
- Turn around lid with snap-out feature
- Lid recess 6mm for carpet/other floor finish
- Substantial steel plate within the lid easily withstands the working loads of the MOB PF2 PS/SPU March 1992 specification for raised floors
- Each compartment has multiple 20mm and 25mm knockouts
- Dividers are fitted but easily removed
- Standard 87mm depth provides a generous accessory plate to lid height
- Large range of accessory plates are available (87mm x 173mm)
- Floor aperture template dimensions: 215mm x 305mm
- NLFBIIN supplied complete with the following accessories: Plate to accept 1 x 2G standard accessory, plate to accept 4 x RJ45s, blank panel, 2 gang accessory and 4 x RJ45s not included




Dimensions in mm



FLOORBOX - ACCESSORIES

- 1 Gang Accessory Plate - to accept 2 x 1G standard accessory
- 2 Gang Accessory Plate - to accept 1 x 2G standard accessory
- Outlet Plate - to accept 4 x RJ45 6C (25 x 38mm modules)
- Twin Socket Outlet Plate, complete with 1 x twin switched socket outlet
- Data Outlet Plate - to accept 2 x Euro modules or 4 x RJ45 (25 x 50mm modules)



Order No.	Model No.	Description
FLOORBOX - ACCESSORIES		
1050152922	NLFBIIN	Blank Plate
1050152923	NLFBI2P2N	2 x 1 Gang Accessory Plate
1050152924	NLFBI2P3N	1 x 2 Gang Accessory Plate
1050152925	NLFBI2P4N	4 x RJ45 Outlet Plate (25 x 38mm Mod)
1050152926	NLFBI2P5N	Twin Socket Outlet Plate
1050152927	NLFBI2P6N	2 x Euro Mod/4 x RJ45 Data Outlet Plate (25 x 50mm Mod)

Order No.	Model No.	Description
FLOORBOX - 3 COMPARTMENT		
1050152920	NLFBIIN	With Accessory Plate
1050152921	NLFBI2N	Cavity Floorbox

CABLE GLAND KITS - INDOOR AND OUTDOOR

- CW glands conform to BSEN 50262
- Tested to BS 6121 pt.1:1989
- ISO 9001
- For use with all types of SWA cable (outdoor providing environmental seal on the cable outer sheath)
- Provides mechanical cable retention and electrical continuity via armour wire termination
- CE marked for compliance to low voltage directive 72/73/EEC
- Kit includes: Brass gland, steel locknut, brass earth tag, PVC shroud



Order No.	Model No.	Size	Cable Diameter		Kit Qty
			Inner - Max	Outer - Max	
INDOOR - BW - 2 PIECE					
1050152446	NL20SBWN	20S	11.7mm	16.1mm	2
1050152447	NL20BWN	20	14mm	21.1mm	2
1050152448	NL25BWN	25	20mm	27.4mm	2
1050152449	NL32BWN	32	26.3mm	34.4mm	2
1050152450	NL40BWN	40	32.2mm	42.4mm	1
1051011559	NL50SBWN	50	38.2mm	50.1mm	1
1050152451	NL50BWN	50	44.1mm	55.7mm	1
1050152452	NL63BWN	63	56mm	68.2mm	1
OUTDOOR - CW - 3 PIECE					
1050152454	NL20SCWN	20S	11.7mm	9.5 - 15.9mm	2
1050152455	NL20SSCWN	20/16	8.7mm	6.1 - 13.2mm	2
1050152456	NL20CWN	20	14mm	12.5 - 20.9mm	2
1050152457	NL25CWN	25	20mm	18.2 - 26.2mm	2
1050152458	NL32CWN	32	26.3mm	23.7 - 33.9mm	1
1050152459	NL40CWN	40	32.2mm	27.9 - 40.4mm	1
1051011560	NL50SCWN	50	38.2mm	35.2 - 46.7mm	1
1050152460	NL50CWN	50	44.1mm	40.4 - 53.1mm	1
1050152461	NL63CWN	63	56mm	54.6 - 65.9mm	1



NL20SBWN

CABLE GLAND KITS - INDUSTRIAL CXT

- Tested to BS 6221 pt.1:1989
- Brass indoor and outdoor cable gland for all types of flexible wire braid cable (CY/SY) where it is essential to produce an IP66 environmental seal on the cable outer sheath and internal mechanical retention of wire braid for electrical continuity
- Kit contents: 2 x CXT glands, 4 x Brass washers, 2 x Steel locknuts, 2 x Shroud



NL20CXTN

Order No.	Model No.	Size	Cable Diameter		Kit Qty
			Min	Max	
CABLE GLAND KITS - INDUSTRIAL CXT					
1050152330	NL20SCXTN	20S	6.1mm	11.7mm	2
1050152331	NL20CXTN	20	6.5mm	14mm	2
1050152332	NL25CXTN	25	11.1mm	20mm	2

CABLE GLAND KITS - LSF

The materials utilised in these kits are noted for the absence of smoke generating constituents, particularly halogens (fluorine, bromine and chlorine) thus avoiding the hazards of highly irritant and noxious fumes emitted by standard materials such as PCP and PVC when exposed to flame.

- Tested to EN50267-2-1
- LUL approval to EN 42-A2 1996
- LSF (Zero Halogen) cable gland kits for both dry and wet environments
- Kit includes: LSF gland. LSF shroud. Brass locknut & earth tag



Order No.	Model No.	Size	Cable Diameter		Kit Qty
			Inner - Max	Outer - Max	
INDOOR - BW - 2 PIECE					
1050152469	NL20SBWLSFN	20S	11.7mm	16.1mm	2
1050152470	NL20BWLSFN	20	14mm	21.1mm	2
1050152471	NL25BWLSFN	25	20mm	27.4mm	2
1050152472	NL32BWLSFN	32	26.3mm	34.4mm	2
1050152473	NL40BWLSFN	40	32.2mm	42.4mm	1
1050152474	NL50BWLSFN	50	44.1mm	55.7mm	1
1050152475	NL63BWLSFN	63	56mm	68.2mm	1

Order No.	Model No.	Size	Cable Diameter		Kit Qty
			Inner – Max	Outer – Max	
OUTDOOR - CW - 3 PIECE					
1050152477	NL20SCWLSFN	20S	11.7mm	9.5 - 15.9mm	2
1050152479	NL20CWLSFN	20	14mm	12.5 - 20.9mm	2
1050152480	NL25CWLSFN	25	20mm	18.2 - 26.2mm	2
1050152481	NL32CWLSFN	32	26.3mm	23.7 - 33.9mm	1
1050152482	NL40CWLSFN	40	32.2mm	27.9 - 40.4mm	1
1050152483	NL50CWLSFN	50	44.1mm	40.4 - 53.1mm	1

CABLE GLAND - DOME TOP

- IP68 at 5 bar
- Low Smoke and Zero Halogen (LSOH)
- Three piece construction
- Accepts non-circular cable
- Temperature resistance -30°C to +80°C
- Pack of 10
- Suitable for 20mm knockouts



NLDTG20SGRY



NLDTG20SRED

Order No.	Model No.	Size	Colour	Cable Ø
-----------	-----------	------	--------	---------

CABLE GLAND - DOME TOP

1050151472	NLDTG20SBLK	20mm S	Black	6-12mm
1050151465	NLDTG20SGRY	20mm S	Grey	6-12mm
1050151466	NLDTG20SRED	20mm S	Red	6-12mm
1050151467	NLDTG20SWHI	20mm S	White	6-12mm
1050151468	NLDTG20LBLK	20mm L	Black	10-14mm
1050151469	NLDTG20LWHI	20mm L	White	10-14mm

CABLE GLAND - NYLON

- For use with unarmoured cables
- Nylon 6.6 material with nitrile rubber bushes
- Temperature range -20°C to +100°C
- Complete with locknuts
- Pack of 10
- Suitable for 20mm knockouts



Order No.	Model No.	Size	Colour	Cable Ø
-----------	-----------	------	--------	---------

CABLE GLAND - NYLON

1050153125	NLPG249BLK	20mm XS	Black	4-7mm
1000009331	NLPG251BLK	20mm S	Black	7-10.5mm
1000009332	NLPG251WHI	20mm S	White	7-10.5mm
1000009333	NLPG251RED	20mm S	Red	7-10.5mm
1050151109	NLPG252BLK	20mm L	White	8-13mm
1000009334	NLPG252WHI	20mm L	White	8-13mm

CABLE GLANDS - FAST FIT

- IP68 rated (5 bar 30 mins) & IP66
- Time saving push and twist gland to fit in seconds
- Fits wall thickness 0.5mm - 4mm
- Tool required for removal
- Each removal tool pack contains 2 removal tools
- No locknut required
- Supplied in grey polyamide 6 (PA6) and neoprene seal



NLPGF25


Order No.	Model No.	Gland Size	Cable Ø	Pack Qty
-----------	-----------	------------	---------	----------

CABLE GLANDS - FAST FIT

1051091268	NLPGF20	20mm	7 - 13mm	10
1051091269	NLPGF25	25mm	11 - 17mm	5
1051091270	NLPGF32	32mm	15 - 21mm	2

CABLE GLAND EARTHING NUT

- 60% faster installation time
- Eliminates drilling for earth bolts
- Enclosure IP rating not compromised
- No earth bolts required as all parts are supplied
- Designed to resist vibration
- Eliminates the need for surface preparation - paint scraping etc
- Enables GRP or plastic enclosures to be used where this would normally be avoided due to cable earthing requirements
- Pack of 2



NLENS20

Order No.	Model No.	Size
-----------	-----------	------

CABLE GLAND EARTHING NUT

1051014935	NLENS20	20mm
1051014936	NLENS25	25mm
1051014937	NLENS32	32mm


CABLE JOINT KITS - RESIN

- Resin filled 600/1,000V cable joint kits for 2, 3 and 4 core cable complying with EN50393:2006
- Two-part, easy mix, easy flow resin with excellent adhesion to XLPE and PVC cables
- Full installation kit and instructions included


Order No.	Model No.	Colour	Quantity
-----------	-----------	--------	----------

CABLE JOINT KITS - RESIN

1051015255	NLISCJ0	Straight	1.5mm ² - 6mm ²
1051015256	NLISCJ1	Straight	10mm ² - 16mm ²
1051015257	NLUSCJ2	Straight	25mm ²
1051015258	NLUSCJ3	Straight	35mm ² - 95mm ²
1051015259	NLUSCJ4	Straight	120mm ²
1051015260	NLUSCJ5	Straight	150mm ² - 185mm ²
1051049758	NLUBCJ00	Branch	1.5mm ² - 6mm ²
1051015262	NLUBCJ1	Branch	10mm ² - 16mm ²



NLISCJ0



NLUBCJ00

■ NYLON CABLE TIES - STANDARD SINGLE PIECE

- Lloyds Register Approved
- Polyamide 6.6 (PA66)
- Quick & easy to install with high locking & tensile strength
- Continuous operating temperature 40°C to 85°C
- Halogen free, LSF (low smoke and fume)
- Pack of 100
- Available in natural or black



Order No.	Model No.	Dims L x W	Max Bundle Dia.	Tensile Strength (N/lb)
-----------	-----------	------------	-----------------	-------------------------

■ NYLON CABLE TIES - STANDARD SINGLE PIECE

1051014945	NLTS01NA	100x 2.5mm	22mm	80/18
1051014947	NLTS02NA	150x 3.6mm	35mm	135/30
1051014949	NLTS03NA	140x 2.5mm	55mm	80/18
1051014951	NLTS04NA	200x 4.6mm	35mm	225/50
1051014953	NLTS05NA	200x 2.5mm	50mm	80/18
1051014955	NLTS06NA	200x 3.6mm	50mm	135/30
1051014957	NLTS07NA	250x 4.6mm	65mm	225/50
1051014959	NLTS08NA	300x 4.6mm	85mm	355/50
1051014961	NLTS09NA	385x 4.6mm	110mm	355/50
1051014963	NLTS10NA	385x 7.6mm	100mm	535/120
1051014946	NLTS01BA	100x 2.5mm	22mm	80/18
1051014948	NLTS02BA	150x 3.6mm	35mm	135/30
1051014950	NLTS03BA	140x 2.5mm	55mm	80/18
1051014952	NLTS04BA	200x 4.6mm	35mm	225/50
1051014954	NLTS05BA	200x 2.5mm	50mm	80/18
1051014956	NLTS06BA	200x 3.6mm	50mm	135/30
1051014958	NLTS07BA	250x 4.6mm	65mm	225/50
1051014960	NLTS08BA	300x 4.6mm	85mm	355/50
1051014962	NLTS09BA	385x 4.6mm	110mm	355/50
1051014964	NLTS10BA	385x 7.6mm	100mm	535/120

■ NYLON CABLE TIE MOUNTS

- High-strength synthetic rubber adhesive
- Polyamide 6.6 base
- Halogen free, LSF (low smoke & fume)
- Continuous operating temperature 40°C to 85°C
- Screw mount option
- Pack of 100




Order No.	Model No.	Dimensions L x W
-----------	-----------	------------------

■ NYLON CABLE TIE MOUNTS

1051014967	NLTMP425BA	28 x 28mm
1051014966	NLTMP219NA	19 x 19mm
1051014968	NLTMP425NA	28 x 28mm
1051014965	NLTMP219BA	19 x 19mm

■ GRADE 316 STAINLESS STEEL CABLE TIES

- Self locking and ideal for all applications that require high tensile strength, reliability and fire resistance
- Strong self-locking mechanism (stainless steel ball) with low insertion force
- Non-magnetic marine grade 316 stainless steel, corrosion resistant, UV resistant and outstanding chemical resistance
- Suitable for high temperature environments -80°C - +538°C



Order No.	Model No.	Length	Width	Min Tensile Strength	Pack Qty
-----------	-----------	--------	-------	----------------------	----------

■ STAINLESS STEEL CABLE TIES

2501108598	NLTS01SSA	127mm	4.6mm	900N	100
2501108599	NLTS05SSA	201mm	4.6mm	900N	100
2501108600	NLTS08SSA	300mm	4.6mm	900N	100
2501108601	NLTS11SSA	362mm	7.9mm	2000N	50
2501108602	NLTS12SSA	521mm	7.9mm	2000N	50
2501108603	NLTS13SSA	685mm	7.9mm	2000N	50

■ STAINLESS STEEL SCREW FIXING MOUNTS

- Suitable for secure fixing of cables, tubing, conduits and pipes within the most arduous of environments. Providing a complete fastening and fixing solution when used in conjunction with stainless steel ties up to 10mm width
- 2-way fixing for stainless steel cable ties
- High performance marine grade 316 stainless steel
- Suitable for high temperature environments -80°C to +538°C
- Heavy duty design, robust and durable solution
- Quick and easy to install
- Supplied in packs of 100



Order No.	Model No.	Length	Width	Height	Hole Ø	Max Strap Width
-----------	-----------	--------	-------	--------	--------	-----------------

■ STAINLESS STEEL SCREW FIXING MOUNTS

2501108604	NLTMSSC4	23mm	10.2mm	4.5mm	4.2mm	10mm
2501108605	NLTMSSC5	23mm	10.2mm	4.5mm	5.3mm	10mm
2501108606	NLTMSSC6	23mm	10.2mm	4.5mm	6.3mm	10mm

LUGS

- BS EN 61238
- Range from 10mm² - 120mm²
- Made from 99.9% pure electrical copper tube
- Optimum strength against vibration and pull-out for complete reliability
- Annealed after final pressing to guarantee ductility and electrolytically tin plated to avoid oxidation



Order No.	Model No.	Cable Size	Stud Size Ø	Pack Qty
LUGS				
1000008209	NL10C-6	10mm ²	6mm	10
1000008210	NL10C-8	10mm ²	8mm	10
1000008211	NL10C-10	10mm ²	10mm	10
1000008212	NL16C-6	16mm ²	6mm	10
1000008213	NL16C-8	16mm ²	8mm	10
1000008214	NL16C-10	16mm ²	10mm	10
1000008215	NL25C-6	25mm ²	6mm	10
1000008216	NL25C-8	25mm ²	8mm	10
1000008217	NL25C-10	25mm ²	10mm	10
1000008218	NL25C-12	25mm ²	12mm	10
1000008219	NL35C-6	35mm ²	6mm	4
1000008220	NL35C-8	35mm ²	8mm	4
1000008221	NL35C-10	35mm ²	10mm	4
1000008222	NL35C-12	35mm ²	12mm	4
1000008223	NL50C-8	50mm ²	8mm	4
1000008224	NL50C-10	50mm ²	10mm	4
1000008225	NL50C-12	50mm ²	12mm	4
1000008226	NL70C-8	70mm ²	8mm	4
1000008227	NL70C-10	70mm ²	10mm	4
1000008228	NL70C-12	70mm ²	12mm	4
1000008229	NL95C-10	95mm ²	10mm	4
1000008230	NL95C-12	95mm ²	12mm	4
1000008231	NL95C-16	95mm ²	16mm	4
1000008233	NL120C-12	120mm ²	12mm	4
1000008232	NL120C-10	120mm ²	10mm	4
1000008234	NL120C-16	120mm ²	16mm	4

END SLEEVES

- DIN 46228
- Insulated end sleeves provide a neat end termination to multi-stranded wires, and are suitable for tri-rated cable
- Reduce the possibility of wire strands short circuiting and ensures a positive connection when used with terminal blocks and captive terminals
- Manufactured from bright tinned copper with polypropylene insulated sleeves



Order No.	Model No.	Colour	Cable Size	Pin Length	Pin Ø	Pack Qty
FRENCH RANGE						
1050153206	NLBFW814	White	0.5	8	1.4	500
1050153174	NLBFB815	Blue	0.75	8	1.5	500
1050153205	NLBFR818	Red	1	8	1.8	500
1050153204	NLBFB820	Black	1.5	8	2	500
1050153176	NLBFG826	Grey	2.5	8	2.6	500
1050153144	NLBFO932	Orange	4	9	3.2	500
1050153139	NLBFG1239	Green	6	12	3.9	100
1050153138	NLBFB1249	Brown	10	12	4.9	100
GERMAN RANGE						
1050153177	NLBFO814	Orange	0.5	8	1.4	500
1050153179	NLBFW815	White	0.75	8	1.5	500
1050153180	NLBFY818	Yellow	1	8	1.8	500
1050153178	NLBFR820	Red	1.5	8	2	500
1050153175	NLBFB826	Blue	2.5	8	2.6	500
1050153141	NLBFG932	Grey	4	9	3.2	500
1050153209	NLBFB1239	Black	6	12	3.9	100
TWIN ENTRY						
1050153200	NLTBFW814	White	2 x 0.5	8	1.4	500
1050153195	NLTBFB815	Blue	2 x 0.75	8	1.5	500
1050153202	NLTBFY818	Yellow	2 x 1.0	8	1.8	500
1050153198	NLTBFR818	Red	2 x 1.5	8	1.8	500
1050153199	NLTBFR820	Red	2 x 1.5	8	2	500
1050153197	NLTBFG826	Grey	2 x 2.5	8	2.6	250

PUSH ON

- Pack of 100



NLPRFIT63508



NLBPO6.3

Order No.	Model No.	Size	Insulated	Colour
FEMALE PUSH ON				
1000008433	NLRPO6.3	6.3 x 0.8mm	No	Red
1050153208	NLPRFIT63508	6.35 x 0.8mm	Yes	Red
1000008434	NLBPO6.3	6.3 x 0.8mm	No	Blue
1050153207	NLPBFT63508	6.35 x 0.8mm	Yes	Blue
1050153157	NLPYFT63508	6.35 x 0.8mm	No	Yellow
MALE PUSH ON				
1050153191	NLPRMT63508	6.35 x 0.8mm	No	Red
1050153189	NLPBMT63508	6.35 x 0.8	No	Blue

PIN

- Pack of 100



NLYP14

Order No.	Model No.	Pin Length	Colour
PIN			
1000008417	NLRP10	10mm	Red
1050153193	NLRP12	12mm	Red
1000008424	NLBP10	10mm	Blue
1050153181	NLBP12	12mm	Blue
1050153166	NLYP14	14mm	Yellow

BLADE

- Pack of 100



NLBRT10

Order No.	Model No.	Length	Colour
BLADE			
1050153184	NLBRT10	10mm	Red
1000008418	NLRBL16	16mm	Red
1050153185	NLBRT18	18mm	Red
1050153173	NLBBT9	9mm	Blue
1050153172	NLBBT18	18mm	Blue

BULLET

- Pack of 100



NLBRMT

Order No.	Model No.	Type	Colour
BULLET			
1050153182	NLBRFT	Female	Red
1050153183	NLBRMT	Male	Red

PIGGYBACK

- Pack of 100

Order No.	Model No.	Size	Colour
PIGGYBACK			
1050153188	NLPBBT63508	6.35 x 0.8mm	Blue



NLPBBT63508

RING

• Pack of 100



Order No.	Model No.	Stud Size Ø	Colour
RING			
1000008436	NLRR4	4mm	Red
1000008412	NLRR5	5mm	Red
1000008413	NLRR6	6mm	Red
1000008419	NLBR4	4mm	Blue
1000008420	NLBR5	5mm	Blue
1000008421	NLBR6	6mm	Blue
1050153148	NLBR8.5	8mm	Blue
1050153203	NLYR4.3	4mm	Yellow
1000008426	NLYR5	5mm	Yellow
1000008427	NLYR6	6mm	Yellow
1000008428	NLYR8	8mm	Yellow
1050153167	NLYR10.5	10mm	Yellow

FORK

• Pack of 100



Order No.	Model No.	Stud Size Ø	Colour
FORK			
1000008414	NLR53.5	3.5mm	Red
1000008415	NLR54	4mm	Red
1000008422	NLBS4	4mm	Blue
1000008423	NLBS5	5mm	Blue

THROUGH CONNECTOR - PVC

• Pack of 100



Order No.	Model No.	Colour
THROUGH CONNECTOR		
1000008431	NLRTC	Red
1000008432	NLBTC	Blue
1000008437	NLYTC	Yellow

THROUGH CONNECTORS - METAL



Order No.	Model No.	Cable Size	Pack Qty
THROUGH CONNECTORS			
1000008594	NLTC10	10mm ²	10
1000008595	NLTC16	16mm ²	10
1050150456	NLTC25	25mm ²	10
1000008596	NLTC35	35mm ²	4
1000008597	NLTC50	50mm ²	4
1000008598	NLTC70	70mm ²	4
1000008599	NLTC95	95mm ²	4
1000008600	NLTC120	120mm ²	4

12 WAY CONNECTOR STRIPS

- Maximum continuous temperature rating 80°C
- Nominal voltage 450V
- BS EN 60998-1
- Supplied in packs of 10



Order No.	Model No.	Rating (Amps)
-----------	-----------	---------------

CONNECTOR STRIPS

1050153353	NLCS2.5	2.5
1050153354	NLCS5	5
1050153355	NLCS15	15
1050153356	NLCS30	30

MAGIC GEL

- Two component gel potting compound
- Re-enterable
- Non toxic and safe
- Dielectric strength: >23 kV/mm
- Fast cross linking



Order No.	Model No.	Description
-----------	-----------	-------------

MAGIC GEL

1050362764	NLMG1000	Magic Gel
-------------------	----------	-----------

CONNECTOR BLOCKS

- Black Phenolic housing complete with knockouts
- Brass terminals, maximum conductor size 35mm²
- Single pole - 5 way
- Double pole - 2 x 5 way
- 230V AC rated 100A




Order No.	Model No.	Type
-----------	-----------	------

CONNECTOR BLOCKS

1000009335	NLCB5SPN	Single Pole
1000009336	NLCB5DPN	Double Pole

GEL CONNECTOR COVERS

- Up to 2 pole 10amp (5 amp recommended) for NLMG2C and 3 pole 15amp for NLMG3C
- Fully submersible to high depths in accordance to EN 50393
- No shelf life and non toxic
- EN 50393 and CEI 20-33 (note with testing under water head and water between the cable cores)
- In class 2 according to standard CEI 64-8



Order No.	Model No.	Colour	No. of Poles
-----------	-----------	--------	--------------

GEL CONNECTOR COVERS

1050392918	NLMG2C	Green	2
1050392919	NLMG3C	Green	3

MAGIC POWER GEL

- Two component gel potting compound and putty
- Re-enterable and re-usable
- Strong self amalgamating characteristics
- Single bi-component bottle to make 1 litre of product
- Can also be used as a putty once cured
- Non toxic and safe
- Dielectric strength: >23 kV/mm
- Fast cross linking (approx 15 min at 25°C) with no exothermic reaction
- Working temperature: -60°C to +200°C
- Overload temperature for short periods: up to 250°C

APPROVALS: EN 50393; CEI 20-33, fire retardant according to IEC 332-1. CEI 20-33 (note: with testing under water head and water between the cable cores)

Order No.	Model No.	Colour	Quantity
MAGIC POWER GEL			
1051040707	NLMGP1000	Blue	1 Litre




IN BRANCH



HEAT SHRINK MULTIPACK

- 2:1 shrink ratio
- Longitudinal shrinkage: 5% max
- Shrinks at comparatively low temperature of 100°C
- Operating temperature -55°C to 125°C
- Self extinguishing
- 250mm lengths



Order No.	Model No.	No. of Lengths per colour per pack	Pre Shrink Dia. (mm)
HEAT SHRINK MULTIPACK			
1052029331	NLSP6EU	3	6.4
1052029332	NLSP12EU	3	12.8
1052029333	NLSP19EU	2	19.1
1052029334	NLSP25EU	2	25.4

SLEEVING - PVC

- For cable identification
- Supplied in 100M lengths
- Manufactured to BS 2848 Type 3 Class 85T



Order No.	Model No.	Size	Inlets
SLEEVING - PVC			
1050331971	NLBRN4NH	Black	4mm
1050331973	NLBL3NH	Blue	3mm
1050331974	NLBL4NH	Blue	4mm
1050331976	NLBRN3NH	Brown	3mm
1050331977	NLBRN4NH	Brown	4mm
1050335112	NLGR4NH	Grey	4mm
1050331978	NLGY2NH	Green/Yellow	2mm
1050331979	NLGY3NH	Green/Yellow	3mm
1050331980	NLGY4NH	Green/Yellow	4mm
1050331981	NLGY5NH	Green/Yellow	5mm

GROMMETS

- PVC - Chemical resistant



Order No.	Model No.	Size	Type	Pack Qty
GROMMETS				
1000009461	NLGROM0N	M20	Through	25
1000009462	NLGROM1N	M20	Blind	25
1000009463	NLGROM2N	M25	Through	25
1000009464	NLGROM3N	M25	Blind	25
1050151291	NLGROM4N	M32	Through	10
1050151292	NLGROM5N	M32	Blind	10

GROMMET STRIP

- Flexible 'U' design to line irregular shaped holes
- For use on panels with thickness ranging from 0.4 - 1.3mm



Order No.	Model No.	Length
GROMMET STRIPS		
1051043277	NLGROMSTRIP3	25m

SPIRAL BINDING

- Ideal for tidying and grouping cables
- Re-usable
- Polythene
- 60° to +90°C working temperature
- Packed in 5m lengths



Order No.	Model No.	Diameter Min/Max	Colour
SPIRAL BINDING			
1050362969	NLCSB1BL	4.8 - 50mm	Black
1050362971	NLCSB2BL	9.5 - 100mm	Black

EASYLOCK WIRE SUSPENSION SYSTEM


- Conforms to DW144 for ductwork
- Lloyds approval
- Can be installed vertically or at angles
- SWL 45kg with a 5:1 safety factor



Order No.	Model No.	Description	Content
EASYLOCK WIRE SUSPENSION SYSTEM			
1051091196	NLSW100	Suspension Wire	100m
1051091197	NLSWLOCK	Wire Locking Device + Key	50 Devices
1051091198	NLSWTUB	Suspension Kit	100m of Wire, 50 x Lock & Key

SPLIT CABLE COVER

- Allows easy access to the cable at any point
- Quick, easy installation
- Can be used to wrap and cover wires, cables and hoses
- Flame retarded PA6 material
- Working temperature -40° to +90°C
- UL94VO
- Packed in 2m lengths complete with applicator



Order No.	Model No.	Size	Colour
SPIRAL BINDING			
1050362955	NLSCC1B	20mm	Black
1050362957	NLSCC2B	25mm	Black



MIXING NOZZLE FOR CHEMICAL RESIN ANCHOR CARTRIDGE

- Transparent plastic nozzle designed to assist in applying chemical resins and fixings to block work, brick, concrete, etc
- Inner lining provides instant mixing and reduces wastage
- For use with resin cartridge NLCA8



Order No.	Model No.	Description
MIXING NOZZLE FOR CHEMICAL RESIN ANCHOR CARTRIDGE		
1050150739	NLCA4	Mixing Nozzle For Chemical Resin Anchor Cartridge

TRUNKING PANEL OPEN SLOTTED LID

- Open slot panel trunking manufactured from rigid anti-shock plastic
- Complete with lid
- Fingers easily removed to accommodate larger sizes
- Base holes slotted to DIN 43659, CE123-22

Order No.	Model No.	Description
PANEL TRUNKING OPEN SLOTTED LID		
1050152848	NLCPT1	Trunking Panel Open Slotted Lid 25 x 40mm x 2m Grey

PVC INSULATION TAPE

- BS EN 60454-3-1:1998
- 19mm x 33m
- Flame retardant



NLTAPE2BLKN

Order No.	Model No.	Colour
TAPE - PVC INSULATION		
1050151267	NLTAPE2BLKN	Black
1050151269	NLTAPE2BLUN	Blue
1050151271	NLTAPE2YELN	Yellow
1050151272	NLTAPE2WHIN	White
1050151273	NLTAPE2BRNN	Brown
1050268437	NLTAPE2GRYN	Grey
1050151274	NLTAPE2GYN	Green
1050151268	NLTAPE2REDN	Red

UNDERGROUND WARNING TAPE


- 150mm x 365m



Order No.	Model No.	Size
UNDERGROUND WARNING TAPE		
1050153082	NLUGTAPEN	

ALL ROUND BAND

- Galvanised steel
- Available in either uncoated or PVC coated - black
- Supplied in 10m coils



NLARBU12A

Order No.	Model No.	Coated	Width
ALL ROUND BAND			
1051015263	NLARBU12A	No	12mm
1051015264	NLARBC12A	Yes	12mm
1051015266	NLARBC17A	Yes	17mm

JACK CHAIN

- Single link chain - ideal for suspending luminaires, trunking etc
- Zinc finish
- Supplied in 10m lengths




NL5101N

Order No.	Model No.	Size	Max. Static Load
JACK CHAIN			
1050317591	NL5101N	No. 8	31kg
1050317593	NL5103N	No. 10	15kg

TERMINAL PACKS - 35MM TOP HAT RAIL

- ATEX approved
- Wemid insulating material
- UL 94 V0 flammability rating
- Uniform accessories for 2.5mm and 4mm
- Vibration resistant connection
- Patented clamping yoke system



Order No.	Model No.	Conductor Size	Terminals	Earth Terminals	End Stop	End Plate
TERMINAL PACKS - 35MM TOP HAT RAIL						
1050151150	NLTERM2.5/35	2.5mm ²	10	-	2	1
1050151151	NLTERM4.0/35	4mm ²	10	-	2	1
1050150467	NLTERMPK2.5/35	2.5mm ²	8	2	2	1
1050150469	NLTERMearth4/35	4mm ²	-	10	-	-

TERMINAL RAIL

- Manufactured and approved to DIN 46277-3/EN 50022

Profile B - 35 x 7.5mm Profile C - 35 x 15mm Profile G - 32 x 15mm



Order No.	Model No.	Profile	Length (M)	Slotted
TERMINAL RAIL				
1000009370	NLRAIL35	B	0.5	-
1050152844	NLRAIL35S	B	2	Yes
1050152846	NLRAIL3515S	C	2	Yes
1050152841	NLRAIL32S	G	2	Yes
1050152847	NLRAILASB	NA	Rail Support Bracket	

NLRAIL35

NLRAIL35S

NLRAIL32S

CABLE MARKER KITS

- Self extinguishing PVC
- Temperature range -45°C to +70°C
- Chemical resistant
- Mixed Marker Kit - NLCM1KIT Contains 200 of each colour coded markers: 0-9 (Coloured), L, N, R, S, T, +, -, Earth (White) and 1 applicator
- Black and White Marker Kit - NLCM2KIT Contains 200 of each black & white markers: A-Z, 0-9, +, -, Earth, Full Stop, Blank, L1, L2, L3 and 1 applicator
- Black and Yellow Marker Kit K Type - NLCM3KIT Contains 100 of each black & yellow markers: A-Z, 0-9, +, -, /, Earth. Also contains 200 x 12 digit carrier strips and 100 x 7 digit carrier strips
- Marker replenishment packs available



Order No.	Model No.	Description
CABLE MARKER KITS		
1052073578	NLCM1KIT	Mixed Marker 0.75 - 6.0mm
1052073582	NLCM2KIT	B/W Marker 0.75 - 6.0mm
1052073615	NLCM3KIT	Black & Yellow Marker K Type

CABLE - RG6 SATELLITE COAXIAL CABLES

- 75Ω impedance
- 1mm CCS conductor with 17% conductivity
- 64 x 0.12mm CCS braiding
- Aluminium foil
- 4.7mm gas injected foam
- Primary PVC sheathing, in black, white or brown
- 100m drum



Order No.	Model No.	Colour
-----------	-----------	--------

SATELLITE CABLE

1050392657	NLSATBRN	Brown
1051016637	NLSATWHT	White
1000008738	NLSATBLK	Black

CABLE - TELEPHONE

- Complies with BT specification CW1308
- Copper conductor
- White PVC sheath
- 0.4mm nominal conductor diameter
- 100m drum



Order No.	Model No.	No. Pairs
-----------	-----------	-----------

TELEPHONE CABLE

1000008727	NLTTEL2N	2
1000008728	NLTTEL3N	3
1000008729	NLTTEL4N	4

CABLE - ALARM

- Meets BS 4737-3.30:2015 Type 2 PVC standards
- Conductors formed with 7 strands of pure copper
- Minimum band radius 6 x diameter
- Maximum voltage 50V
- With strong, usable red nylon rip cord
- Stranded, tinned pure copper, less than 100 Ohms per Km
- Provides long cable runs and increased flexibility
- Fully manufactured in Great Britain
- 100m coil on robust weather/water resistant reels



Order No.	Model No.	No. Cores
-----------	-----------	-----------

ALARM CABLE

1000008723	NL309N	6 core
-------------------	--------	--------

COAX CABLE

- **Satellite Cable**
 - Fully CAI approved satellite cable
 - 1mm bare copper inner conductor
 - Tinned copper wire braiding
 - Aluminium foil
 - Foam injected
- **RG6 Shotgun Cable**
 - Twin satellite cables enable faster installation
 - Easy to handle and transport
 - 1mm nominal CCS (copper clad steel) conductor
 - 64 x 0.12mm CCS braiding



Order No.	Model No.	Description	Length
-----------	-----------	-------------	--------

COAX CABLE

1050392658	NLSAT100A	Satellite	100m
1051031836	NLSATSHOTGUNBLK	RG6 Shotgun	125m

BELLWIRE CABLE

- Bell Wire with PVC insulation and plain solid copper conductors

Order No.	Model No.	Description
-----------	-----------	-------------

DATA & COMMUNICATION

1000008726	NLBELLWIREN	Bellwire Cable 100m White
-------------------	-------------	---------------------------



PRE-GALVANISED BOXES

- Multiple knockouts provide flexible cable entry
- Impact resistant
- Long-lasting



NL556KPG

Order No.	Model No.	Description	Size (mm)
-----------	-----------	-------------	-----------

PRE-GALVANISED BOXES

1000009007	NL550KPG	Knockout	75x75x50
1000009009	NL551KPG	Knockout	75x75x50
1000009010	NL551PPG	Plain	75x75x50
1000009011	NL556KPG	Knockout	100x100x37
1000009013	NL557KPG	Knockout	100x100x50
1000008374	NL557KB	Knockout	100x100x50
1000009014	NL557PPG	Plain	100x100x50
1000009015	NL566KPG	Knockout	150x150x50
1000009006	NL566PPG	Plain	150x150x50
1000009016	NL567KPG	Knockout	150x150x75
1000009017	NL567PPG	Plain	150x150x75

BLACK ENAMEL BOXES

- Multiple knockouts provide flexible cable entry
- Impact resistant
- Long-lasting



NL556KB

Order No.	Model No.	Description	Size (mm)
-----------	-----------	-------------	-----------

BLACK ENAMEL BOXES

1000008368	NL550KB	Knockout	75x75x50
1000008370	NL551KB	Knockout	75x75x50
1000008372	NL556KB	Knockout	100x100x37
1000008376	NL566KB	Knockout	150x150x50
1000008378	NL567KB	Knockout	150x150x75

WATERPROOF PLUG & SOCKET CONNECTORS

- 3 pole 16A, 250V AC/DC connector
- IP68 - 2 bar (20M depth) 30 minutes
- Wide cable capacity up to 4mm²
- Quick-release latch collar mechanism to open
- Current rating: 16A (max) rated on 2.5mm² cable, 10A rated on 1.5mm² cable
- Temperature range -25°C to +80°C
- IEC 61984 approved



NLWPC1

Order No.	Model No.	Description
-----------	-----------	-------------

WATERPROOF PLUG & SOCKET CONNECTORS

1051042707	NLWPC2	8 - 13mm
-------------------	--------	----------

CABLE CARRIER C/W TIDY BAR

This is a multiple cable reel carrier and dispenser

- Fold flat for easy storage
- Anti-slip rubber feet
- Holds multiple reels
- Light to carry
- Holds upto 50kg
- Tidy bar for hassle free uncoiling
- Additional Chain Support



Order No.	Model No.	Description
-----------	-----------	-------------

CABLE CARRIER

1051091195	NLCCARRIER	Cable Carrier
-------------------	------------	---------------

CATERNARY WIRE KIT


- Catenary wire kit containing a selection of the most popular Newlec fixings plus 30m of 3mm Newlec wire
- Kit includes:
 - NLCWSN wire tensioner x 1
 - NLCWTN thimble x 2
 - Hook plates x 2
 - NLCWGN wire rope grips x 4
 - NLCW30N catenary wire x 30m



Order No.	Model No.	Length
CATERNARY WIRE KIT		
1051012445	NLCWKIT1	Catenary Wire Kit

CATERNARY WIRE

- 3mm diameter
- 7 x 7 construction
- Galvanised mild steel
- Maximum recommended static load: 190kg



Order No.	Model No.	Length
CATERNARY WIRE		
1050317596	NLCW30N	30m
1050317598	NLCW100N	100m

CATERNARY WIRE - ROPE GRIP 3MM


- Grips the return end of 3mm wire rope when in a loop
- Galvanised finish
- Supplied in multiples of 10



Order No.	Model No.	Length
CATERNARY WIRE - ROPE GRIP 3MM		
1050317599	NLCWGN	Rope Grip 3mm

CATERNARY WIRE - TENSIONER

- With screw hook and eye (10mm diameter)
- Expanded length: 245mm maximum
- Minimum length: 155mm
- Electro-galvanised finish



Order No.	Model No.	Length
CATERNARY WIRE - TENSIONER		
1050317602	NLCWSN	Tensioner

CATERNARY WIRE - 2" PLATE WITH RING

- Plate size: 50 x 50mm
- Creates a firm anchor point, ideal for fastening and securing
- Galvanised finish



Order No.	Model No.	Length
CATERNARY WIRE - 2" PLATE WITH RING		
1050317601	NLCWPN	

CATERNARY WIRE - THIMBLE


- Wire rope diameter: 3mm
- A rope eyelet creating a metal loop at the rope end to prevent wear and tear
- Supplied in multiples of 10
- Electro-galvanised finish



Order No.	Model No.	Length
CATERNARY WIRE - THIMBLE		
1050317600	NLCWTN	

HEAVY DUTY GIRDER CLAMP FOR THREADED ROD

- Girder clamp for threaded rod
- Material finish F1
- Pack of 25




Order No.	Model No.	T	ØA	ØB	ØC	D	Load
-----------	-----------	---	----	----	----	---	------

HEAVY DUTY GIRDER CLAMP FOR THREADED ROD

1051010199	NLFC11	Max 20	11	50	42	45	250kg
1051010200	NLFC10T	Max 20	M10	50	42	45	250kg

MASTER CLAMP

- Flange clamp for use with threaded rod
- Material finish F8+
- Movable fixing facility
- Pack of 25




Order No.	Model No.	T	ØA	ØB	ØC	D	Load
-----------	-----------	---	----	----	----	---	------

MASTER CLAMP

1051010191	NLFH107	Max 18	10.7	10.7	6.5	19.5	45kg
------------	---------	--------	------	------	-----	------	------

SUPPORT

- Supports conduit at right angles to flange or threaded rod
- Material finish F8+
- Pack of 25




Order No.	Model No.	ØC	T	ØD	ØA	Load
-----------	-----------	----	---	----	----	------

SUPPORT

1051010214	NLFM320T	40 (max)	16-20	M6, M8, M10	20	45kg
------------	----------	----------	-------	-------------	----	------

T-BAR

- NLJHX165 F8+
- Material finish NLJH155W F4 (white)
- For flush fastening of fixtures to T Bar systems
- Scissor action
- Complete with spin nut
- Pack of 25




Order No.	Model No.	Ø	A	B	Load
-----------	-----------	---	---	---	------

T-BAR

1051010222	NLJH155W	M6	15	15	22
------------	----------	----	----	----	----

FLANGE AND GIRDER CLIP

- Hammer on girder clip for conduit boxes
- Material finish F8+
- Pack of 25




Order No.	Model No.	T	Ø	A	B	C	Load
-----------	-----------	---	---	---	---	---	------

FLANGE AND GIRDER CLIP

1051010193	NLEH814	8-14	7	-	7.5	33	45kg
------------	---------	------	---	---	-----	----	------

CHAIN CLIPS




Order No.	Model No.	A	B	Load
-----------	-----------	---	---	------

CHAIN CLIPS

1051010223	NLV1	1	50.8	8kg
------------	------	---	------	-----

PURLIN CLIPS

- Clip on purlin clip to hang chain and wire
- Material finish F2
- Pack of 25




Order No.	Model No.	T	Ø	A	B	Load
-----------	-----------	---	---	---	---	------

PURLIN CLIPS

1051010198	NLSM125	<3	6.5	37	12.5	20kg
------------	---------	----	-----	----	------	------

GIRDER CLIPS FOR SINGLE CABLES

- Single cable girder clip adaptor
- Material finish F8+
- Pack of 25
- Requires NLECS edge/cable run clips - sold separately




Order No.	Model No.	T	A
-----------	-----------	---	---

GIRDER CLIPS FOR SINGLE CABLES

1051010221	NLECA1520	15-20	2-4
1051010220	NLECA1215	12-15	2-4

GIRDER CLIP/CABLES

- Hammer on girder clip for use with multiple cable runs
- Material finish F8+
- Pack of 25




Order No.	Model No.	T	A	B	C
-----------	-----------	---	---	---	---

GIRDER CLIP/CABLES

1051010215	NLGH310	3-10	52	16	10
1051010216	NLGH1018	10-18	52	16	10

PURLIN CLAMP FOR THREADED ROD

- Purlin clamp for threaded rod
- Material finish F2
- Pack of 25



Order No.	Model No.	T	Ø	A	B	Load
-----------	-----------	---	---	---	---	------

PURLIN CLAMP FOR THREADED ROD

1051010201	NLPD	4	12	15	85	40kg
------------	------	---	----	----	----	------

MINI LEVER CONNECTORS

- Mini lever connectors, up to 2.5mm
- Perfect for optimising your installations thanks to its tiny size!
- A transparent body facilitates the insertion of wires



BIZ 300613



BIZ 300615

Order No.	Model No.	Colour	No of Ways	Quantity
-----------	-----------	--------	------------	----------

MINI LEVER CONNECTORS

2501420090	BIZ 300612	Clear	2	100
2501420091	BIZ 300613	Clear	3	100
2501420092	BIZ 300615	Clear	5	50

LEVER CONNECTORS

- Lever connectors, up to 4mm²
- Easy to use as a result of ergonomic shape and soft levers
- Transparent body and test point



BIZ 301613



BIZ 301615

Order No.	Model No.	Colour	No of Ways	Quantity
-----------	-----------	--------	------------	----------

LEVER CONNECTORS

2501420087	BIZ 301612	Clear	2	100
2501420088	BIZ 301613	Clear	3	50
2501420089	BIZ 301615	Clear	5	25

MINI PUSH-IN WIRE CONNECTORS



BIZ 300602



BIZ 300605



BIZ 300610

Order No.	Model No.	Colour	No of Ways	Quantity
-----------	-----------	--------	------------	----------

MINI PUSH WIRE CONNECTORS

2501419774	BIZ 300602	Purple	2	100
2501419775	BIZ 300603	Orange	3	100
2501419776	BIZ 300604	Yellow	4	100
2501419777	BIZ 300605	Blue	5	100
2501419778	BIZ 300606	White	6	100
2501419779	BIZ 300608	Black	8	50
2501419780	BIZ 300610	Green	10	50

LOW CURRENT CONNECTORS FOR SOLID COPPER CONDUCTORS

- Recommended in particular for telephony, alarm and surveillance systems, LED lighting, computer networks or home automation



Order No.	Model No.	Description
-----------	-----------	-------------

LOW CURRENT CONNECTORS

2501420105	BIZ 330022	2 Pole Low Current Connector 0.4 to 0.9 mm - 100 Pack
2501420106	BIZ 330033	3 Pole Low Current Connector 0.4 to 0.9 mm - 100 Pack

WATERPROOFING POTTING GEL

- BIZ'GEL sealing gel
- Electrical connection sealing and isolation
- Bi-component gel to mix evenly (1:1)
- Sets quick (according to temperature)
- Re-accessible
- Non Toxic
- No Shelf-life



Order No.	Model No.	Description
WATERPROOFING POTTING GEL		
2501419576	BIZ 710295	1 Litre Sealing Gel
2501419699	BIZ 710395	1 Litre Sealing Gel - Rapid Setting

SEALING GEL POUCHES

- BIZ'GEL sealing gel in a pouch for the sealing of electrical connections
- Dosage preset according to the box to be filled
- Rapid reticulation (depending on the temperature)
- Easily re-accessible
- Non-toxic



Order No.	Model No.	Description
SEALING GEL POUCHES		
2501419611	BIZ 710305	170ml Pouch
2501419613	BIZ 710307	420ml Pouch

SEALING GEL EXPRESS - 280ML CARTRIDGE

- Biz'gel Express sealing gel, 280ml cartridge
- For waterproofing and insulating electrical connections
- Single component - ready to use
- Resealable
- Non-toxic
- No expiration date



Order No.	Model No.	Description
SEALING GEL EXPRESS		
2501419698	BIZ 710000	280ml Cartridge

TAPE



Order No.	Model No.	Description
TAPES		
2501419349	BIZ 351020	Duct Tape 50mm x 25m

TERMINAL BLOCKS

- 12-way polypropylene connector strips
- Supplied with screws engaged at 1/3
- Glow wire test: 960 °C



Order No.	Model No.	Description
TERMINAL BLOCKS		
2501419603	BIZ 320006	Terminal blocks 2.5 mm ²
2501419604	BIZ 320007	Terminal blocks 6 mm ²
2501419605	BIZ 320008	Terminal blocks 10 mm ²
2501419606	BIZ 320009	Terminal blocks 16 mm ²
2501419607	BIZ 320010	Terminal blocks 25 mm ²



MINI S4 SEALED CONNECTION BOX

- SQUALE mini S4 prefilled for connectors up to $3 \times 4\text{mm}^2$ (x 8)
- Compatible with several connectors
- One-click installation and rapid sealing of connections



Order No.	Model No.	Description
MINI S4 SEALED CONNECTION BOX		
2501419701	BIZ 710293	3 Conductors and for Wire Section up to 4mm^2 (x8)

SEALED CONNECTION BOXES

- Prefilled SQUALE Boxes
- Compatible with several connectors
- Rapid sealing of connections in one click
- 3 possible openings
- Installation for adapted junction box



Order No.	Model No.	Description
SEALED CONNECTION BOXES		
2501419930	BIZ 711398	For up to 3 Conductors and for Wire Section up to 4mm^2 (x 10)
2501419925	BIZ 711400	For up to 6 Conductors and for Wire Section up to 4mm^2 (x10)

D6 SEALED CONNECTION KIT

- SQUALE D6 junction box connection kit for connections up to $5 \times 4\text{mm}^2$
- Prefilled with 5-input connector
- For waterproofing and sealing connections
- Non-toxic, no expiry date and can be resealed
- Interior or exterior application



Order No.	Model No.	Description
D6 SEALED CONNECTION KIT		
2501419700	BIZ 710308	1 x 5 Entry Screw Connector Wire up to $5 \times 4\text{mm}^2$

CABLE CONNECTION KITS

- Prefilled connection kit for cables with cable separator
- Seals and insulates electrical connections
- Non-toxic, no expiry date and can be resealed
- Interior or exterior installation



Order No.	Model No.	Description
CABLE CONNECTION KITS		
2501419614	BIZ 710294	SQUALE 6 Kit for $4 \times 6\text{mm}^2$ Conductors
2501419577	BIZ 710298	SQUALE 10 Kit for $4 \times 16\text{mm}^2$ Conductors

05 | Circuit Protection

Enclosures	86
Switch Disconnects	86-87
Enclosed Switches	87
Steel Enclosed & Changeover Switches	88-89
Auxiliaries	89
Panel Mounted 3 Pole	89
Contactors	90
Fuses	90-91
Earthing	92-94



DIN RAIL ENCLOSURES

- Complete with DIN mounting rail
- NLRCDSEAA is a steel version complete with earth stud
- NLRCDWEAA has a sealable cover and hinged protective visor



NLRCDPE2A



NLRCDPE4A



NLRCDSEAA



NLRCDWEAA

Order No.	Model No.	Description	Dimensions
DINRAIL ENCLOSURES			
1051050158	NLRCDPE2A	Insulated 2 Module IP20	130 x 85 x 65mm
1050391759	NLRCDPE4A	Insulated 4 Module IP20	130 x 185 x 65mm
1051050159	NLRCDSEAA	Metal 4 Module IP20	225 x 90 x 66mm
1051050160	NLRCDWEAA	Insulated 3 Module IP65	200 x 155 x 110mm

4 POLE SWITCH DISCONNECTS

- Manufactured to EN 60947-3
- CE Certified 3 Pole + early make / late break neutral switch
- IP20 protection on incoming terminals
- Switch handle padlockable in the OFF position for up to 3 padlocks
- Top and bottom gland plates
- Supplied with fully rated gL fuses



NLSW204PE

Order No.	Model No.	Current Rating	Dimensions H x W x D.	Knockouts
4 POLE SWITCH DISCONNECTS				
1051042893	NLSW204PE	20A	125 x 100 x 70mm	20mm
1051042894	NLSW324PE	32A	125 x 100 x 70mm	20mm
1051042895	NLSW634PE	63A	175 x 125 x 90mm	25mm
1051042896	NLSW804PE	80A	175 x 125 x 90mm	25mm
1051042897	NLSW1004PE	100A	280 x 190 x 130mm	25mm
1051042905	NLSW206PE	20A	280 x 190 x 130mm	25mm
1051042906	NLSW326PE	32A	280 x 190 x 130mm	25mm
1051049561	NLSW204PEL	20A	175 x 125 x 90mm	25mm
1051049562	NLSW324PEL	32A	175 x 125 x 90mm	25mm



ENCLOSED SWITCH DISCONNECTS AC 3P AND SWITCHED NEUTRAL 125A - 400A - STEEL IP55

- Handle padlockable in the OFF position for up to 3 padlocks
- IP20 input & output terminal shrouds (Except 160A)
- Top and bottom gland plates
- Switched Neutral Early make/late break
- Door interlock with defeat mechanism (For authorised personnel only)
- Removable door for easier installation
- IP65 epoxy coated steel enclosure RAL 7035
- Manufactured to EN 60947-3



NLSW125

Order No.	Model No.	Description
ENCLOSED SWITCH DISCONNECT		
2501174503	NLSW125	125A 3P+SW N Enclosure IP65
2501174504	NLSW160	160A 3P+SW N Enclosure IP65
2501174505	NLSW200	200A 3P+SW N Enclosure IP65
2501174506	NLSW250	250A 3P+SW N Enclosure IP65
2501174507	NLSW315	315A 3P+SW N Enclosure IP65
2501174508	NLSW400	400A 3P+SW N Enclosure IP65

ENCLOSED SWITCH FUSE 3P + NEUTRAL 125A - 400A - STEEL IP65

- Supplied with fully rated gL/gG fuses
- Handle padlockable in the OFF position for up to 3 padlocks
- IP20 input & output terminal shrouds
- Fuses fully isolated (Top & bottom) for safe replacement
- Fuse covers fitted as standard
- Fully rated neutral link
- Top and bottom gland plates
- Door interlock with defeat mechanism
- Removable door for easier installation
- IP65 epoxy coated steel enclosure RAL 7035
- 125A - Tunnel Terminals, 160 - 800A - Lug Terminals
- Manufactured to EN 60947-3



NLSWF125

Order No.	Model No.	Description
ENCLOSED SWITCH FUSE		
2501174516	NLSWF125	125A 3P+N Enclosure IP65
2501174517	NLSWF160	160A 3P+N Enclosure IP65
2501174518	NLSWF200	200A 3P+N Enclosure IP65
2501174519	NLSWF250	250A 3P+N Enclosure IP65
2501174520	NLSWF315	315A 3P+N Enclosure IP65
2501174521	NLSWF400	400A 3P+N Enclosure IP65

ENCLOSED SWITCH DISCONNECTS DC - INSULATED IP65



NLSW16DC

Order No.	Model No.	Description
ENCLOSED SWITCH DISCONNECTS		
2501174509	NLSW16DC	16A DC Enclosure Moulded IP65
2501174510	NLSW25DC	25A DC Enclosure Moulded IP65
2501174511	NLSW32DC	32A DC Enclosure Moulded IP65

Helping you get the job done.

STEEL ENCLOSED

- Interlocking lid ensures removal in OFF position only
- Fully earth bonded
- Epoxy coated strong steel enclosure RAL 7032
- For auxiliary blocks see page 324
- Padlockable handle for added security
- IP65 rating (when installed correctly)
- EN 60947 compliant
- SEMKO, CB and UL approved



NLSW204ME



NLSW634ME

STAINLESS STEEL ENCLOSED

- Grade 304 brushed stainless steel
- Padlockable in the OFF position
- Switch rating AC-22
- For auxiliary blocks see page 324
- Suitable for pharmaceutical and food preparation areas
- Manufactured to IEC & EN 60947-3



NLSW204SS



NLSW634SS

Order No.	Model No.	Current Rating	Dimensions H x W x D (mm)	Knock-outs
ENCLOSED FUSED SWITCHES				
1051042908	NLSW204ME	20A	176 x 108 x 120	Plain
1051042909	NLSW324ME	32A	176 x 108 x 120	Plain
ENCLOSED FUSED SWITCHES				
1051042910	NLSW634ME	63A	182 x 182 x 135	Plain
ENCLOSED FUSED SWITCHES				
1051042907	NLSW636PE	63A	400 x 300 x 200	Plain

Order No.	Model No.	Current Rating	Dimensions (mm) H x W x D
STAINLESS STEEL ENCLOSED			
1051088612	NLSW204SS	20A	173 x 100 x 120
1051088613	NLSW324SS	32A	173 x 100 x 120
1051088614	NLSW634SS	63A	178 x 178 x 135

CHANGEOVER SWITCHES

- 2 Pole multiple knockouts (20/25mm)
- 4 Pole 25mm knockouts (25A only)
- 4 Pole 63A steel enclosure with removeable gland plate
- Interlocking lid/door ensures removal in OFF position only
- Padlockable handle for added security
- IP65 rating
- EN 60947 compliant
- UL, Bureau Veritas, Lloyds



NLSWC0252E



NLSWC0632E

Order No.	Model No.	Current Rating (Amps)	Dimensions H x W x D (mm)
2 POLE			
1051042902	NLSWC0252E	25	175 x 151 x 95
1051042903	NLSWC0632E	63	180 x 182 x 137
1051056975	NLSWC1002E	100	254 x 180 x 137
4 POLE			
1051042901	NLSWC0254E	25	280 x 190 x 130
1051042904	NLSWC0634E*	63	400 x 300 x 200
2501174522	NLSWC1004E	100	400 x 300 x 257



STEEL ENCLOSED FUSED SWITCHES

- Manufactured to EN 60947-3
- IP20 protection on incoming terminals
- CE Certified 3 Pole + early make/late break neutral switch
- Switch handle padlockable in the OFF position for up to 3 padlocks
- Top and bottom gland plates
- Supplied with fully rated gL fuses



NLFSW32

NLFSW32

Order No.	Model No.	Current Rating	No of Poles
ENCLOSED FUSED SWITCHES			
2501174512	NLFSW32	32A	3P+N
2501174513	NLFSW63	63A	3P+N
2501174514	NLFSW80	80A	3P+N
2501174515	NLFSW100	100A	3P+N

AUXILIARIES

- Volt free contact (16A at 500V AC1)
- The normally open contact is early break/late make
- Fits all switches except compact and changeover
- UL approved



NLSWAUX1E

Order No.	Model No.	Description	To Fit Amp
AUXILIARIES			
1051042912	NLSWAUX2E	1NO + 1NC	80 - 100
1051042911	NLSWAUX1E	1NO + 1NC	20 - 63

PANEL MOUNTED - 3 POLE

- Finger proof terminals
- Complete with 282mm metal shaft
- Screw or DIN rail mounting
- Door interlocked, padlockable handle for added security
- IP65 rated handle (when correctly installed)
- EN 60947 compliant
- SEMKO, CB and UL approved



NLSWP203E

Order No.	Model No.	Current Rating	AC23 (kW)
PANEL MOUNTED - 3 POLE			
1051042898	NLSWP203E	20	5.5
1051042899	NLSWP323E	32	11
1051042900	NLSWP633E	63	22

CONTACTORS

- 230V 50Hz AC1 AC-7a
- 20A & 25A single module
- 40A double module
- 35mm DIN rail mountable
- Manufactured and approved to IEC 61095



Order No.	Model No.	Description
-----------	-----------	-------------

CONTACTORS

1050391133	NLCUC1A	Contactor Double Pole 20A
1051050161	NLCUC2A	Contactor Double Pole 25A
1051050162	NLCUC3A	Contactor Double Pole 40A

FUSES - BS 1361 HOUSE SERVICE CUT OUT

- ASTA certified and tested in accordance with BS 1361
- 415V AC rated voltage
- Designed for use in conventional house cut outs
- NB: Check suitability of fuse holders before inserting these fuse links
- Supplied individually



Order No.	Model No.	Rating	Dia.	Length
-----------	-----------	--------	------	--------

FUSES - BS 1361

1050152899	NL60KR85	60A	22.2mm	57.0mm
1050152900	NL80KR85	80A	22.2mm	57.0mm

FUSES - BS 1362 PLUG TOP

- ASTA certified and tested in accordance with BS 1362
- 250V AC rated voltage
- Suitable for 13A plug tops
- Supplied individually

Order No.	Model No.	Rating	Dia.	Length
-----------	-----------	--------	------	--------

FUSES - BS 1362 PLUG TOP

2500984611	NLPTF1	1A	6.5mm	25.4mm
2500984606	NLPTF2	2A	6.5mm	25.4mm
2500984607	NLPTF3	3A	6.5mm	25.4mm
2500984608	NLPTF5	5A	6.5mm	25.4mm
2500984612	NLPTF7	7A	6.5mm	25.4mm
2500984609	NLPTF10	10A	6.5mm	25.4mm
2500984610	NLPTF13	13A	6.5mm	25.4mm



NLPTF3



FUSES - BS 88 CARTRIDGE AAO TYPE

- BS 88: Parts 1 + 2 1988
- IEC 269-1 1986
- Industrial HRC fuse links - type A2
- Offset bolted tags 550V AC rated
- 80kA interrupting rating



NLAAO16/1

Order No.	Model No.	Rating
-----------	-----------	--------

FUSES - BS 88 CARTRIDGE AAO TYPE

2500981600	NLAAO6/1	6A
2500981601	NLAAO10/1	10A
2500981602	NLAAO16/1	16A
2500981603	NLAAO20/1	20A
2500981604	NLAAO25/1	25A
2500981605	NLAAO32/1	32A
2500981606	NLAAO32M40/1	32A MR40

FUSES - BS 88 CARTRIDGE BAO TYPE

- BS 88-1 and 2
- IEC 60269-1 and 2
- Industrial HRC fuse links - type A3
- 80kA interrupting rating
- Offset bolted tags 500V AC rated



Order No.	Model No.	Rating
-----------	-----------	--------

FUSES - BS 88 CARTRIDGE BAO TYPE

2500981607	NLBAO40/1	40A
2500981608	NLBAO50/1	50A
2500981609	NLBAO63/1	63A
2500981610	NLBAO63M100/1	63A MR100

FUSES - BS 88 CARTRIDGE CEO TYPE

- Industrial HRC fuse links - type A4.
- 80kA interrupting rating.
- Offset bolted tags 550V AC rated.
- BS 88: Parts 1 + 2 1988.
- IEC 269-1 1986.



Order No.	Model No.	Rating
-----------	-----------	--------

FUSES - BS 88 CARTRIDGE CEO TYPE

2500981611	NLCEO80/1	80A
2500981612	NLCEO100/1	100A

FUSES - BS 88 CARTRIDGE NITD TYPE

- BS 88-1 and 2
- IEC 60269-1 and 2
- Industrial HRC fuse links - type A1
- Offset bolted tags 550V AC rated, motor rated 415V AC
- 80kA interrupting rating



NLNITD6/1

Order No.	Model No.	Rating
-----------	-----------	--------

FUSES - BS 88 CARTRIDGE NITD TYPE

2500981591	NLNITD2/1	2A
2500981592	NLNITD4/1	4A
2500981593	NLNITD6/1	6A
2500981594	NLNITD10/1	10A
2500981595	NLNITD16/1	16A
2500981596	NLNITD20/1	20A
2500981597	NLNITD25/1	25A
2500981598	NLNITD32/1	32A
2500981599	NLNITD20M32/1	20A MR32

FUSES - BS 1361 CONSUMER UNITS

- 240V AC rated voltage
- Approved for the protection of outgoing circuits in domestic consumer units
- Supplied individually



Order No.	Model No.	Rating	Colour	Dia.	Length
-----------	-----------	--------	--------	------	--------

FUSES - BS 1361 CONSUMER UNITS

1050152903	NLCUF5	5A	White	5.35	23
1050152904	NLCUF15	15A	Blue	10.32	26
1050152905	NLCUF20	20A	Yellow	10.32	26
1050152906	NLCUF30	30A	Red	12.7	29
1050152907	NLCUF45	45A	Green	16.67	35

EARTH CLAMP - STANDARD BS 951

Indoor

- Terminal size A-D (2.5mm² - 10mm²)
- Maximum earth conductor 1 x 10mm²
- Pipe diameter 12mm - 32mm
- Suitable for dry conditions



NLEC14N

Outdoor

- Terminal size A-D (2.5mm² - 10mm²)
- Maximum earth conductor 1 x 10mm²
- Pipe diameter 12mm - 32mm
- Suitable for wet or dry conditions



NLEC15N

Outdoor - Heavy duty

- Suitable for wet conditions
- Terminal size A-E (2.5mm² - 10mm²)
- Maximum earth conductor 2 x 16mm²
- Pipe diameter 12mm - 32mm
- All designed to comply with BS 951



NLEC16N


Order No.	Model No.	Type	Material
-----------	-----------	------	----------

EARTH CLAMP - STANDARD BS 951

1000016598	NLEC14N	Indoor	Brass
1000009546	NLEC15N	Outdoor	Phosphor Bronze
1000009545	NLEC16N	Outdoor - Heavy Duty	Phosphor Bronze

EARTH CLAMPS - EASY

- Suitable for a wide range of earthing applications e.g. radiators, sinks etc.
- No drilling or special tools needed
- Pack contains: 10x clamps, 10x safety labels, 1x allen key, 20x cable ties



Order No.	Model No.	Description
-----------	-----------	-------------

EARTH CLAMPS - EASY

1000008404	NL800	
------------	-------	--

EARTH ROD CLAMPS

Earth Rod Clamps

- High strength copper alloy body and screws
- NL784 - Type G Rod to cable clamp
- NL785 - Type A Rod to tape clamp



Non-metallic DC Tape Clips

- Manufactured from high grade polypropylene
- UV stabilised against degradation by sunlight and non-brittle to prevent cold weather damage
- For conductor size 25 x 3mm
- NL787BRN - For use with bare tape
- NL787GRN - For use with PVC covered tape



Metallic DC Tape Clips

- Manufactured from high quality copper alloys
- Fix using countersunk wood screws
- Use with bare copper tape 25 x 3mm
- Single clamping screw



Order No.	Model No.	Size	Type
-----------	-----------	------	------

EARTH ROD CLAMPS

1000008553	NL784	5/8"	16-70mm Cable
1000008554	NL785	5/8"	25 x 12mm Tape (max.)

NON-METALLIC DC TAPE CLIPS

1000008555	NL787BRN		
1000008556	NL787GRN		

METALLIC DC TAPE CLIPS

1000008557	NL788		
------------	-------	--	--

METALLIC DC TAPE CLAMPS

Square Clamp

- Copper alloy square clamp for forming straight through, cross or tee joints in tape
- Fix using countersunk wood screws
- Use with 25 x 3mm bare copper tape



Bonding Clamp

- Copper alloy clamp for bonding to steel structures
- For use with 25 x 3mm copper tape
- Bolt size M10



Junction Clamp

- Copper alloy clamp for connection between overlapping tapes
- For use with 25 x 3mm copper tape



Order No.	Model No.	Type
-----------	-----------	------

METALLIC DC TAPE CLAMPS

1000015921	NL792	Square Clamp
1051039233	NL792B	Bonding Clamp
1051039234	NL792J	Junction Clamp



EARTH RODS

- Manufactured by molecularly bonding 99.9% pure electrolytic copper onto a low carbon steel core
- Highly resistant to corrosion
- Due to the high tensile strength, can be driven by power hammers to great depths
- NL780 - 3/8" unthreaded copperbond rod and lug clamp (M8 bolt size)
- NL781 - 5/8" threaded copperbond rod



NL780

Order No.	Model No.	Diameter	Length
EARTH RODS			
1000008551	NL781	5/8"	1200mm
1000008550	NL780	3/8"	1200mm

EARTH ROD ACCESSORIES

- Counter bored couplings are made from high copper content alloy
- High corrosion resistance and high strength



NL782



NL783

Order No.	Model No.	Size	Type
EARTH ROD ACCESSORIES			
1000008552	NL782	5/8"	Coupler
1000015922	NL783	5/8"	Driving Stud

EARTHING BLOCKS

- Tinned brass earthing terminals
- Maximum conductor sizes:
4 way 1 x 25mm² & 3 x 16mm²
8 way 2 x 25mm² & 6 x 16mm²
- Supplied complete with slot head brass screws

Order No.	Model No.	Type
EARTHING BLOCKS		
1050153796	NLEB4W	4 Way
1050153797	NLEB8W	8 Way



LIGHTWEIGHT INSPECTION PIT

- Manufactured from high performance polymer
- Grey plastic lockable lid
- High load bearing capacity 5,000kg (static load)
- UV stable and chemical resistant
- Weighs only 1.8kg



Order No.	Model No.
LIGHTWEIGHT INSPECTION PIT	
1000015973	NL786

EARTH TAPE CONDUCTORS

- High conductivity copper tape to BS EN 13601
- 25 metre coils
(a cutting charge may apply to non-coil lengths)
- Conductor size 25 x 3mm



NL793

Order No.	Model No.	Type
EARTH TAPE CONDUCTORS		
1050156843	NL793	Bare Copper
1050156844	NL794	PVC Covered Copper Green/Yellow

EARTH BARS AND DISCONNECTING LINKS

- High quality 50mm x 6mm hard drawn copper bar
- Lightweight high impact PVC insulating base entirely corrosion proof
- M10 phosphor bronze nuts, washers and set screws
- Available with single or twin disconnecting links




Order No.	Model No.	Description	L x W x H (mm)
-----------	-----------	-------------	----------------

EARTH BARS AND DISCONNECTING LINKS

1050311315	NL798	Disconnecting Link only	125 x 90 x 77
1050311312	NL795	6 Way	400 x 90 x 77
1050311313	NL796	6 Way with Single Link	475 x 90 x 77
1050311314	NL797	6 Way with Twin Link	550 x 90 x 77
1051091179	NL795/8	8 Way	500 x 90 x 77
1051091180	NL796/8	8 Way with Single Link	575 x 90 x 77
1051091181	NL797/8	8 Way with Twin Link	650 x 90 x 77
1051091182	NL795/10	10 Way	650 x 90 x 77
1051091183	NL796/10	10 Way with Single Link	725 x 90 x 77
1051091184	NL797/10	10 Way with Twin Link	800 x 90 x 77
1051091185	NL795/12	12 Way	750 x 90 x 77
1051091186	NL796/12	12 Way with Single Link	825 x 90 x 77
1051091187	NL797/12	12 Way with Twin Link	900 x 90 x 77

CABLE GLAND EARTHING NUT

- 60% faster installation time
- Eliminates drilling for earth bolts
- Enclosure IP rating not compromised
- No earth bolts required as all parts are supplied
- Designed to resist vibration
- Eliminates the need for surface preparation - paint scraping etc
- Enables GRP or plastic enclosures to be used where this would normally be avoided due to cable earthing requirements
- Pack of 2



Order No.	Model No.	Size
-----------	-----------	------

CABLE GLAND EARTHING NUT

1051014935	NLENS20	20mm
1051014936	NLENS25	25mm
1051014937	NLENS32	32mm

LIGHTING COLUMN CUT-OUT

- Suitable for column mounting, these fused cut-out units allow for the safe termination of incoming and outgoing PVC SWA cables and the fusing of the single phase supply feed to the luminaire(s)
- Electroplated brass terminal blocks accept conductors up to 25mm²
- Moulded in high performance thermoplastics
- Stud & Lug connections
- Serrated bores in terminals to ensure good contact with all conductor types
- Red terminal block cover for safety




Order No.	Model No.	Size
-----------	-----------	------

LIGHTING COLUMN CUT-OUT

1052080572	NLCO1P	Single Phase C/W 6A Fuse
1052080573	NLCO3P	Three Phase C/W 6A Fuses

ALL ROUND BAND

- Galvanised steel
- Available in either uncoated or PVC coated - black
- Supplied in 10m coils



Order No.	Model No.	Coated	Width
-----------	-----------	--------	-------

ALL ROUND BAND

1051015263	NLARBU12A	No	12mm
1051015264	NLARBC12A	Yes	12mm
1051015266	NLARBC17A	Yes	17mm

06 | HVAC

Electric Heating	96, 104
Electric Towel Rails	97
Fan Heaters	97-98
Tubular Heaters	98, 106
Oil Filled Radiators	98
Programmings & Timers	99-101
Residential Ventilation	102-103
Pipe Protection	105
Mirror De-Misters	105
Underfloor Heating	105



PANEL HEATERS

- Intuitive user controls with LCD display
- 7 Day programmable timer
- Electronic thermostat Features energy-saving Adaptive start technology
- Complies with Lot 20 of ERP Directive

Order No.	Model No.	Output
-----------	-----------	--------

PANEL HEATERS

2503005035	NLPH24T	2.4kW
2503005034	NLPH20T	2.0kW
2503005033	NLPH15T	1.5kW
2503005032	NLPH10T	1.0kW
2503005031	NLPH05T	0.5kW



ELECTRIC STORAGE HEATERS

- Dynamic storage capacity - Only stores the right amount of energy to heat your room
- Fan assisted heat distribution
- Open window detection
- Lot 20 Compliant

Order No.	Model No.	Output	Dimensions (mm)
-----------	-----------	--------	-----------------

ELECTRIC STORAGE HEATERS

2501091126	NLSH050	0.5kW	749 x 580 x 185
2501091127	NLSH070	0.75kW	749 x 700 x 185
2501091128	NLSH100	1kW	749 x 823 x 185
2501091129	NLSH125	1.25kW	749 x 945 x 185
2501091130	NLSH150	1.5kW	749 x 1067 x 185



ELECTRIC RADIATORS

- Direct replacement for both panel convector and storage heaters
- Three operating modes - comfort, economy and frost protection
- Quick-fix wall mounting brackets
- Built-in daily/weekly programmer

Order No.	Model No.	Output	Dimensions (mm)
-----------	-----------	--------	-----------------

ELECTRIC RADIATORS

1051058532	NLHRADD500	0.5kW	580 x 415 x 100
1051058533	NLHRADD750	0.75kW	580 x 575 x 100
1051058534	NLHRADD1000	1kW	580 x 735 x 100
1051058535	NLHRADD1250	1.25kW	580 x 895 x 100
1051058536	NLHRADD1500	1.5kW	580 x 1055 x 100
1051058537	NLHRADD2000	2kW	580 x 1215 x 100





ELECTRIC LADDER TOWEL RAILS

- IPX4 rated
- Rapid heat up
- Lightweight and easy to install
- Robust mounting brackets included



NLFCH150W

Order No.	Model No.	Dimensions	Output kW
-----------	-----------	------------	-----------

CHROME FLAT LADDER TOWEL RAILS

1051039953	NLFCH150W	700 x 400mm	0.15kW
1051039955	NLFCH250W	1100 x 500mm	0.25kW
1051039956	NLFCH400W	1500 x 500mm	0.40kW

CHROME CURVED LADDER TOWEL RAILS

1051039957	NLCCH250W	1100 x 500mm	0.25kW
-------------------	-----------	--------------	--------

TOWEL RAIL ELEMENT CONTROLLER

- IPX4 rated
- White finish
- Five power settings
- Eco timer function



Order No.	Model No.	Output kW
-----------	-----------	-----------

TOWEL RAIL ELEMENT CONTROLLER

1051039959	NLWHCON	Towel Rail Element Controller Electronic IPX4 White
-------------------	---------	--

ELECTRIC S SHAPED TOWEL RAILS

- IPX4 rated
- Rapid heat up
- Lightweight and easy to install
- Robust mounting brackets included



NLSCH50W

Order No.	Model No.	Dimensions	Output W
-----------	-----------	------------	----------

CHROME FLAT S SHAPED TOWEL RAILS

1051039952	NLSCH50W	645 x 500mm	50W
-------------------	----------	-------------	-----

WHITE FLAT S SHAPED TOWEL RAILS

1051039951	NLSWH80W	645 x 500mm	50W
-------------------	----------	-------------	-----

BATHROOM FAN HEATER

- Factory-set 30 minute runback for ease of use and energy savings
- Pull cord operation with auto switch off (after 30 minutes)



Order No.	Model No.	Output kW
-----------	-----------	-----------

BATHROOM FAN HEATER

2501117872	NLBDHNE	2kW Downflow Fan Heater with Pull Cord & Timer
-------------------	---------	---

PORTABLE FAN HEATER

- Freestanding
- Position control panel on top
- Overheat protection
- Thermostatically controlled
- BEAB Approved
- Frost guard setting



Order No.	Model No.	Description
PORTABLE FAN HEATER		
1000009542	NL202	2kW Fan Heater

THERMOSTATIC TUBULAR HEATERS

- IPX4 rated
- Built-in thermostat
- Discreet mounting brackets included - suitable for walls or floors
- Reversible left or right hand cable entry



Order No.	Model No.	Length	Output kW
THERMOSTATIC TUBULAR HEATERS			
1051058518	NLTT1	1ft	0.4kW
1051058519	NLTT2	2ft	0.8kW
1051058521	NLTT4	4ft	1.6kW
1051058523	NLTT6	6ft	2.4kW

PORTABLE FAN HEATER

- Thermostatic control with frost protection
- Choice of heat settings including cool blow
- Manual reset cut-out and safety fused link



Order No.	Model No.	Description
PORTABLE FAN HEATER		
1051039961	NLFH2KW	2kW Fan Heater

OIL FILLED ELECTRIC RADIATOR

- Free standing
- Electrical reset safety cut-out
- IP68
- 3 Pole



Order No.	Model No.	Description
OIL FILLED ELECTRIC RADIATOR		
2501380424	NLOP150E	Oil Filled Electric Radiator

WIRING CENTRE BOX FOR ALL BOILER TYPES

This wiring centre box is a safe and convenient way of wiring all connections to and from a heating system, making system testing a clean and simple task.

Order No.	Model No.	Description	Current Rating
WIRING CENTRE BOX			
2501133741	NLWC	Wiring Centre Box	10A



7 DAY DIGITAL CENTRAL HEATING AND HOT WATER PROGRAMMERS

- **NL7DAYTIMER**
 - 3 timed periods per day
 - Boost function (+1, +2, +3 hours)
- **NL2CHTIMER**
 - 3 timed periods per day
 - 2 independently programmed channels
 - Boost function (+1, +2, +3 hours)



NL7DAYTIMER



NL2CHTIMER

Order No.	Model No.	Description	Current Rating
-----------	-----------	-------------	----------------

CENTRAL HEATING AND HOT WATER PROGRAMMERS

2501096782	NL7DAYTIMER	7 Day Digital Programmable Timeswitch	3A resistive (1A inductive)
2501096783	NL2CHTIMER	2 Channel 7 Day Digital Programmer	3A resistive (1A inductive)

CYLINDER/PIPE THERMOSTAT

- Cylinder or pipe thermostat
- Ideal for uninsulated and foam lagged domestic cylinders
- Solid construction with secure cable clamping
- Supplied with cylinder strap and wire pipe strap
- Precise Temperature Control
- Easy Installation and Programming



Order No.	Model No.	Description
2501133742	NLCYLSTAT	Cylinder/Pipe Thermostat

THERMOSTAT DIGITAL ROOM PROGRAMMABLE WITH WIFI CONTROL

- A Wi-Fi controlled thermostat that allows the user to program, change, and check their heating status wherever they are
- Both Android and IOS Apps available
- Works with Wi-Fi and 4G
- Up to 6 time / temperature periods per day
- 5C to 35C set temperature range adjusted in 0.5C steps
- Replaces existing wall thermostat
- Supplied with surface mounting box



Order No.	Model No.	Description
2501133744	NLWIFISTAT	Digital Room Thermostat with Wi-Fi

THERMOSTAT PROGRAMMABLE DIGITAL 1 CHANNEL

- 6 temperature control periods per day
- Switch rating at 230V (3A resistive, 1A inductive)
- Volt-free change over contacts
- Frost mode (5°C)
- Temporary override until next program
- Copy program function & optimum start function



Order No.	Model No.	Description
2501096781	NLTHERMDIG	Programmable Digital 1 Channel

ELECTRONIC ROOM THERMOSTAT

- Temperature range: 5 - 30°C
- Universal mounting base (fits other manufacturer's back plates)
- Unique clearly marked temperature scale



Order No.	Model No.	Description	Current Rating
ELECTRONIC ROOM THERMOSTAT			
2501096780	NLTHERM	Electronic Room Thermostat	6A resistive (2A inductive)

ECONOMY 7 TIMESWITCHES

- **NLECO7**
 - Boost function (15m, 30m, 60m and 120m)
 - Suitable for twin or single element immersion heaters
- **NLECO7DIG**
 - Boost function (30m, 60m and 120m)
 - Suitable for twin or single element immersion heaters



NLECO7



NLECO7DIG

Order No.	Model No.	Description	Current Rating
ECONOMY 7 TIMESWITCHES			
2501096784	NLECO7	7 Day Analogue Eco Timer with Boost Control	13A
2501096785	NLECO7DIG	7 Day Digital Eco Timer with Boost Control	13A

2 HOUR ELECTRONIC BOOST TIMER

Boost timer for immersion heaters, room heaters, towel rails, etc.

- Automatically switches off at end of set time period
- On time can be increased in four step - 15, 30, 60 or 120 minutes



Order No.	Model No.	Description	Current Rating
2 HOUR ELECTRONIC BOOST TIMER			
1050378519	NL2HRBTI	2 Hour Electronic Boost Timer	13A

7 DAY ELECTRONIC IMMERSION HEATER TIMESWITCHES

- 4 on/4 off easy-set programme periods per day
- Automatic summer/winter changeover
- Optional 1 and 2 hour boost button



NL24HR7DIHTS



NL24HR7DELT

Order No.	Model No.	Description	Current Rating
7 DAY ELECTRONIC IMMERSION HEATER TIMESWITCHES			
1051040109	NL24HR7DIHTS	24hr/7 Day Compact Electronic Immersion Heater Timer	16A resistive (4A inductive)
1051040111	NL24HR7DELTS	24hr/7 Day Electronic Immersion Heater Timer	16A resistive (4A inductive)



24 HOUR IMMERSION HEATER CONTROLLERS & TIMESWITCHES

• NL24HRIHTS1

- Specially designed for installation with both new and existing immersion heater systems
- Up to 24 on & off programmes (additional pins required)
- Bottom or rear entry for cable
- Easy-to-use setting pins

• NL24HRIHTS

- 96 quick-set segments for up to 48 on/48 off programmes
- LED indicators for easy viewing
- Fits a standard 32mm deep flush or surface mount box

• NL24HRTS

- 96 quick-set segments for up to 48 on/48 off programmes
- Red LED 'mains on' and green LED 'output' indicators for easy viewing
- 'Traffic light' style slider switch for easy on, auto, and off mode indication
- Not suitable for discharge lighting



NL24HRIHTS1



NL24HRIHTS



NL24HRTS

Order No.	Model No.	Description	Current Rating
24 HOUR IMMERSION HEATER CONTROLLERS & TIMESWITCHES			
1050378529	NL24HRIHTS1	24hr Mechanical Immersion Heater Time Switch	13A resistive (5A inductive)
1051040108	NL24HRIHTS	24hr Compact Analogue Immersion Heater Timer	16A resistive (6A inductive)
1051040110	NL24HRTS	24hr Segment Timer Switch	16A resistive (6A inductive)

TIME CLOCK DIGITAL PLUG-IN PROGRAMMABLE 24 HOUR 7 WAY 13A

- Plug-in controllers to switch appliances on/off at preset times
- Compact design
- Up to 20 on/off programmes selectable over individual days
- Manual override
- Easy-to-use segment setting dial
- Suitable for 13A (3kW) appliances, filament lamps up to 400W and 100W low energy/fluorescent lighting
- 24 hour LCD display for easy viewing



Order No.	Model No.	Description
TIME CLOCK DIGITAL PLUG-IN PROGRAMMABLE		
1050378518	NL24HR7DDTS1	Time Clock Digital Plug-In Programmable 24 Hour 7 Way 13A

PLUG-IN TIME CONTROLLER

Plug-in controllers to switch appliances on/off at preset times.

- Compact design
- Up to 24 on/off programmes per day
- Easy-to-use segment setting dial
- Suitable for 13A (3kW) appliances, filament lamps up to 400W and 100W low energy/fluorescent lighting



Order No.	Model No.	Description
PLUG-IN TIME CONTROLLER		
1050378517	NL24HRST1	Plug-In Time Controller

4" (100MM) STANDARD AXIAL FANS

- CE marked and BEAB approved
- Extract rate: 24l/s
- Can be wall or ceiling mounted
- High quality ABS mouldings
- Power consumption: 16W
- Sound level dB(A) @ 3m: 32



NL880

Order No.	Model No.	Noise Level	Extract Rate	Timer	Shutters	Pull Cord	Humidistat	SELV
STANDARD AXIAL FANS 16W								
1000009100	NL880	32db	24 l/s	No	No	No	No	No
1000009101	NL880T	32db	24 l/s	Yes	No	No	No	No
STANDARD AXIAL FANS 20W								
1050151418	NL880PS	32db	24 l/s	No	Yes	Yes	No	No
1051058548	NL880SELV	32db	24 l/s	Yes	No	Yes	Yes	Yes
1050151416	NL880TS	32db	24 l/s	Yes	Yes	No	No	No

4" (100MM) LOW PROFILE FANS

- CE marked and BEAB approved
- Extract rate: 25l/s
- Can be wall or ceiling mounted
- High quality ABS mouldings
- Power consumption: 14W
- Sound level dB(A) @ 3m: 38
- IP44 - Suitable for Zone 1



NLLPF100LVTA

Order No.	Model No.	Noise Level	Extract Rate	Timer	Shutters	Pull Cord	Humidistat	SELV
LOW PROFILE FANS								
1051058552	NLLPF100LVTA	38db	25 l/s	Yes	Yes	No	No	Yes
1051058550	NLLPF100TA	38db	25 l/s	Yes	Yes	No	No	No

6" (150MM) STANDARD AXIAL FANS

- CE marked and GS approved
- Extract rate: 68l/s
- High quality ABS moulding
- Power consumption: 30W
- Sound level dB(A) @ 3m: 45
- Suitable for panel, wall or ceiling mounting



NL883

Order No.	Model No.	Noise Level	Extract Rate	Timer	Shutters	Pull Cord	Humidistat	SELV
STANDARD AXIAL FANS								
1000009108	NL883	45db	68 l/s	No	No	No	No	No
1000009109	NL883S	45db	68 l/s	No	Yes	Yes	No	No



4" (100MM) CENTRIFUGAL FANS



Order No.	Model No.	Noise Level	Extract Rate	Timer	Shutters
-----------	-----------	-------------	--------------	-------	----------

CENTRIFUGAL FANS

1051011035	NL882TN	36db	20.8 l/s	Yes	Yes
-------------------	---------	------	----------	-----	-----

IN-LINE MIXED FLOW FANS



Order No.	Model No.	Diameter	Timer
-----------	-----------	----------	-------

IN-LINE MIXED FLOW FANS 100MM

1052025551	NL8001	100mm	Yes
-------------------	--------	-------	-----

4" (100MM) SHOWER FAN KITS

- Timer version adjustable: 3-20mins
- Ideal for extracting air direct from shower rooms
- 220-240V AC
- Extract rate: 23.6l/s
- Power consumption: 15W
- Sound level: 41dB(A) @ 3m



Order No.	Model No.	Noise Level	Extract Rate	Timer	SELV
-----------	-----------	-------------	--------------	-------	------

SHOWER FAN & DUCTING KIT

1051011037	NL881TN	41db	23.6 l/s	Yes	No
-------------------	---------	------	----------	-----	----

FLEXIBLE DUCTING



NL870



NL891

Order No.	Model No.	Diameter	Colour	Length
-----------	-----------	----------	--------	--------

FLEXIBLE DUCTING

1000009110	NL870	4" (100mm)	White	3m
1050325789	NL872	4" (100mm)	White	15m
1000009535	NL883D	6" (150mm)	White	3m

INSULATED DUCTING

2501117875	NL891	4" (100mm)	Silver	10m
-------------------	-------	------------	--------	-----

FLAT CHANNEL



Order No.	Model No.	Description	Colour
-----------	-----------	-------------	--------

FLAT CHANNEL 110 X 54MM

1050325791	NLFC2M	2m Ducting Length	White
1050325798	NLFCAD	100mm Round to Horizontal Adapter	White
1050325793	NLFCCON	Flat Connector	White

FLAT CHANNEL 204 X 60MM

1052025537	NL8010	1.5m Ducting Length	White
-------------------	--------	---------------------	-------

PANEL HEATERS - LOT20

- 7 day digital LCD timer
- 4 Presets per day
- Electronic energy saving thermostat with frost setting
- Stylish and slimline design
- LOT20 compliant

Order No.	Model No.	Output
-----------	-----------	--------

PANEL HEATERS - LOT 20

2501583273	DESPH05T	0.5KW Panel Heater
2501583274	DESPH10T	1.0KW Panel Heater
2501583275	DESPH15T	1.5KW Panel Heater
2501583276	DESPH20T	2.0KW Panel Heater
2501583277	DESPH24T	2.4KW Panel Heater



WHILE STOCKS
LAST!

ELECTRIC ALUMINIUM RADIATORS

- 7 day integrated timer
- Colour changing LCD display
- Touch sensitive controls
- 100% Efficiency
- Energy-saving technologies such as Adaptive Start & Open Window Detection

Order No.	Model No.	Output
-----------	-----------	--------

ELECTRIC ALUMINIUM RADIATORS

2501169527	DESAR033	0.33Kw Aluminium Radiator
2501169528	DESAR050	0.5Kw Aluminium Radiator
2501169529	DESAR075	0.75Kw Aluminium Radiator
2501169530	DESAR100	1Kw Aluminium Radiator
2501169532	DESAR200	2Kw Aluminium Radiator



WHILE STOCKS
LAST!

AUTOMATIC STORAGE HEATERS

- Digitally controlled
- 7 day programmable
- Fan assisted
- Open window detection
- 2 year Warranty
- NOTE: New storage heaters require a dual supply

Order No.	Model No.	Output
-----------	-----------	--------

AUTOMATIC STORAGE HEATERS

2501096444	DESE050	0.5Kw
2501096445	DESE070	0.7Kw
2501096446	DESE100	1Kw
2501096447	DESE125	1.25Kw
2501096448	DESE150	1.5Kw



WHILE STOCKS
LAST!



PIPE FREEZE PROTECTION

- Protects hot & cold water pipework that may be subject to freezing conditions
- Suitable for both metal & plastic pipe up to 50mm in diameter
- Includes 1.5m cold lead & a 3-pin plug
- Integrated thermostat
- IP66 Rated
- Maintenance free




Order No.	Model No.	Output
-----------	-----------	--------

PIPE FREEZE PROTECTION

2500933582	PFP2	2M 20W
2500933583	PFP3	3M 30W
2500933584	PFP4	4M 40W
2500933585	PFP6	6M 72W
2500933586	PFP10	10M 136W

THERMAL INSULATION

- Thermal insulation must be laid before installing radiant underfloor heating system



Order No.	Model No.	Output
-----------	-----------	--------

THERMAL INSULATION

2500643171	MHTBB06	6mm Thick Backer Board, 1250 x 600mm (Area 0.75m²)
2500643172	MHTBB10	10mm Thick Backer Board, 1250 x 600mm (Area 0.75m²)

150W/M² FOR CONCRETE FLOORS

- Classic Heating Mats Ideal for refurbishment projects in existing dwellings or in new-build extension projects, either as direct floor heating or as floor storage heating

Order No.	Model No.	Output
-----------	-----------	--------

HEATING MATS

2500643173	150MH1.0	1.0m² Area, 150W Heating Load
2500643175	150MH1.5	1.5m² Area, 225W Heating Load
2500643176	150MH2.0	2.0m² Area, 300W Heating Load
2500643177	150MH3.0	3.0m² Area, 450W Heating Load
2500779075	150MH4.0	4.0m² Area, 600W Heating Load
2500779076	150MH5.0	5.0m² Area, 750W Heating Load
2500779077	150MH10.0	10.0m² Area, 1500W Heating Load

MIRROR DE-MISTERS

- The simple solution to a misted up mirror!
- Installed behind your mirror & connected to the bathroom lighting circuit you can view a clear mirror even if the bathroom is full of steam
- Will fit on most types of mirror



Order No.	Model No.	Output
-----------	-----------	--------

MIRROR DE-MISTERS

2500550869	MHI306	252 x 274mm 12.5W De-Mister
2500550870	MHI307	574 x 274mm 25W De-Mister
2500550871	MHI308	519 x 524mm 50W De-Mister
2500550872	MHI309	1004 x 524mm 100W De-Mister

THERMOSTATS


- Easy to use floor sensing thermostat packed with innovative features to optimise comfort & minimise running costs. 'MyHeat Touch' is compatible with various sensors, not only MyHeat.
- 'MyHeat Touch' Thermostat also available in black & silver



Order No.	Model No.	Output
-----------	-----------	--------

THERMOSTATS

2500643168	MH3500W	'MyHeat Touch' Thermostat
2500643169	MH3131	15A Analogue Thermostat



TUBULAR HEATERS

- Ideal for applications which require safe, low-wattage background heating for localised frost protection or as window de-misters

**WHILE STOCKS
LAST!**

Order No.	Model No.	Output
TUBULAR HEATERS		
2500807220	DTH1FT	1Ft 40W Tubular Heater
2500807221	DTH2FT	2Ft 80W Tubular Heater
2500807222	DTH3FT	3Ft 120W Tubular Heater
2500807223	DTH4FT	4Ft 160W Tubular Heater



ReXel

Denmans
REXEL GROUP

Power Up with Solar

Discover our **Solar PV solutions** and chat to our solar champions in branch today!

From solar panels, inverters and battery storage to mounting systems, optimisers, accessories and PPE, you can find all you need for the job!

rexel.co.uk/solarpv
denmans.co.uk/solarpv



07 | Tools

Stud Finder	108
Certification Books	108-109
Tapes	110
Hand Tools	111-131, 147-148, 150-151, 156-157
Test Instruments	132-134
Tool Bags & Storage	134-137
Screw & Drill Bits	138-143
Hole Saws & Arbors	144-146
Tool Sets	149
Work Lighting	152-153
Refuse Sacks & Bags	154
Shovels, Spades & Rakes	158-160
Tarpaulin & Debris Nets	162
Spray Paints	162
Oils & Lubricants	163



SCANNER WALL STUD METAL+VOLTAGE

The NLWS1 is a compact high accuracy 3-in-1 wall scanner which detects voltage, studs and metal behind walls. It has easy to use function keys, which makes detecting fast and Reliable. NLWS1 also has a built in torch for poorly lit areas.

- Wooden and metal stud detection
- Metal Pipe Detection
- Tracing live cables in walls up to 20mm depth
- Dynamic LCD and Audible Indication
- Fully Automatic Operation
- Carry Case
- AC Voltage Range 50 to 600V AC
- Supplied with 1 x 9v battery
- Warning for low battery



Order No.	Model No.	Description
SCANNER WALL STUD METAL+VOLTAGE		
1051088453	NLWS1	Scanner Wall Stud Metal+Voltage

NEW & EXISTING TEST RESULTS UP TO 12 WAYS CERTIFICATION BOOK

- 18th Edition certification
- BS7671 amendment 3 certification
- 40 Certificates
- 1 page per certificate
- All pages duplicated

Order No.	Model No.
NEW & EXISTING TEST RESULTS UP TO 12 WAYS CERTIFICATION BOOK	
1051088466	NLTBTR12W



NLTBTR12W

NEW & EXISTING TEST RESULTS UP TO 36 WAYS CERTIFICATION BOOK

- 18th Edition certification
- BS7671 amendment 3 certification
- 20 Certificates
- 2 pages per certificate
- All pages duplicated

Order No.	Model No.
NEW & EXISTING TEST RESULTS UP TO 36 WAYS CERTIFICATION BOOK	
1051088467	NLTBTR36W



NLTBTR36W

TEST BOOK OBSERVATION SHEET A4 CERTIFICATION BOOK

- 17th edition certification, BS7671 amendment 3 certification
- Complies with BS7671:2008 Amendment 3:2015
- No of certificates: 40
- 1 page per certificate
- Pages duplicated
- Easy to fill out
- Come in logical sequences

Order No.	Model No.	Description
TEST BOOK OBSERVATION BOOK		
1051088468	NLTBOS	



NLTBOS

ELECTRICAL INSTALLATION CONDITION REPORTS

- 18th Edition certification
- BS7671 amendment 3 certification
- 7 Certificates
- 6 pages per certificate
- All pages duplicated



Order No. Model No.

ELECTRICAL INSTALLATION CONDITION REPORTS

- | | | |
|-------------------|--------------|--|
| 1051088465 | NLTBCONG100A | For existing installations greater than 100A |
| 1051088464 | NLTBCONL100A | For existing installations less than 100A |

ELECTRICAL INSTALLATION CERTIFICATION BOOK

- 18th Edition certification
- BS7671 amendment 3 certification
- 40 Certificates
- 1 page per certificate
- All pages duplicated




Order No. Model No.

ELECTRICAL INSTALLATION CERTIFICATION BOOKS

- | | | |
|-------------------|--------------|--|
| 1051088469 | NLTBCRTG100A | For existing installations greater than 100A |
| 1051088462 | NLTBCRTL100A | For existing installations less than 100A |

EMERGENCY LIGHTING LOG BOOK

- Everything in one document
- BS 5266-1 compliant
- Site information/device locations
- Dailey/Monthly T&I Records
- Service/Fault action records
- Training/Fire Officer records



Order No. Model No.

EMERGENCY LIGHTING LOG BOOK

- | | |
|-------------------|--------|
| 1051088470 | NLTBEL |
|-------------------|--------|

MINOR WORKS CERTIFICATION BOOK

- 18th Edition certification
- BS7671 amendment 3 certification
- 40 Certificates
- 1 page per certificate
- All pages duplicated



Order No. Model No.

MINOR WORKS CERTIFICATION BOOK

- | | |
|-------------------|--------|
| 1051088463 | NLTBMW |
|-------------------|--------|

PAT TESTING LOG BOOK

- Manually logs your test results - provides a professional results sheet for your customer
- Duplicate sheets - enable you to keep a second record
- Ideal for multiple site use
- A5 Pad with 50 pages all duplicated for multiple sites



Order No. Model No.

PAT TESTING LOG BOOK

- | | |
|-------------------|---------|
| 1051088471 | NLTBPAT |
|-------------------|---------|

DUST & DEBRIS CATCHER

- Unique patented design collects debris in channels
- Ideal for downlighter installation and ceiling fixings
- Self levels on drill to enable one handed operation
- Reduces hours spent on cleaning up
- Reduces exposure to airborne debris whilst drilling



Order No. Model No. Description

DUST & DEBRIS CATCHER

1051091194 NLHSDC Cutting Tool Debris Catcher

20MM FISH TAPE

- Manufactured from 3mm Nylon Cord
- For pulling cable through electrical conduit tube
- Brass looped ends



Order No. Model No. Description

FISH TAPE 20MM NYLON

1051042698 NLNFT Nylon Fish Tape

GAFFER TAPE

- 50mm x 50m



Order No. Model No.

TAPE - GAFFER

1050151403 NLGTAPEN

GALVANISED SPRAY PAINT

- Cold galvanising spray paint
- Used extensively for 'sealing' bare steel, especially where galvanised products have been cut
- WARNING Flammable product - COSHH restrictions apply. Safety sheet available from your local branch



Order No. Model No.

GALVANISED SPRAY PAINT

1000009596 NLGALVPAINT

STOCK & DIE SET

- Contains all components required for threading of 20/25mm conduit tube after cutting
- Packed in a hard shell PVC case
- Cast iron die stock body & guides
- Dies manufactured from high grade tool steel
- Steel handles zinc plated



Order No. Model No.

STOCK & DIE SET

1051042696 NLSADSET

UNDERGROUND WARNING TAPE

- 150mm x 365m



Order No. Model No. Size

UNDERGROUND WARNING TAPE

1050153082 NLUGTAPEN



20/25MM BUSHING SPANNER

- Spanner designed specifically for installation of Male Brass Bushes
- Saves time on installation
- Suits 20 & 25mm bushes and fits inside body bore to prevent slippage



Order No.	Model No.	Description
SPANNER BUSH 20/25MM		
1051042697	NLSPANBK	Spanner Bush

CRIMPING TOOLS

- Manufactured specifically for use with Newlec terminals, these crimping tools will ensure a good quality compression joint
- Good crimping practice is encouraged in accordance with the requirements of BS 7727 and BS 7609, the use of a matched system of crimping tools & connectors is recommended
- Compact, lightweight and easy to use
- High precision investment cast jaws
- Ratchet controlled to ensure precise & consistent crimping
- Emergency release lever
- Toggle action leverage to reduce operator effort
- Automatic handle opening

NLCT1



NLCT2



NLRF1



Order No.	Model No.	Crimping Range	Crimp Type
CRIMPING TOOLS			
1000008435	NLCT1	0.25 - 6mm	Insulated
1000015962	NLCT2	10 & 16mm	Uninsulated
1050152804	NLRF1	0.5 - 4mm	Bootlace

STAINLESS STEEL CABLE TIE TOOL

- Robust cutting and tensioning tool for stainless steel ties up to 9mm wide
- Steel bar lever to cut off cleanly any excess
- Lightweight and easy to use
- Moulded grip handles



Order No. Model No.

STAINLESS STEEL CABLE TIE TOOL

1051054849 NLSSTCT1

PVC CUTTER

- Ratchet mechanism - fast clean cut!
- Stainless steel cutting blade
- Clean cut every time - no burred edges or mess
- Will cut round PVC conduit up to 32mm diameter
- Will cut flat PVC mini trunking using the mitre attachment



Order No. Model No.

PVC CUTTER

1051054850 NLM42

CRIMPING TOOL KIT

- For use with terminals
- Ensure a good quality compression joint
- Range of PVC insulated terminals and connectors for conductor sizes 0.25 – 6mm²
- Robust carrying case with compartments
- Crimp tool kits can make the job of crimping connectors much easier. This is because the dies in the crimping tool kit are specifically designed to crimp connectors onto wires
- Crimp tool kits can help to ensure that the connectors are crimped properly. This is important because a properly crimped connector will provide a secure connection between the wire and the connector



Order No. Model No.

CRIMPING TOOL KIT

1000008466 NLCKIT

HP3 crimping tool along with a range of PVC insulated terminals and connectors for conductor sizes 0.25 – 6mm

RATCHET CUTTERS

- Swivel cutting blade for ease of application
- Extendable handles with soft moulded grips
- Carry case supplied with tool
- Effortless Cutting
- Universal Compatibility



Order No. Model No.

RATCHET CUTTERS

1051054853	NLRCC32A	Tool for Up To 35mm 4 Core Cable
1051054851	NLRCC240	Tool for Up To 240mm ² Single Cable
1051054852	NLRCC400HD	Tool for Up To 400mm ² Single Cable

CRIMPING TOOL FOR BOOTLACE FERRULES

- Ratchet controlled crimping tool for crimping insulated and uninsulated end sleeves 6mm²-16mm²
- Operated with one hand
- Ergonomically designed for operator comfort
- Durable moulded body offering high resistance to wear and damage
- Lightweight and balanced for great control
- Ergonomic handle design
- Compact lightweight and easy to use



Order No. Model No.

CRIMPING TOOL FOR BOOTLACE FERRULES

1050152805 NLRF2

4-16mm Crimping Tool For Bootlace Ferrules

SWITCHBOARD RUBBER MATTING

- Newlec electrical switchboard matting designed for high voltage areas
- Conforming to BS EN 61111:2009
- Class 0
- For use up to 1000VAC and 1500VDC
- Protects against electrical shocks: The matting provides a safe working surface in areas where there is a risk of electrical shock
- Prevents Electrical Hazards
- Durable and Long-lasting



Order No. Model No.

SWITCHBOARD RUBBER MATTING

1051045700	NLES2M.5	0 2.5m x 4mm
1051045699	NLES5M	0 5m x 4mm
1051045698	NLES10M	0 10m x 4mm

1000 V INSULATED WIRE STRIPPERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED WIRE STRIPPERS		
2501419657	BIZ 790 223	160 mm 1000 V for cables Ø 5-10 mm ²

1000 V INSULATED 2 IN 1 DIAGONAL CUTTERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED 2 IN 1 DIAGONAL CUTTERS		
2501419663	BIZ 790 222	1000 V Insulated 2 in 1 Diagonal Cutters 160mm

1000 V INSULATED DIAGONAL CUTTERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED DIAGONAL CUTTERS		
2501419658	BIZ 790 220	145mm
2501419659	BIZ 790 221	160mm

1000 V INSULATED REINFORCED DIAGONAL CUTTING PLIERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
1000 V INSULATED REINFORCED DIAGONAL CUTTING PLIERS		
2501419661	BIZ 790 230	160mm
2501419662	BIZ 790 234	200mm

1000 V INSULATED 6 IN 1 MULTIFUNCTION PLIERS

- Polished finish
- Dual material handles



Order No.	Model No.	Description
1000 V INSULATED 6 IN 1 MULTIFUNCTION PLIERS		
2501419655	BIZ 790 035	1000 V Insulated 6 in 1 Multifunction Pliers 180mm



INSULATED UNIVERSAL PLIERS 1000 V

- Chrome finish
- Ergonomic non-slip, dual-material handles



Order No.	Model No.	Description
-----------	-----------	-------------

INSULATED UNIVERSAL PLIERS 1000 V

2501419660	BIZ 790 225	Insulated Universal Pliers 1000 V 180mm
-------------------	-------------	---

1000 V INSULATED HALF-ROUND LONG ANGLED NOSE PLIERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
-----------	-----------	-------------

1000 V INSULATED HALF-ROUND LONG ANGLED NOSE PLIERS

2501419667	BIZ 790 228	160mm
2501419668	BIZ 790 232	200mm

1000 V INSULATED HALF-ROUND LONG NOSE PLIERS

- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
-----------	-----------	-------------

1000 V INSULATED HALF-ROUND LONG NOSE PLIERS

2501419665	BIZ 790 227	160mm
2501419666	BIZ 790 231	200mm

1000 V INSULATED WATER PUMP PLIERS

- Box joint
- Chrome plated head
- Multi-component grip



Order No.	Model No.	Description
-----------	-----------	-------------

1000 V INSULATED WATER PUMP PLIERS

2501419664	BIZ 790 229	1000 V Insulated Water Pump Pliers 250mm
-------------------	-------------	--

ELECTRONICS TOOL KIT

Box contains: 8 Pieces screwdriver set-length 152 mm including blade 60 mm:

- 1 slotted screwdriver, 1,2 mm
- 1 slotted screwdriver, 1,5 mm
- 1 slotted screwdriver, 2,0 mm
- 1 slotted screwdriver, 2,5 mm
- 1 slotted screwdriver, 3,0 mm
- 1 PH 000 screwdriver
- 1 PH 00 screwdriver
- 1 PH 0 screwdriver
- 3 electronics pliers:
- 1 plier BIZ 700 300
- 1 plier BIZ 700 301
- 1 plier BIZ 700 302

- Screwdriver blades in satin chrome steel with polished tip
- Handles in polypropylene and elastomer

Order No.	Model No.	Description
-----------	-----------	-------------

ELECTRONICS TOOL KIT

2501419395	BIZ 700 516	Tool Kit
-------------------	-------------	----------



CABLE TIE PLIERS

- Spring lifetime 60,000 cycles
- Body in carbon steel



Order No.	Model No.	Description
CABLE TIE PLIERS		
2501419448	BIZ 700 010	Cable Tie Pliers 3.6 - 9.5 mm

WATER PUMP PLIERS

- Slip-joint hinge
- Lifetime warranty



Order No.	Model No.	Description
WATER PUMP PLIERS		
2501419877	BIZ 400062	Water Pump Plier Non Insulated 300mm
2501419876	BIZ 400061	Water Pump Plier Non Insulated 240mm
2501419875	BIZ 400060	Water Pump Plier Non Insulated 170mm

SELF ADJUSTING WATER PUMP PLIER

- Plastic coated handles
- Lifetime warranty



Order No.	Model No.	Description
SELF ADJUSTING WATER PUMP PLIERS		
2501419757	BIZ 790048	Auto-adjustable shears 250mm with PVC handles. Opening 40mm
2501419756	BIZ 790047	Auto-adjustable shears 180mm with PVC handles. Opening 32mm

METAL PLUG RATCHET INSERTION TOOL



Order No.	Model No.	Description
METAL PLUG RATCHET INSERTION TOOL		
2501419615	BIZ 790 200	Metal Plug Ratchet Insertion Tool Ø 4-8 mm

STAINLESS STEEL CABLE TIE TOOL



Order No.	Model No.	Description
STAINLESS STEEL CABLE TIE TOOL		
2501419672	BIZ 790 010	Stainless Steel Cable Tie Tool 4.5-12 mm



1000 V I-SLIM INSULATED SCREWDRIVERS

- Shank in high quality chromium-molybdenum-vanadium steel
- Bi-material grip in polypropylene and elastomer
- Polypropylene insulation



Order No.	Model No.	Description	Tip
1000 V I-SLIM INSULATED SCREWDRIVERS			
2501419856	BIZ 790 083	2.5 x 100 mm	Slotted
2501419762	BIZ 790 070	3 x 100 mm	Slotted
2501419763	BIZ 790 071	3.5 x 100 mm	Slotted
2501419764	BIZ 790 072	4 x 100 mm	Slotted
2501419765	BIZ 790 073	5.5 x 125 mm	Slotted
2501419766	BIZ 790 074	6.5 x 125 mm	Slotted
2501419767	BIZ 790 075	4.5 x 80 mm	PH1
2501419768	BIZ 790 076	6 x 100 mm	PH2
2501419769	BIZ 790 077	4.5 x 80 mm	PZ1
2501419770	BIZ 790 078	6 x 100 mm	PZ2
2501419771	BIZ 790 079	Double Pattern	PZ1/Slotted
2501419772	BIZ 790 080	Double Pattern	PZ2/Slotted
2501419862	BIZ 790 084	T10 x 100 mm	Torx® 10
2501419864	BIZ 790 085	T15 x 125 mm	Torx® 15
2501419863	BIZ 790 086	T20 x 125 mm	Torx® 20
2501419865	BIZ 790 087	T25 x 125 mm	Torx® 25

1000 V INSULATED SCREWDRIVERS

- Chrome vanadium steel with blackening finishing
- Multi-component grip
- Polypropylene insulation



Order No.	Model No.	Description	Tip
1000 V INSULATED SCREWDRIVERS			
2501419425	BIZ 700 014	2.5 x 75 mm	Slotted
2501419430	BIZ 700 015	3 x 100 mm	Slotted
2501419579	BIZ 700 485	3.5 x 100 mm	Slotted
2501419432	BIZ 700 016	4 x 100 mm	Slotted
2501419426	BIZ 700 017	5.5 x 125 mm	Slotted
2501419420	BIZ 700 018	6.5 x 150 mm	Slotted
2501419433	BIZ 700 509	8 x 175 mm	Slotted
2501419421	BIZ 700 504	3 x 60 mm	PH0
2501419428	BIZ 700 021	4.5 x 80 mm	PH1
2501419423	BIZ 700 022	6 x 100 mm	PH2
2501419427	BIZ 700 508	8 x 150 mm	PH3
2501419429	BIZ 700 500	3 x 60 mm	PZ0
2501419424	BIZ 700 019	4.5 x 80 mm	PZ1
2501419431	BIZ 700 510	8 x 150 mm	PZ3

1000 V+C250 INSULATED BIT HOLDER SCREWDRIVER WITH 11 BITS

6-sided 1/4" magnetic bit holder Supplied with a storage case containing: 4 flat bits (3/4/5.5/7 mm). 3 PH bits (PH0/PH1/PH2). 2 PZ bits (PZ1/PZ2). 2 Torx bits (T15/T20).

- Vanadium chrome ends
- Bi-material handle
- Polypropylene insulator
- Screwdriver length: 204 mm
- Screwdriver weight: 103g
- Case weight: 218g



Order No.	Model No.	Description
1000 V+C250 INSULATED BIT HOLDER SCREWDRIVER WITH 11 BITS		
2501419434	BIZ 700 490	Insulated Bit Holder Screwdriver with 11 Bits

INSULATED VDE SCREWDRIVERS SLOTTED



Order No.	Model No.	Description
-----------	-----------	-------------

INSULATED VDE SCREWDRIVERS - SLOTTED

2501618790	BIZ 790158	2.5x75mm
2501618791	BIZ 790159	3x100mm
2501618792	BIZ 790160	3.5 x 100 mm
2501618793	BIZ 790161	4x100mm
2501618794	BIZ 790162	5.5 x 125 mm
2501618795	BIZ 790163	6.5 x 150 mm

INSULATED VDE SCREWDRIVERS PH



Order No.	Model No.	Description
-----------	-----------	-------------

INSULATED VDE SCREWDRIVERS - PH

2501618796	BIZ 790164	PH0 - 60mm
2501618797	BIZ 790165	PH1 - 80mm
2501618798	BIZ 790166	PH2 - 100mm

INSULATED VDE SCREWDRIVERS PZ



Order No.	Model No.	Description
-----------	-----------	-------------

INSULATED VDE SCREWDRIVERS - PZ

2501618799	BIZ 790167	PZ0 - 60mm
2501618800	BIZ 790168	PZ1 - 80mm
2501618801	BIZ 790169	PZ2 - 100mm

SET OF 6 INSULATED VDE SCREWDRIVERS



Order No.	Model No.	Description
-----------	-----------	-------------

SET OF 6 INSULATED VDE SCREWDRIVERS

2501618802	BIZ 790170	Set of 6 insulated VDE Screwdrivers
-------------------	------------	-------------------------------------

SET OF INTERCHANGEABLE INSULATED BLADE SCREWDRIVERS

Nylon pouch containing 10 1000 V insulated interchangeable blades, a bimaterial handle and a grip bit.

- 10 blades:
 - Flat-blade: 3.0 mm/3.5 mm/4.0 mm/5.5 mm/6.5 mm
 - PH: PH1/PH2.PZ: PZ2
 - Torx: TX15/TX20



Order No.	Model No.	Description
SET OF INTERCHANGEABLE INSULATED BLADE SCREWDRIVERS		
2501419891	BIZ 790 098	Set of interchangeable insulated blade screwdrivers
HANDLE		
2501419904	BIZ 790 099	Handle for BIZ 790 098
SPARE SCREWDRIVER BLADES		
2501419905	BIZ 790 100	3.0 mm Slotted
2501419906	BIZ 790 101	3.5 mm Slotted
2501419907	BIZ 790 102	4.0 mm Slotted
2501419908	BIZ 790 104	5.5 mm Slotted
2501419909	BIZ 790 105	6.5 mm Slotted
2501419910	BIZ 790 106	4.5mm PH1
2501419911	BIZ 790 107	6.0mm PH2
2501419912	BIZ 790 108	6.0mm PZ2
2501419913	BIZ 790 109	3.5mm T15

SET OF INTERCHANGEABLE INSULATED BLADE SCREWDRIVERS

Order No.	Model No.	Description
2501419891	BIZ 790 098	Set of interchangeable insulated blade screwdrivers

HANDLE

Order No.	Model No.	Description
2501419904	BIZ 790 099	Handle for BIZ 790 098

SPARE SCREWDRIVER BLADES

2501419905	BIZ 790 100	3.0 mm	Slotted
2501419906	BIZ 790 101	3.5 mm	Slotted
2501419907	BIZ 790 102	4.0 mm	Slotted
2501419908	BIZ 790 104	5.5 mm	Slotted
2501419909	BIZ 790 105	6.5 mm	Slotted
2501419910	BIZ 790 106	4.5mm	PH1
2501419911	BIZ 790 107	6.0mm	PH2
2501419912	BIZ 790 108	6.0mm	PZ2
2501419913	BIZ 790 109	3.5mm	T15

RATCHET SCREWDRIVER

Supplied with 8 bits:

3 x slotted bits (4.5 x 0.6 mm/5.5 x 1 mm/6.5 x 1.2 mm), 3 x PH bits (PH1/PH2/PH3), 2 x PZ bits (PZ1/PZ2)

Telescopic storage of 8 bits in the handle. Magnetic bit holder 1/4 hex. (6.35 mm)

- Bits in chrome vanadium steel
- Multi-component grip
- Length: 220 mm
- Weight: 220 g



Order No.	Model No.	Description
RATCHET SCREWDRIVER		
2501419407	BIZ 700 492	Ratchet Screwdriver cw 8 Bits

RATCHET SCREWDRIVER

2501419407	BIZ 700 492	Ratchet Screwdriver cw 8 Bits
-------------------	-------------	-------------------------------

1000 V INSULATED PLIERS 4 PIECES



Kit contains:

1 x 1000 V insulated Chrome plated stripping plier 160 mm (BIZ 790 223)
1 x 1000 V insulated Chrome plated combination plier 180 mm (BIZ 790 225)

1 x 1000 V insulated Chrome plated half-round long nose plier 200 mm (BIZ 790 231)
1 x 1000 V insulated Chrome plated reinforced cutting plier 200 mm (BIZ 790 234)

Order No.	Model No.	Description
RATCHET SCREWDRIVER		
2501419670	BIZ 790 240	1000 V Insulated Pliers 4 Pieces

RATCHET SCREWDRIVER

2501419670	BIZ 790 240	1000 V Insulated Pliers 4 Pieces
-------------------	-------------	----------------------------------

1000 V INSULATED I-SLIM SCREWDRIVERS SLOTTED/PZ 6 PIECES

Kit composed of:

- 1 i-SLIM slotted screwdriver 3.5 x 100 (BIZ 790 071)
- 1 i-SLIM slotted screwdriver 4 x 100 (BIZ 790 072)
- 1 i-SLIM slotted screwdriver 5.5 x 125 (BIZ 790 073)
- 1 i-SLIM slotted screwdriver 6.5 x 125 (BIZ 790 074)
- 1 i-SLIM PZ1 screwdriver 4.5 x 80 (BIZ 790 077)
- 1 i-SLIM PZ2 screwdriver 6 x 100 (BIZ 790 078)

Order No.	Model No.	Description
1000 V INSULATED I-SLIM SCREWDRIVERS SLOTTED/PZ 6 PIECES		
2501419773	BIZ 790 081	1000 V Insulated I-Slim Screwdrivers Slotted/PZ 6 Pieces

1000 V INSULATED I-SLIM SCREWDRIVERS SLOTTED/PZ 6 PIECES

2501419773	BIZ 790 081	1000 V Insulated I-Slim Screwdrivers Slotted/PZ 6 Pieces
-------------------	-------------	--



1000 V INSULATED I-SLIM SCREWDRIVER SLOTTED/PH 6 PIECES

Kit composed of:

- 1 i-SLIM slotted screwdriver 3.5 x 100 (BIZ 790071)
- 1 i-SLIM slotted screwdriver 4 x 100 (BIZ 790072)
- 1 i-SLIM slotted screwdriver 5.5 x 125 (BIZ 790073)
- 1 i-SLIM slotted screwdriver 6.5 x 125 (BIZ 790074)
- 1 i-SLIM PH1 screwdriver 4.5 x 80 (BIZ 790075)
- 1 i-SLIM PH2 screwdriver 6 x 100 (BIZ 790076)



Order No. Model No. Description

1000 V INSULATED I-SLIM SCREWDRIVER SLOTTED/PH 6 PIECES

250141982 BIZ 790 082 1000 V Insulated i-Slim screwdriver slotted/PH 6 Pieces

TORX® 1000 V I-SLIM SCREWDRIVER 4 PIECES

Kit composed of:

- 1 i-SLIM Torx® screwdriver T10 x 100 (BIZ 790 084)
- 1 i-SLIM Torx® screwdriver T15 x 125 (BIZ 790 085)
- 1 i-SLIM Torx® screwdriver T20 x 125 (BIZ 790 086)
- 1 i-SLIM Torx® screwdriver T25 x 125 (BIZ 790 087)



Order No. Model No. Description

TORX® 1000 V I-SLIM SCREWDRIVER 4 PIECES

2501419857 BIZ 790 095 Torx® 1000 V i-Slim Screwdriver 4 Pieces

1000 V INSULATED SCREWDRIVERS AND TESTER 7 PIECES

Kit composed of:

- 1 x 1000 V insulated slotted screwdriver 2.5 x 75 (BIZ 700 014)
- 1 x 1000 V insulated slotted screwdriver 3 x 100 (BIZ 700 015)
- 1 x 1000 V insulated slotted screwdriver 4 x 100 (BIZ 700 016)
- 1 x 1000 V insulated slotted screwdriver 5.5 x 125 (BIZ 700 017)
- 1 x 1000 V insulated slotted screwdriver 6.5 x 150 (BIZ 700 018)
- 1 x 1000 V insulated PZ1 screwdriver 4.5 x 80 (BIZ 700 019)
- 1 x 1000 V insulated PZ2 screwdriver 6 x 100 (BIZ 700 020)
- 1 x voltage tester 220-250 V, 140 mm



Order No. Model No. Description

1000 V INSULATED SCREWDRIVERS AND TESTER 7 PIECES

2501419419 BIZ 700 093 1000 V Insulated Screwdrivers and Tester 7 Pieces

CABLE CUTTERS

- Plastic coated handles



Order No.	Model No.	Description
-----------	-----------	-------------

CABLE CUTTERS

2501419580	BIZ 700 278	16 mm ²
2501419380	BIZ 700 201	25 mm ²

1000 V INSULATED AUTOMATIC CABLE CUTTERS

- Forged steel
- Polished head
- Multi-component grip



Order No.	Model No.	Description
-----------	-----------	-------------

INSULATED CABLE CUTTERS

2501419656	BIZ 790 036	50 mm ²
2501419682	BIZ 790 213	70 mm ²

RATCHET CABLE CUTTERS

- Special quality steel tools, forged, oil hardened
- Protective pin to avoid trapping



Order No.	Model No.	Description
-----------	-----------	-------------

RATCHET CABLE CUTTERS

2501419383	BIZ 700 011	ø 32 mm
2501419382	BIZ 700 202	ø 52 mm
2501420038	BIZ 781 040	ø 32 mm Premium
2501420040	BIZ 781 042	ø 52 mm Premium

HEAVY-DUTY CABLE CUTTER

- Plastic coated handles



Order No.	Model No.	Description
-----------	-----------	-------------

HEAVY-DUTY CABLE CUTTER

2501419381	BIZ 700 001	Heavy-Duty Cable Cutter 70 mm ²
-------------------	-------------	--

TUBE CUTTER COPPER



Order No.	Model No.	Description
-----------	-----------	-------------

TUBE CUTTER COPPER 3-45 MM

2501583282	BIZ 400 064	Tube Cutter Copper 3-45 mm
-------------------	-------------	----------------------------

ADJUSTABLE CABLE STRIPPERS

- Adjustable stripping thickness



Order No.	Model No.	Description
-----------	-----------	-------------

ADJUSTABLE CABLE STRIPPERS

2501419402	BIZ 700 003	4.5 - 25 mm
2501419401	BIZ 700 004	25 - 36 mm
2501419403	BIZ 700 085	Spare Blade

CABLE STRIPPER KNIVES

- Adjustable stripping thickness
- Self-swivel spare blade included in the tool's body



Order No.	Model No.	Description
-----------	-----------	-------------

CABLE STRIPPER KNIVES

2501419695	BIZ 790 008	Cable Stripper Knife with Hooked Blade
2501419722	BIZ 790 019	Cable Stripper Knife without Blade
2501419696	BIZ 790 009	Spare Blade for BIZ 790 019



AUTOMATIC STRIPPING GUN PLIERS

- Stripping length adjustment stop from 3 to 17 mm
- Fitted with a wire cutter (2.5 mm² maximum)



Order No.	Model No.	Description
AUTOMATIC STRIPPING GUN PLIERS		
2501419400	BIZ 700 071	0.08 to 2.5 mm ²

AUTOMATIC STRIPPING PLIERS

- Stripping length adjustment stop
- Fitted with a wire cutter



Order No.	Model No.	Description
AUTOMATIC STRIPPING PLIERS		
2501419724	BIZ 790 015	0.02 to 10 mm ²
2501419697	BIZ 790 017	0.2 to 6 mm ²
2501419399	BIZ 700 043	0.34 to 10 mm ²
2501419726	BIZ 790 013	6 to 16 mm ²

AUTOMATIC STRIPPING GUN

- For stripping round, flat or semi-flat wires and cables, from 0.2 to 6 mm²



Order No.	Model No.	Description
AUTOMATIC STRIPPING GUN		
2501419601	BIZ 700 081	Automatic Stripping Gun 0.2 to 6 mm ²

MULTI-STRIPPER TOOL



Order No.	Model No.	Description
MULTI-STRIPPER TOOL		
2501419397	BIZ 700 186	Multi-Stripper Tool
2501419723	BIZ 790 014	Multi-Stripper Tool with Blade

MULTIFUNCTION STRIPPING PLIERS



Order No.	Model No.	Description
MULTIFUNCTION STRIPPING PLIERS		
2501419900	BIZ 790 025	Multifunction Stripping Pliers

COAXIAL CABLE STRIPPER

- Blades on 2 sides of the tool, marked 1 and 2 in the order of the working steps
- Does not require depth of cut adjustment
- TIN coated blade



Order No.	Model No.	Description
COAXIAL CABLE STRIPPER		
2501419608	BIZ 700 857	Coaxial Cable Stripper

SQUARE TERMINAL CRIMPING PLIERS

- Bimaterial grip
- Burnished finish



Order No.	Model No.	Description
-----------	-----------	-------------

SQUARE TERMINAL CRIMPING PLIERS

2501419846	BIZ 790 011	Square Terminal Crimping Pliers 0.08-16 mm ²
------------	-------------	---

CABLE ENDS CRIMPING PLIERS

- PVC grips



Order No.	Model No.	Description
-----------	-----------	-------------

CABLE ENDS CRIMPING PLIERS

2501419902	BIZ 790 277	Cable Ends Crimping Pliers 0.25-16mm ²
------------	-------------	---

TERMINALS AND CABLE ENDS CRIMPING PLIERS

- Multi-component grip



Order No.	Model No.	Description
-----------	-----------	-------------

TERMINALS AND CABLE ENDS CRIMPING PLIERS

2501419461	BIZ 700 005	0.5 to 6 mm ²
2501419454	BIZ 700 006	0.5 to 4 mm ²
2501419458	BIZ 700 009	6 to 16 mm ²
2501419460	BIZ 700 008	1.5 to 10 mm ²
2501419901	BIZ 700 697	0.5 to 16 mm ²

CRIMPING PLIERS FOR PRE-INSULATED TERMINALS & CLIPS

- BizLine terminals are UL homologated with these pliers



Order No.	Model No.	Description
-----------	-----------	-------------

CRIMPING PLIERS

2501419732	BIZ 790 275	Crimping Pliers for Terminals
------------	-------------	-------------------------------

CRIMPING PLIERS FOR RJ45, RJ11 AND RJ12 CONNECTORS

- Pliers with ratchet
- Includes cable cutting and stripping functions
- Polished head
- Multi-component grip



Order No.	Model No.	Description
-----------	-----------	-------------

CRIMPING PLIERS FOR RJ45, RJ11 AND RJ12 CONNECTORS

2501419581	BIZ 700 587	Crimping Pliers for RJ45, RJ11 and RJ12 Connectors
------------	-------------	--

CRIMPING PLIERS FOR COPPER TERMINAL LUGS AND SLEEVES

- Hexagonal crimping
- Complies with NFC 20-130 (LCIE test report available on request)
- Not suitable for crimping aluminium parts



Order No.	Model No.	Description
-----------	-----------	-------------

CRIMPING PLIERS FOR COPPER TERMINAL LUGS AND SLEEVES

2501419457	BIZ 700 012	6 to 50 mm ²
2501419459	BIZ 700 013	6 to 120 mm ²

OPEN-END WRENCHES 10 PIECES

- Chrome vanadium steel
- Polished chrome finish
- Dimensions: 6 x 7.8 x 9.10 x 11.12 x 13.14 x 15.16 x 17.18 x 19.20 x 22.21 x 23.24 x 26



Order No.	Model No.	Description
-----------	-----------	-------------

OPEN-END WRENCHES 10 PIECES

2501419671	BIZ 700 488	Open-End Wrenches 10 Pieces
------------	-------------	--------------------------------

COMBINATION WRENCHES 8 PIECES

- Chrome vanadium steel
- Polished chrome finish
- Dimensions: 8/9/10/11/12/13/17/19 mm



Order No.	Model No.	Description
-----------	-----------	-------------

COMBINATION WRENCHES 8 PIECES

2501419442	BIZ 700 041	Combination Wrenches 8 Pieces
------------	-------------	----------------------------------

REVERSIBLE RATCHET RING WRENCHES

- 72 teeth mechanism
- 5° increments
- Chrome Vanadium steel
- Mirror finish



Order No.	Model No.	Description
-----------	-----------	-------------

REVERSIBLE RATCHET RING WRENCHES

2501419675	BIZ 790 007	2 sizes - 10/13 mm
2501419681	BIZ 790 202	4 sizes - 10/13/17/19 mm

SOCKET WRENCHES 6 PIECES

- 6 x 12 points
- Chrome vanadium steel
- Dimensions: 6/7/8/10/13/17 mm



Order No.	Model No.	Description
-----------	-----------	-------------

SOCKET WRENCHES 6 PIECES

2501419441	BIZ 700 066	Socket Wrenches 6 Pieces
------------	-------------	-----------------------------

RATCHET WRENCHES 7 PIECES

- Chrome vanadium steel
- Polished chrome finish
- Dimensions: 8/10/11/12/13/17/19 mm



Order No.	Model No.	Description
-----------	-----------	-------------

RATCHET WRENCHES 7 PIECES

2501419443	BIZ 700 191	Ratchet Wrenches 7 Pieces
------------	-------------	------------------------------

RATCHET SOCKET 37 PIECES



- Chrome vanadium steel
- Satin steel finish
- Set contains:
 - 12 x 1/4" drive sockets (4/4.5/5/5.5/6/7/8/9/10/11/12/13)
 - 7 Torx bits (T8/T10/T15/T20/T25/T30/T40)
 - 4 Hex bits (3/4/5/6)
 - 3 PZ bits (PZ1/PZ2/PZ3)
 - 3 slotted bits (4/5.5/7)
- 3 PH bits (PH1/PH2/PH3)
- 1 x 1/4" drive reversible ratchet wrench
- 1 x 1/4" drive universal joint
- 1 x 1/4" drive spinner handle
- 1 x 1/4" drive 150 mm extension
- 1 x 1/4" bit adapter

Order No.	Model No.	Description
-----------	-----------	-------------

RATCHET SOCKET 37 PIECES

2501419450	BIZ 700 078	Ratchet Socket 37 Pieces
------------	-------------	--------------------------

THREADED ROD GO-THROUGH SOCKET 38 PIECES



- Chrome vanadium steel
- Satin steel finish
- Set contains:
 - 13 x 1/4" drive sockets (4/4.5/5/5.5/6/7/8/9/10/11/12/13/14)
 - 6 Torx bits (T10/T15/T20/T25/T30/T40)
 - 4 Slotted bits (3/4/5/6)
 - 3 PH bits (1/2/3)
- 3 PZ bits (PZ1/PZ2/PZ3)
- 4 Hex bits (3/4/5/6)
- 1 x 1/4" drive 75 mm extension
- 1 hollow ratchet wrench
- 1 x 1/4" drive universal joint
- 1 x 1/4" drive spinner handle
- 1 x 1/4" bit adapter

Order No.	Model No.	Description
-----------	-----------	-------------

THREADED ROD GO-THROUGH SOCKET 38 PIECES

2501419451	BIZ 700 203	Threaded Rod Go-Through Socket 38 Pieces
------------	-------------	--

ADJUSTABLE WRENCHES

- Chrome vanadium steel
- Burnished thumb wheel and head



Order No.	Model No.	Description
-----------	-----------	-------------

ADJUSTABLE WRENCHES

2501419453	BIZ 700 183	150mm
2501419452	BIZ 700 059	300mm

ADJUSTABLE RATCHET SPANNER

- Chrome molybdenum steel
- Multi-component grip



Order No.	Model No.	Description
-----------	-----------	-------------

ADJUSTABLE RATCHET SPANNER

2501419582	BIZ 700 598	Adjustable Ratchet Spanner
------------	-------------	----------------------------

BALL-POINT HEXAGONAL KEY CLIP SET 9 PIECES

- Chrome Vanadium steel
- Anti-rust burnished
- Weight with sleeve: 430 g
- Dimensions: 1.5/2/2.5/3/4/5/6/8/10 mm
- Supplied in a folding case for storage



Order No.	Model No.	Description
-----------	-----------	-------------

HEXAGONAL KEY CLIP SET

2501419446	BIZ 700 230	Ball-Point Hexagonal Key Clip Set 9 Pieces
------------	-------------	--

HEXAGONAL KEYS 9 PIECES

- Chrome vanadium steel
- Anti-rust burnished
- Weight with sleeve: 430 g
- Dimensions: 1.5/2/2.5/3/4/5/6/8/10 mm
- Supplied in a folding case for storage



Order No.	Model No.	Description
-----------	-----------	-------------

HEXAGONAL KEYS 9 PIECES

2501419445	BIZ 700 063	Hexagonal Keys 9 Pieces
------------	-------------	-------------------------

7 HEXAGONAL KEY FOLDING SET

- Chrome vanadium steel
- Anti-rust burnished
- Weight: 300 g
- Dimensions: 2/2.5/3/4/5/6/8 mm
- Multi-component grip for comfortable use



Order No.	Model No.	Description
7 HEXAGONAL KEY FOLDING SET		
2501419447	BIZ 700 298	7 Hexagonal Key Folding Set

RESISTORX® KEY FOLDING 8 PIECES

- Chrome vanadium steel
- Anti-rust burnished
- Weight: 200 g
- Dimensions: T9/T10/T15/T20/T25/T27/T30/T40
- Multi-component grip for comfortable use



Order No.	Model No.	Description
RESISTORX® KEY FOLDING 8 PIECES		
2501419444	BIZ 700 299	Resistorx® Key Folding 8 Pieces

UNIVERSAL KEY WITH 9 BITS



- Dimensions: 95 x 95 mm
- Composed of: Square (6, 7-8 mm and 9-10 mm)
- Triangle (7, 8-9 mm and 10-11 mm)
- Bit key (3-5 mm)
- Half-moon (6 mm)
- Central square (5 mm) for bleeding radiators
- Magnetic holder for 1/4" bit
- Die-cast zinc
- Includes chain and spring hook for attaching to a belt

Order No.	Model No.	Description
UNIVERSAL KEY WITH 9 BITS		
2501419673	BIZ 790 194	Universal Key with 9 Bits

ELECTRICIAN'S FOUR-WAY CABINET KEY AND BOTTLE OPENER

- Cast zinc
- Dimensions: 75 x 110 mm
- Weight: about 70g
- Composed of: Square (5, 6, 8 mm)
- Triangle (9 mm)
- Key bit (3-5 mm)



Order No.	Model No.	Description
FOUR WAY CABINET KEY AND BOTTLE OPENER		
2501419781	BIZ 790 195	Electrician's Four-way Cabinet Key and Bottle Opener

1000 V INSULATED 6-SIDED MALE WRENCH WITH T HANDLE

- Dimensions: 4 mm
- Length: 150 mm
- Width: 100 mm



Order No.	Model No.	Description
6 SIDED MALE WRENCH WITH T-HANDLE		
2501420053	BIZ 790 097	1000 V Insulated 6-Sided Male Wrench with T Handle

UNIVERSAL KEY WITH 14 ARTICULATED SOCKETS

- 14 different sockets
- 360° swivel arm rotation
- Nickel treated rotary shafts
- Die-cast zinc swivel inserts
- Swivel arms & connectors made of fibreglass reinforced plastic
- Weight (g): 105
- Dimensions (mm): 130 x 38
- Consists of:
 - Square (5/6/7/8/9mm)
 - Triangular (5-6/6-7/8-9 mm)
 - Bit-key (3-5 mm)
 - Hexagonal 1/4 for nozzle
 - Square 1/4 for clamp nuts



Order No.	Model No.	Description
UNIVERSAL KEY WITH 14 ARTICULATED SOCKETS		

2501420102	BIZ 790 236	Universal Key with 14 Articulated Sockets
-------------------	-------------	---

CONTROL CABINET KEY



Order No.	Model No.	Description
CONTROL CABINET KEY		
2501420109	BIZ 790 238	Control Cabinet Key

25MM LOCKING SCREW UTILITY KNIFE

- Plastic body with elastomer coating
- Stainless steel guide with built-in snapper
- Fitted with a screw to lock and release the blade
- Supplied with 1 blade
- Carbon steel blade, width 25 mm, thickness 7 mm, 6 snap-off sections



Order No.	Model No.	Description
7 HEXAGONAL KEY FOLDING SET		
2501419387	BIZ 700 069	25mm Locking Screw Utility Knife
2501419386	BIZ 700 070	Set of 10 Blades

UNIVERSAL KEY BOX

- Ergonomic box in high strength plastic
- Die-cast zinc inserts
- Direct reading of dimensions on each key
- Consists of:
 - Square (6/7/8 mm)
 - Triangular (7/8/9/10 mm)
 - Bit-key (3-5 mm)
 - Hexagonal 1/4 for end caps
 - Reversible bit for 1.0 x 7 mm slotted screws and Philips PH2
 - Reversible bit Torx TX20 and TX25
 - Hexagonal (3 mm)
 - Square (6/7/8/9/10 mm)



Order No.	Model No.	Description
UNIVERSAL KEY BOX		
2501420103	BIZ 790 237	Universal Key Box

18MM AUTOMATICALLY RELOADING UTILITY KNIFE

- Multi-component grip
- Metal blade guide with built-in blade snapper
- Self-blocking blade
- Supplied with 3 blades (1 mounted + 2 in handle storage)
- Blade width 18 mm snaps into 8 sections



Order No.	Model No.	Description
18MM AUTOMATICALLY RELOADING UTILITY KNIFE		
2501419384	BIZ 700 187	18mm Automatically Reloading Utility Knife
2501419385	BIZ 700 188	Set of 10 Blades for Utility Knife

RETRACTABLE UTILITY KNIFE WITH INTERCHANGEABLE BLADE

- Zinc alloy body
- Blade maintained when used by pressing the trigger
- Blade retracts when trigger is released at the end of application
- Supplied with 1 trapezoidal blade
- Non-snapping 2-position trapezoidal blade



Order No.	Model No.	Description
RETRACTABLE UTILITY KNIFE WITH INTERCHANGEABLE BLADE		
2501419389	BIZ 700 040	Retractable Utility Knife with Interchangeable Blade

FOLDING BOX CUTTER

- Ergonomic and light aluminium folding box cutter
- Precision-machined stainless steel blade holder: prevents the blade from moving while cutting in straight lines



Order No.	Model No.	Description
FOLDING BOX CUTTER		
2501420042	BIZ 700 328	Folding Box Cutter
2501419388	BIZ 700 178	Set of 10 Trapezoidal Blades

CABLE SHEARS

- 42 mm toothed polished stainless steel blade



Order No.	Model No.	Description
CABLE SHEARS		
2501419583	BIZ 700 524	Cable Shears "Croco"

PLASTIC PIPE SHEARS

- Revolver plate with 3 automatic locking dies
- Double sharpening interchangeable stainless steel blade for effortless and accurate cutting
- Tube cutter for 16, 20 and 25 mm Ø



Order No.	Model No.	Description
PLASTIC PIPE SHEARS		
2501419858	BIZ 790 049	Plastic Pipe Shears Triocoup 16/20/25 mm
2501419859	BIZ 790 050	Spare Blade for Pipe Shears

ELECTRICIAN'S SCISSORS

- Carbon stainless steel notched blade



Order No.	Model No.	Description
ELECTRICIAN'S SCISSORS		
2501419680	BIZ 790 042	50 mm ² "Ultima"

CABLE SNIPS

- 50 mm toothed polished stainless steel blade



Order No.	Model No.	Description
CABLE SNIPS		
2501419679	BIZ 790 044	Cable Snips "Croco Max"

METAL SHEARS

- Forged jaws in molybdenum chrome steel
- 42 mm micro-toothed blades with HRC 59-62 hardness



Order No.	Model No.	Description
METAL SHEARS		
2501419396	BIZ 700 211	Metal Shears

CUTTING PASTE 30G



Order No.	Model No.	Description
CUTTING PASTE 30G		
2501419391	BIZ 700 293	Cutting paste 30g

PG/ISO PUNCHES 8 PIECES



- High carbon steel
- 3-point cutting tips for easy cutting without rejects
- Contains the following cutters and screws:
15.2 mm/PG 9, 16.5 mm/ISO 16, 18.6 mm/PG 11, 20.4 mm/PG 13 and ISO 20, 22.5 mm/PG 16, 25.4 mm/ISO 25, 28.3 mm/PG 21, 32.5 mm/ISO 32, 1 x ball-bearing draw-in bolt MF 10 x 1.0 x 50 mm (BIZ 700 291), 1 x ball-bearing draw-in bolt MF 12 x 1.5 x 60 mm (BIZ 700 292)
- Supplied with 30g of cutting paste

Order No.	Model No.	Description
PG/ISO PUNCHES 8 PIECES		
2501419392	BIZ 700 294	PG/ISO Punches 8 Pieces

BOLT CUTTER

- Chrome Vanadium steel
- Polished finish jaws
- Length: 600 mm
- Weight: 2.8 kg
- Tubular arm bolt cutters
- Jaws no.1



Order No.	Model No.	Description
BOLT CUTTER		
2501419584	BIZ 700 313	Bolt Cutter

DIE TOOLS

- Supplied with ball-bearing draw-in bolts



Order No.	Model No.	Description
DIE TOOLS		
2501419691	BIZ 700 285	Die Tool 18.6 mm Ø PG 11
2501419693	BIZ 700 288	Die Tool 25.4 mm ISO 25
2501419689	BIZ 700 290	Die Tool 32.5 mm ISO 32

30CM HACKSAW



- Aluminium frame with elastomer handle
- Blade length: 300 mm
- Supplied with 3 HSS bi-metal blades, 24 teeth per inch
- Delivered with 3 24-teeth HSS bi-metal blades per thumb

Order No.	Model No.	Description
30CM HACKSAW		
2501419394	BIZ 700 035	30cm Hacksaw
2501419393	BIZ 700 036	Saw Blades 10 Pieces



MINI-HACKSAWS

- Steel frame
- Beech handle
- Blade length: 150 mm
- Supplied with 1 HSS bi-metal blades, 25 teeth per inch



Order No.	Model No.	Description
MINI-HACKSAWS		
2501419758	BIZ 790 055	Adjustable mini-hacksaw
2501419760	BIZ 790 054	Mini-hacksaw
2501419759	BIZ 790 056	Saw blades 12 Pieces

CHISELS



Order No.	Model No.	Description
CHISELS		
2501419597	BIZ 700 584	Mason's Cold Chisel Tubular Shape
2501419678	BIZ 790 217	Mason's Cold Chisel
2501420033	BIZ 790 219	Electrician chisel 200mm x 10mm

ENGINEERS HAMMER

- Unbreakable: head and the handle joined by a metal insert and reinforced with a safety collar
- Forged steel C45: high carbon steel for a long lifetime (heat treated)
- Shatterproof chamfered head
- Handle finish: transparent protective varnish



Order No.	Model No.	Description
ENGINEERS HAMMER		
2501583287	BIZ 700 796	300mm Shaft 300g Head
2501420110	BIZ 700 797	320mm Shaft 500g Head

MARKING LINE KIT

- Red ABS case with black handle
- Blue/white high strength polycotton line, 30 metres, Ø 1 mm
- Supplied with a blue powder refill, 120g



Order No.	Model No.	Description
MARKING LINE KIT		
2501419415	BIZ 700 037	Marking Line Kit

MULTI-FUNCTION SHEARS



Order No.	Model No.	Description
MULTI-FUNCTION SHEARS		
2501420001	BIZ 790 005	Multi-Function Shears

HAMMERS



Order No.	Model No.	Description
HAMMERS		
2501419674	BIZ 790 004	Claw hammer 320mm

PICA DRY GRAPHITE LEAD PENCIL

- Telescopic lead pencil
- Lead protected by a cap
- Cap contains a sharpener



Order No.	Model No.	Description
-----------	-----------	-------------

PICA DRY GRAPHITE LEAD PENCIL

2501419728	BIZ 790 214	Pica Dry Graphite Lead Pencil
2501419761	BIZ 790 212	Colour PICA DRY Graphite Refills x8
2501419729	BIZ 790 215	PICA DRY Graphite Refills x10

SPECIAL CABLE MARKER

- Permanent marking, quick drying, resists to water and light



Order No.	Model No.	Description
-----------	-----------	-------------

SPECIAL CABLE MARKER

2501419852	BIZ 780 204	Special Cable Black Marker
2501419851	BIZ 780 399	Special Cable White Marker

LARGE BLACK MARKING PEN

- Wide tip 1 to 4 mm Ø
- Free of xylene and toluene
- Black permanent marker resistant to water and abrasion with quick drying



Order No.	Model No.	Description
-----------	-----------	-------------

LARGE BLACK MARKING PEN

2501419855	BIZ 780 205	Large Black Marking Pen
-------------------	-------------	-------------------------

PICA INK BLACK MARKER DEEP HOLES

- Telescopic tip in stainless steel Ø 1.5 mm.'Quiver' cap
- Very fine tip marker



Order No.	Model No.	Description
-----------	-----------	-------------

PICA INK BLACK MARKER DEEP HOLES

2501419853	BIZ 780 428	Pica Ink Black Marker Deep Holes
-------------------	-------------	----------------------------------

BLACK MARKERS

- Black indelible marker, water and light resistant
- Tip Ø 0.6 mm



Order No.	Model No.	Description
-----------	-----------	-------------

BLACK MARKERS

2501419411	BIZ 740 002	Black Marker Pen 0.6 mm (x1)
2501419412	BIZ 740 001	Black Marker Pen 0.6 mm (x4)

WAX CRAYON PICA VISOR PERMANENT

- Rotating mechanism
- Handy "quiver" cap
- Lead Ø: 10 mm
- Red wax holder pen for permanent marking



Order No.	Model No.	Description
-----------	-----------	-------------

WAX CRAYON PICA VISOR PERMANENT


2501419850	BIZ 780 852	Wax crayon Pica Visor Permanent
2501419854	BIZ 780 853	Spare leads for Pica Visor

JOINER'S PENCILS

Order No.	Model No.	Description
-----------	-----------	-------------

JOINER'S PENCILS

2501419416	BIZ 790 002	180 mm (x1)
2501419417	BIZ 790 003	180 mm (x5)



MAGNETIC LEVEL 10CM

- Aluminium body
- Machined vial in impact-resistant acrylic block
- Fluorescent high UV-resistance liquid
- Impact absorbing end pieces
- Magnetic



Order No.	Model No.	Description
MAGNETIC LEVEL 10CM		
2501420044	BIZ 700 334	Handy Magnetic Level 10cm

MAGNETIC LEVEL 23CM

- Comprising 3 easy to read level vials (horizontal, vertical, 45°)
- Magnetic
- Robust rubber ends
- Reinforced plastic body



Order No.	Model No.	Description
MAGNETIC LEVEL 23CM		
2501420045	BIZ 700 335	Magnetic level 23cm

PRO MAGNETIC LEVEL 23CM

- Metallised level with corrosion-resistant paint
- Comprises 4 level vials set with epoxy; vertical plumb site, horizontal, 45° and 30° levels



Order No.	Model No.	Description
PRO MAGNETIC LEVEL 23CM		
2501420046	BIZ 700 336	Pro Magnetic Level 23cm

40CM ALUMINIUM LEVEL

- Aluminium level
- Vials machined in shock-resistant acrylic
- Fluorescent liquid resistant to UV radiation
- Shock-proof end tips
- 3 vials: horizontal, vertical, and 45° angle



Order No.	Model No.	Description
40CM ALUMINIUM LEVEL		
2501419418	BIZ 700 044	40cm Aluminium Level

LASER LEVEL

- Shock-absorbing bimaterial rubber casing
- 'Tilt' mode for angle tracing and marking
- Sturdy folding feet for angle positioning and height adjustment
- Self-levelling mechanism
- Visual and sound 'out of range' alarm
- 1/4 threading (adapts to tripod BIZ 700 388)
- Power supply: 3 AA batteries (not supplied)
- Dimensions: 100 x 82 x 104 mm
- Weight: 620g



Order No.	Model No.	Description
LASER LEVEL		
2501419890	BIZ 782 276	Laser Level

INFRARED THERMOMETER

- Measuring range: from -30 °C to +260 °C (-22 °F to 500 °F)
- Precision: ± 4 °C/ ± 7 °F
- LCD screen.
- Can be used either with or without laser beam
- Backlit screen for improved visibility
- Either Celsius or Fahrenheit can be selected
- Usage temperature: 0 °C to +50 °C (32 °F to +122 °F)
- Storage temperature: -20 °C to +60 °C (-4 °F to +140 °F)
- Save date with "HOLD" function, indicates maximum and minimum values
- Auto power off after 8 seconds. Power source: 9V battery, NEDA 1604A or 66LR61 or equivalent
- Field of view: The distance to measurement point ratio for the thermometer's field of view is 8:1, which means that if the device is located 8 cm from the target, the diameter of the target must be at least 1 cm
- At a distance of 24 cm, the device measures a target of 3 cm
- For further details, view the table printed on the device



Order No.	Model No.	Description
INFRARED THERMOMETER		
2501420059	BIZ 790 395	Infrared Thermometer

TELEMETER

- Maximum range: 50 m
- Measurement history: 20. Type of keyboard: function key (durable)
- Operating temperature: -10 °C to +50 °C
- Storage temperature: -20 °C to +60 °C
- Operating humidity: $\leq 95\%$ RH (non-condensing)
- Storage humidity: 30% to 50% RH
- Battery life: up to 4,000 measurements
- Batteries: 2 x 1.5 V AAA batteries
- Automatic laser deactivation: after 30 seconds
- Automatic device shut-off: after 3 minutes
- Dimensions (mm): 110 x 46 x 28
- Weight (g): 100



Order No.	Model No.	Description
TELEMETER		
2501420055	BIZ 790 394	Telemeter
2501419587	BIZ 700 388	Tripod

VOLTAGE TESTERS 2 PIECES

- Set contains:
 - 1 voltage tester 140 mm, 100-250V
 - 1 voltage tester 190 mm, 100-250V
- With pocket clip



Order No.	Model No.	Description
VOLTAGE TESTERS 2 PIECES		
2501419449	BIZ 700 031	Voltage Testers 2 Pieces

DIGITAL MULTIMETER 600V

- Voltage range: 0 to 1000 VAC
- TRMS
- LCD screen
- CAT IV - 600 V
- Continuity check
- Dimensions (mm): 182 x 82 x 59 (including housing)
- Weight (g): 436 (including case)

Order No.	Model No.	Description
-----------	-----------	-------------

DIGITAL MULTIMETER 600V

2501583283	BIZ 780312	Digital Multimeter 600V
-------------------	------------	-------------------------



VOLTAGE TESTER 600V

- Rotation test (three-phase alternating current): voltage range 57 V-400 V and frequency range 50 Hz to 60 Hz
- Operating temperature range (°C): -15 to +45
- Storage temperature range (°C): -20 to +60
- Working humidity range: $\pm 85\%$ RH
- Surge protection class: CAT III 690 V CAT IV 600 V
- Pollution class: 2
- Safety regulations IP65 EN61010-1 EN61243-3 (2010)
- Weight (g): 295 (batteries included)
- Dimensions (mm): 272 x 85 x 31
- IEC LR03 (AAA) batteries (x 2)
- Auto interval: full interval
- Lighting: full range
- Low battery voltage indication (V): approximately 2.4
- Interval overflow indication (V): approximately 755
- Automatic sleep mode: standby current



Order No.	Model No.	Description
-----------	-----------	-------------

VOLTAGE TESTER 600V

2501583285	BIZ 780 311	Voltage Tester 600V
-------------------	-------------	---------------------

DIGITAL CLAMP METER 600V

- Screen: LCD 4000 measurements
- AC current: 50/60 Hz (AAC)
- TRMS
- Voltage bandwidth: AC 50/60 Hz (VAC)
- Operating temperature (°C): -10 to +50
- Relative humidity: 90% (0°C to 30°C), 75% (30°C to 40°C), 45% (40°C to 50°C)
- Altitude of use (m): 3,000
- Storage (m): 10,000
- Overvoltage: category III 600 V
- Battery: 1.9 V battery
- Automatic power off: after approximately 35 min
- Dimensions (mm): 229 x 80 x 49. Weight (g): 303
- Safety: for indoor use and surge category II, pollution degree 2
- Category II includes local level, device, portable equipment, etc. with transient overvoltages lower than category III overvoltage



Order No.	Model No.	Description
-----------	-----------	-------------

DIGITAL CLAMP METER 600V

2501583284	BIZ 780 313	Digital Clamp Meter 600V
-------------------	-------------	--------------------------

VOLTAGE DETECTOR

- Security norm: CAT IV 1000 V
- Measuring range : 12 - 1000 VAC
- Voltage range : 50 VAC - 1000 VAC (50/60 Hz)
- Red LED rouge blinks and beeping sounds
- If the tester detects voltage, the "power on" LED in the tip of the tester changes colour from green to red and a discontinuous beeping sound is generated
- Inside application
- IEC 61010-1.2 AAA 1,5 V included



Order No.	Model No.	Description
-----------	-----------	-------------

VOLTAGE DETECTOR

2501420056	BIZ 780 310	Voltage Detector
-------------------	-------------	------------------

ELECTRICIAN WOVEN BAG

- 600 denier polyester
- Contents non-included
- Tool bag with large central pocket
- Reinforced floor and zip fastening
- Supplied with shoulder strap



Order No.	Model No.	Description
-----------	-----------	-------------

ELECTRICIAN WOVEN BAG

2501419438	BIZ 700 226	Electrician Woven Bag
-------------------	-------------	-----------------------

TOOL BELT

- 600 denier polyester
- 15-compartment belt
- 2 storage pockets for tools, each with five compartments
- 2 pockets for screws and nails
- 2 retention loops for electrician's or riveting hammer
- 1 tape measure clip
- Contents non-included



Order No.	Model No.	Description
-----------	-----------	-------------

TOOL BELT

2501419439	BIZ 700 228	Tool Belt
-------------------	-------------	-----------

TOOLS BACKPACK

- Tool panel with 4 storage faces, each fitted with 8 pockets and 10 pen and/or screwdriver slots
- Large interior compartment with zipper
- Reinforced pack base to lay it on the ground open or closed for permanent access to the tools
- Comfortable with padded back and shoulder straps
- Ergonomic thanks to appropriate tool distribution on the level of the back
- Cell phone and water bottle compartments



Order No.	Model No.	Description
-----------	-----------	-------------

TOOLS BACKPACK

2501419845	BIZ 790 519	Tools Backpack
-------------------	-------------	----------------

LA COSTABELLE TOOL BAG

- Plastic floor
- Removable soft top
- With multiple inside/outside pockets
- Side fixing loops for bulky tools (levels, saws, drawings, etc.)
- Small parts storage box
- With foam-covered steel carry handle
- 600 denier polyester



Order No.	Model No.	Description
LA COSTABELLE TOOL BAG		
2501419440	BIZ 700 229	Tool Bag 420x205x264mm

MAINTENANCE BAG

- Plastic feet
- Small parts storage box
- With multiple pockets and compartments
- 1 tape measure holding clip
- 600 denier polyester



Order No.	Model No.	Description
MAINTENANCE BAG		
2501419849	BIZ 790 500	Maintenance Bag

STANDARD PLASTIC TOOL BOX 20" - 51CM

- Fabric: polypropylene (PP)
- Colours: black and red
- Supplied with a mobile tool holder (trolley)
- Two storage compartments in the lid
- Padlocking option (padlock not included)
- No tools included



Order No.	Model No.	Description
STANDARD PLASTIC TOOL BOX		
2501419915	BIZ 790 527	Standard Plastic Tool Box 20" - 51cm

MAINTENANCE TOOL BOX

- Material: base in reinforced polypropylene (PP) and polycarbonate storage kit lid (PC)
- Metal wire hinges
- Wide metal fasteners
- Safe and comfortable aluminium handle
- Soft protection bumpers at corners
- Colours: black and grey
- Supplied with a mobile tool holder
- Mobile storage case in the lid
- Padlocking option (padlock not included)
- No tools included



Order No.	Model No.	Description
MAINTENANCE TOOL BOX		
2501419916	BIZ 790 529	Maintenance Tool Box

HEAVY DUTY TYPE PROFESSIONAL TOOL BOX 21"

- Material: reinforced polypropylene (PP)
- Metal wire hinges
- Wide metal fasteners
- Ergonomic and comfortable bi-material handle
- "V" groove on the lid for secondary cutting
- Colour: black
- Supplied with a mobile 2/3 tool holder (trolley)
- Padlocking option (padlock not included)



Order No.	Model No.	Description
HEAVY DUTY TYPE PROFESSIONAL TOOL BOX 21"		
2501419917	BIZ 790 530	Heavy Duty Type Professional Tool Box 21"

STACKABLE ORGANISER

- Material: compartments and storage body made of polypropylene (PP) and cover made of polycarbonate (PC)
- Metal wire hinges
- Wide metal fasteners
- Comfortable dual-material handle
- Corners protected by soft bumpers
- Colours: black and red
- Storage case with side fasteners allowing several cases to be assembled together
- Can be locked using a padlock (not provided)
- Supplied empty



Order No.	Model No.	Description
STACKABLE ORGANIZER		
2501419918	BIZ 790 531	60mm Depth
2501419921	BIZ 790 532	100mm Depth

STORAGE CASE WITH 4 ORGANISERS

- Material: polypropylene
- Contents non-included
- Storage case with carrying handle
- Including: 2 organisers with 12 compartments, 1 organiser with 14 compartments (BIZ 700 529), 1 organiser with 16 compartments



Order No.	Model No.	Description
STORAGE CASE WITH 4 ORGANISERS		
2501419435	BIZ 700 220	Storage Case with 4 Organisers

ORGANISER CASE 14 COMPARTMENTS

- With 14 compartments
- U profile transparent lid
- Material: polypropylene (PP)
- Contents not-included



Order No.	Model No.	Description
ORGANISER CASE 14 COMPARTMENTS		
2501419609	BIZ 700 529	Organiser Case 14 Compartments



WORKSITE STORAGE BOX

- Rolling storage box
- With removable tool tray with 2 closable compartments
- Possibility of locking by padlock (not supplied)
- Material: reinforced polypropylene (PP)
- Hinges metal wire
- Metal fastener
- Telescopic handle
- "V" groove on the cover for extra cut
- Attaching objects in the lid
- Colors: black and gray



Order No.	Model No.	Description
WORKSITE STORAGE BOX		
2501419922	BIZ 790 533	Worksite Storage Box

ALUMINIUM FOLDING HAND TROLLEY

- TelescopJ565:R565th 200-kg loading capacity. Practical: foldable, ergonomic plastic handles. Wheels can be folded away
- Aluminium telescopic folding hand truck with a 200 kg load capacity
- Maximum payload: 200kg
- Ergonomic folding plastic handles
- Folding aluminium toe plate: 590 x 400mm
- Retractable wheels
- 2 wheels with TPR tyres 200 mm on plastic rim (polypropylene material)
- Folded dimensions: 590 x 80 x 1030mm



Order No.	Model No.	Description
ALUMINIUM FOLDING HAND TROLLEY		
2501420057	BIZ 771025	Aluminium Folding Hand Trolley 200kg

STRAPS WITH TIGHTENING BUCKLES

- Polypropylene
- For strapping and stowing light loads on trailers, galleries, etc



Order No.	Model No.	Description
-----------	-----------	-------------

STRAPS WITH TIGHTENING BUCKLES

2501419720	BIZ 390478	1m x 20mm White
2501419721	BIZ 390479	1m x 25mm White
2501419719	BIZ 390476	1.5 m x 20mm Yellow
2501419703	BIZ 730930	1.5m x 25mm Yellow
2501419717	BIZ 390474	2m x 20mm Blue
2501419718	BIZ 390475	2m x 25mm Blue
2501419715	BIZ 390472	2.5m x 20mm Red
2501419716	BIZ 390473	2.5m x 25mm Red
2501419714	BIZ 390470	3m x 20mm Black
2501419704	BIZ 730931	3m x 25mm Black

RATCHET STRAPS

- Polyester. For strapping and stowing medium loads on trailers, galleries, etc.



Order No.	Model No.	Description
-----------	-----------	-------------

RATCHET STRAPS

2501419706	BIZ 730933	4.6m x 25mm Black
2501419705	BIZ 730932	5m x 25mm Black

BUNGIES AND SECURING STRAPS SET

- Set of tensioners and straps including two 40-cm tensioners, two 60-cm tensioners, two 80-cm tensioners, two 100-cm tensioners and two 2-m straps (width 25mm)



Order No.	Model No.	Description
-----------	-----------	-------------

BUNGIES AND SECURING STRAPS SET

2501419897	BIZ 700327	Bungies and Securing Straps Set - 10 Pack
-------------------	------------	---

MAGNETIC NUT DRIVER 5/16

- Made of S2 steel
- 1/4" hex shank



Order No.	Model No.	Description
-----------	-----------	-------------

MAGNETIC NUT DRIVER 5/16

2501420071	BIZ 781 050	Magnetic Nut Driver 5/16
------------	-------------	--------------------------

IMPACT BIT BOX FOR IMPACT SCREWDRIVER

- 30mm Impact Bits
- Box composed of:
 - 1 magnetic bit holder special for impact screwdrivers
 - 3 Pozidriv® tips: 2 x PZ2 / 1 x PZ3
 - 6 Torx® bits: 1 x TX15 / 2 x TX20 / 2 x TX25 / 1 x TX30



Order No.	Model No.	Description
-----------	-----------	-------------

IMPACT BIT BOX FOR IMPACT SCREWDRIVER

2501618781	BIZ 781 053	Impact Bit Box for Impact Screwdriver
------------	-------------	---------------------------------------

BELT SET OF 16 SCREW BITS + 2 SOCKETS

- Belt clip set composed of:
 - 4 Slotted bits: 3/4/5/6 mm.
 - 4 Phillips® bits: PH1 / PH2 (2 pieces) / PH3.3 Pozidriv® bits:
 - PZ1 / PZ 2/ PZ3.5 Torx® bits:
 - T10 / T15 / T20 / T25 / T30.2
 - sockets 8 and 10 mm.
 - 1 bit holder with grip and 1/4" hex adapter, length 50 mm.
 - 1 1/4" bit holder, length 50 mm



Order No.	Model No.	Description
-----------	-----------	-------------

BELT SET OF 16 SCREW BITS + 2 SOCKETS

2501419873	BIZ 781 519	Belt set of 16 Screw Bits + 2 Sockets
------------	-------------	---------------------------------------

TORSION BIT SET 32 PIECES

- 25 mm Torsion bits resistant to high tightening torques.
- Box composed of:
 - 1 magnetic bit holder
 - 2 flat tips: 4.5 / 5.5 mm
 - 7 Philips® tips: 2 x PH1 / 3 x PH2 / 2 x PH3
 - 7 Pozidriv® bits: 2 x PZ1 / 3 x PZ2 / 2 x PZ3
 - 10 Torx® bits: 1 x TX10 / 1 x TX15 / 3 x TX20 / 2 x TX25 / 2 x TX30 / 1 x TX40
 - 5 hexagonal bits: HEX 2 / 3 / 4 / 5 / 6



Order No.	Model No.	Description
-----------	-----------	-------------

TORSION BIT SET - 32 PIECES

2501618789	BIZ 781 064	Torsion Bit Set 32 Pieces
------------	-------------	---------------------------

SCREW BITS

- Chrome molybdenum
- 1/4" hex handle



Order No.	Model No.	Description
SCREW BITS		
2501419868	BIZ 781 023	6 Hexagonal Screw Bits 25mm
2501419889	BIZ 781 008	2 piece PH2 bit set 70mm

MAGNETIC SCREW BITS

- In steel S2
- 1/4" hexagon socket



Order No.	Model No.	Description
MAGNETIC SCREW BITS		
2501420067	BIZ 781 036	PH2 100mm
2501420068	BIZ 781 037	PH2 150mm
2501420069	BIZ 781 038	SQ2 100mm
2501420070	BIZ 781 039	SQ2 150mm

LONG SCREW BITS

- Torsion bits resistant to high tightening torques
- Standard DIN hardness
- Anti-rust protection



Order No.	Model No.	Description
LONG SCREW BITS		
2501618785	BIZ 781 060	Set of 3 Screw Bits 90mm 1x PH2, 1x PZ1, 1x PZ2
2501618787	BIZ 781 062	Set of 2 Screw Bits PH2 70mm 2x PH2

SHORT SCREW BITS

- Torsion bits resistant to high tightening torques
- Standard DIN hardness
- Anti-rust protection



Order No.	Model No.	Description
SHORT SCREW BITS		
2501618786	BIZ 781 061	Set of 5 Screw Bits PH2 25mm
2501618788	BIZ 781 063	Set of 5 Screw Bits PZ2 25mm

DAMAGED SCREW EXTRACTOR

- Tempered and quenched HSS steel
- Hex shank fitting



Order No.	Model No.	Description
DAMAGED SCREW EXTRACTOR		
2501419616	BIZ 780 009	Damaged Screw Extractor



SDS+ HAMMER DRILL BITS 2 CUTTING EDGES



Order No.	Model No.	Description
SDS+ HAMMER DRILL BITS		
2501419473	BIZ 700 601	2 Cutter 4 x 110 mm
2501419474	BIZ 700 602	2 Cutter 5 x 110 mm
2501419513	BIZ 700 603	2 Cutter 5 x 160 mm
2501419501	BIZ 700 646	2 Cutter 5.5 x 110 mm
2501419505	BIZ 700 647	2 Cutter Ø 5.5 x 160 mm
2501419480	BIZ 700 604	2 Cutter 6 x 110 mm
2501419478	BIZ 700 605	2 Cutter 6 x 160 mm
2501419755	BIZ 700 648	2 Cutter 6 x 210 mm
2501419479	BIZ 700 606	2 Cutter 6 x 260 mm
2501419508	BIZ 700 608	2 Cutter 7 x 160 mm
2501419512	BIZ 700 610	2 Cutter 8 x 110 mm
2501419496	BIZ 700 611	2 Cutter 8 x 160 mm
2501419481	BIZ 700 612	2 Cutter 8 x 210 mm
2501419495	BIZ 700 613	2 Cutter 8 x 260 mm
2501419494	BIZ 700 614	2 Cutter 8 x 310 mm
2501419492	BIZ 700 615	S2 Cutter 8 x 450 mm
2501419488	BIZ 700 616	2 Cutter 10 x 160 mm
2501419499	BIZ 700 617	2 Cutter 10 x 210 mm
2501419487	BIZ 700 618	2 Cutter 10 x 260 mm
2501419483	BIZ 700 619	2 Cutter 10 x 310 mm
2501419510	BIZ 700 620	2 Cutter 10 x 450 mm
2501419485	BIZ 700 621	2 Cutter 12 x 160 mm
2501419476	BIZ 700 622	2 Cutter 12 x 210 mm
2501419482	BIZ 700 624	2 Cutter 12 x 310 mm
2501419504	BIZ 700 625	2 Cutter 12 x 450 mm
2501419588	BIZ 700 626	2 Cutter 12 x 600 mm
2501419491	BIZ 700 627	2 Cutter 12 x 1000 mm
2501419486	BIZ 700 629	2 Cutter 14 x 210 mm
2501419493	BIZ 700 631	2 Cutter 14 x 450 mm
2501419506	BIZ 700 633	2 Cutter 16 x 210 mm
2501419490	BIZ 700 634	2 Cutter 16 x 260 mm
2501419507	BIZ 700 635	2 Cutter 16 x 450 mm
2501419484	BIZ 700 636	2 Cutter 16 x 600 mm
2501419497	BIZ 700 638	2 Cutter 18 x 450 mm
2501419477	BIZ 700 641	2 Cutter 20 x 450 mm
2501419489	BIZ 700 642	2 Cutter 20 x 600 mm
2501419503	BIZ 700 643	2 Cutter 22 x 450 mm
2501419502	BIZ 700 645	2 Cutter 26 x 450 mm

SDS+ HAMMER DRILL BITS "XTREME" 4 CUTTING EDGES



Order No.	Model No.	Description
SDS+ HAMMER DRILL BITS "XTREME"		
2501419589	BIZ 700 650	XTREME 4 Cutter 5 x 110 mm
2501419590	BIZ 700 651	XTREME 4 Cutter 5 x 160 mm
2501419599	BIZ 700 657	XTREME 4 Cutter 5.5 x 110 mm
2501419600	BIZ 700 658	XTREME 4 Cutter 5.5 x 160 mm
2501419591	BIZ 700 652	XTREME 4 Cutter 6 x 110 mm
2501419592	BIZ 700 653	XTREME 4 Cutter 6 x 160 mm
2501419737	BIZ 780 072	XTREME 4 Cutter 6 x 210 mm
2501419742	BIZ 780 077	XTREME 4 Cutter 6 x 260 mm
2501419594	BIZ 700 655	XTREME 4 Cutter 8 x 160 mm
2501419738	BIZ 780 073	XTREME 4 Cutter 8 x 210 mm
2501419743	BIZ 780 078	XTREME 4 Cutter 8 x 260 mm
2501419747	BIZ 780 082	XTREME 4 Cutter 8 x 450 mm
2501419595	BIZ 700 656	XTREME 4 Cutter 10 x 160 mm
2501419739	BIZ 780 074	XTREME 4 Cutter 10 x 210 mm
2501419744	BIZ 780 079	XTREME 4 Cutter 10 x 260 mm
2501419748	BIZ 780 083	XTREME 4 Cutter 10 x 450 mm
2501419736	BIZ 780 071	XTREME 4 Cutter 12 x 160 mm
2501419740	BIZ 780 075	XTREME 4 Cutter 12 x 210 mm
2501419745	BIZ 780 080	XTREME 4 Cutter 12 x 260 mm
2501419749	BIZ 780 084	XTREME 4 Cutter 12 x 450 mm
2501419741	BIZ 780 076	XTREME 4 Cutter 14 x 210 mm
2501419746	BIZ 780 081	XTREME 4 Cutter 14 x 260 mm
2501419750	BIZ 780 085	XTREME 4 Cutter 14 x 450 mm
2501419751	BIZ 780 086	XTREME 4 Cutter 18 x 450 mm
2501419752	BIZ 780 087	XTREME 4 Cutter 20 x 450 mm
2501419753	BIZ 780 088	XTREME 4 Cutter 22 x 450 mm
2501419754	BIZ 780 089	XTREME 4 Cutter 25 x 450 mm
PACK OF 5		
2501420008	BIZ 700 688	5 Piece XTREME 5.5 x 110 mm

SDS+ HAMMER DRILL BITS SET - 7 PACK

- 2 cutting edges
- Includes: 5 x 110 mm, 6 x 110 mm, 6 x 160 mm, 8 x 110 mm, 8 x 160 mm, 10 x 160 mm, 12 x 160 mm



Order No.	Model No.	Description
-----------	-----------	-------------

7 PIECE SETS

2501419472	BIZ 700 196	SDS+ Hammer Drill Bit Set - 7 Pack
------------	-------------	------------------------------------

SDS+ HAMMER DRILL BITS 2 CUTTING EDGES - 10 PIECE SETS



Order No.	Model No.	Description
-----------	-----------	-------------

10 PIECE SETS

2501419475	BIZ 700 687	2 Cutter Set 5.5 x 110 mm
2501419498	BIZ 700 681	2 Cutter Set 6 x 110 mm
2501419511	BIZ 700 684	2 Cutter Set 8 x 160 mm

SDS-MAX HAMMER DRILL BITS



Order No.	Model No.	Description
-----------	-----------	-------------

SDS-MAX HAMMER DRILL BITS

2501419517	BIZ 700 660	4 Cutter 14 x 540 mm
2501419520	BIZ 700 661	4 Cutter 16 x 340 mm
2501419521	BIZ 700 662	4 Cutter 16 x 540 mm
2501419522	BIZ 700 663	4 Cutter 18 x 540 mm
2501419516	BIZ 700 664	4 Cutter 20 x 520 mm
2501419524	BIZ 700 665	4 Cutter 22 x 520 mm
2501419523	BIZ 700 666	4 Cutter 22 x 920 mm
2501419514	BIZ 700 667	4 Cutter 25 x 520 mm
2501419525	BIZ 700 668	4 Cutter 25 x 920 mm
2501419515	BIZ 700 669	4 Cutter 30 x 570 mm
2501419519	BIZ 700 670	4 Cutter 32 x 920 mm
2501419518	BIZ 700 671	4 Cutter 35 x 570 mm

POINTED AND FLAT CHISELS



Order No.	Model No.	Description
-----------	-----------	-------------

POINTED AND FLAT CHISELS

2501419528	BIZ 700 690	SDS-MAX Pointed Chisel 18 x 400mm
2501419527	BIZ 700 691	SDS-MAX Flat Chisel Ø 18 x 400 mm
2501419526	BIZ 700 692	SDS+ Pointed Chisel 10 x 250 mm
2501419529	BIZ 700 693	SDS+ Flat Chisel 10 x 250 mm

CYLINDRICAL MULTI-MATERIAL DRILL BITS

- Cylindrical shank
- Carbide tips sharpened on diamond grinding wheel
- Red polished helix and flute



Order No.	Model No.	Description
-----------	-----------	-------------

MULTI-MATERIAL DRILL BITS

2501419532	BIZ 700 742	5 x 150 mm
2501419598	BIZ 700 753	5.5 x 150 mm
2501419540	BIZ 700 744	6 x 50 mm
2501419530	BIZ 700 746	8 x 200 mm
2501419533	BIZ 700 748	10 x 200 mm
2501419537	BIZ 700 749	12 x 220 mm
2501419531	BIZ 700 750	14 x 220 mm

CERAMIC TILE DRILL BITS

- Accurate centering with the diamond sharpened carbide plate



Order No.	Model No.	Description
-----------	-----------	-------------

CERAMIC TILE DRILL BITS

2501419892	BIZ 709 990	Ø6 mm
2501419893	BIZ 709 991	Ø8 mm
2501419894	BIZ 709 992	Ø10 mm

SET CERAMIC STONEWARE AND CONCRETE DRILL BITS

- Ready to use sets for fastening plugs into very hard tiles



Order No.	Model No.	Description
-----------	-----------	-------------

SET CERAMIC STONEWARE AND CONCRETE DRILL BITS

2501419895	BIZ 709 993	2 Piece set Ø 6 mm
2501419896	BIZ 709 994	2 Piece set Ø 8 mm

HEX. SHANK MULTI-MATERIAL DRILL BITS

- Hexagonal shank
- Carbide tips sharpened on diamond grinding wheel
- Polished helix and flute



Order No.	Model No.	Description
-----------	-----------	-------------

HEX. SHANK MULTI-MATERIAL DRILL BITS

2501419534	BIZ 700 741	1/4" Hex 5 x 99 mm
2501419602	BIZ 700 752	1/4" Hex 5.5 x 99 mm
2501419538	BIZ 700 743	1/4" Hex 6 x 114 mm
2501419535	BIZ 700 745	1/4" Hex 8 x 120 mm
2501419539	BIZ 700 747	1/4" Hex 10 x 120 mm

PACK OF 5

2501419536	BIZ 700 751	5 Piece 1/4" Hex 4-10 mm
------------	-------------	--------------------------

CYLINDRICAL HSS METAL DRILL BITS

- Cylindrical shank Monoblock head
- Helix angle between 23° and 33°



Order No.	Model No.	Description
-----------	-----------	-------------

HSS METAL DRILL BITS

2501419544	BIZ 700 702	3 Pieces Set 1.5 x 40 mm
2501419543	BIZ 700 703	3 Piece Set 2 x 49 mm
2501419551	BIZ 700 704	3 Piece Set 2.5 x 57 mm
2501419553	BIZ 700 705	3 Piece Set Ø 3 x 61 mm
2501419542	BIZ 700 706	3 Piece Set 3.2 x 65 mm (x 3)
2501419541	BIZ 700 707	3 Piece Set Ø 3.3 x 65 mm
2501419564	BIZ 700 708	2 Piece Set Ø 3.5 x 70 mm (x 2)
2501419559	BIZ 700 709	2 Piece Set 4 x 75 mm
2501419545	BIZ 700 710	2 Pieces Set Ø 4.2 x 75 mm
2501419563	BIZ 700 711	2 Piece Set 4.5 x 80 mm
2501419546	BIZ 700 713	2 Pieces Set 5 x 86 mm
2501419566	BIZ 700 714	2 Piece Set Ø 5.5 x 93 mm
2501419565	BIZ 700 715	2 Piece Set Ø 6 x 93 mm
2501419555	BIZ 700 716	Ø 6.5 x 101 mm
2501419550	BIZ 700 717	Ø 7 x 109 mm
2501419556	BIZ 700 718	Ø 7.5 x 109 mm
2501419557	BIZ 700 719	Ø 8 x 117 mm
2501419548	BIZ 700 720	Ø 8.5 x 117 mm
2501419549	BIZ 700 721	Ø 9 x 125 mm
2501419552	BIZ 700 722	Ø 9.5 x 125 mm
2501419561	BIZ 700 724	Ø 10 x 133 mm
2501419560	BIZ 700 725	Ø 10.5 x 133 mm
2501419562	BIZ 700 726	Ø 11 x 142 mm
2501419558	BIZ 700 728	Ø 12 x 151 mm
2501419547	BIZ 700 729	Ø 13 x 151 mm

CYLINDRICAL SHANK HSS METAL DRILL BITS SETS

- Cylindrical shank
- HSS 5 % cobalt drills



Order No.	Model No.	Description
CYLINDRICAL SHANK HSS METAL DRILL BITS SETS		
2501419554	BIZ 700 723	10 Piece Set - 1/2/3/4/5/6/7/8/9/10mm
2501420000	BIZ 700 757	19 Piece Set - 1 to 10mm in steps of 0.5 mm

ISO STEP DRILL

- Hexagonal shank Ø 10 mm
- Straight flutes
- Offset point
- ISO compatible, from 8 mm to 25 mm
- Laser marking of the 10 steps
- Fitted with a shank with 3 Ø 10 mm tips



Order No.	Model No.	Description
ISO STEP DRILL		
2501420029	BIZ 700 699	ISO Step Drill

STEP DRILL BIT

- Hexagonal shank 10 mm
- Ø5 % cobalt HSS steel
- Helix flutes
- Cross shaped sharpening



Order No.	Model No.	Description
STEP DRILL BIT		
2501419567	BIZ 700 095	Step Drill Bit

8MM Ø SIDE CUTTING BIT

- TiN (titanium nitride) HSS drill bit
- Cylindrical shank
- Tip angle 118°
- Sharpened cross-shape tip



Order No.	Model No.	Description
8MM Ø SIDE CUTTING BIT		
2501419568	BIZ 700 700	8mm Ø Side Cutting Bit

SET OF 7 TAPS & 7 DRILLS

- Precision shaped and sized, milled, self-centring HSS drills with accurate dimensions to produce the tapping holes
- Contains:
 - 7 taps: M3/M4/M5/M6/M8/M10/M12
 - 7 drills: 2.5/3.3/4.2/5/6.8/8.5/10.2 mm
- 1 tap wrench



Order No.	Model No.	Description
SET OF 7 TAPS & 7 DRILLS		
2501419569	BIZ 700 180	Set of 7 Taps & 7 Drills

FLAT WOOD BITS

- Hexagonal shank



Order No.	Model No.	Description
FLAT WOOD BITS		
2501419783	BIZ 790 801	Ø 6 x 152 mm
2501419784	BIZ 790 802	Ø 10 x 152 mm
2501419785	BIZ 790 803	Ø 12 x 152 mm
2501419786	BIZ 790 804	Ø 13 x 152 mm
2501419787	BIZ 790 805	Ø 16 x 152 mm
2501419790	BIZ 790 807	Ø 18 x 152 mm
2501419789	BIZ 790 808	Ø 20 x 152 mm
2501419791	BIZ 790 809	Ø 22 x 152 mm
2501419792	BIZ 790 810	Ø 28 x 152 mm
2501419899	BIZ 790 813	Ø 25 x 152 mm
2501419793	BIZ 790 811	Ø 35 x 152 mm
2501419794	BIZ 790 812	Ø 40 x 152 mm
2501419796	BIZ 790 822	Ø 10 x 400 mm
2501419797	BIZ 790 823	Ø 12 x 400 mm
2501419798	BIZ 790 825	Ø 16 x 400 mm
2501419800	BIZ 790 827	Ø 18 x 400 mm
2501419801	BIZ 790 828	Ø 20 x 400 mm
2501419802	BIZ 790 829	Ø 22 x 400 mm
2501419803	BIZ 790 830	Ø 28 x 400 mm
2501419804	BIZ 790 831	Ø 35 x 400 mm
5 PIECE SET		
2501419805	BIZ 790 816	5 Piece Set Ø 13/18/22/28/35 mm

BI-METAL 8% COBALT HOLE SAWS STANDARD

- Material: bi-metal HSS steel with 8 % cobalt
- Cutting depth: 38 mm



Order No.	Model No.	Description
-----------	-----------	-------------

BI-METAL 8% COBALT HOLE SAWS STANDARD

2501419620	BIZ 700 863	Ø 16 mm
2501419621	BIZ 700 864	Ø 17 mm
2501419622	BIZ 700 865	Ø 19 mm
2501419623	BIZ 700 866	Ø 20 mm
2501419624	BIZ 700 867	Ø 21 mm
2501419625	BIZ 700 868	Ø 22 mm
2501419626	BIZ 700 869	Ø 25 mm
2501419627	BIZ 700 870	Ø 29 mm
2501419628	BIZ 700 871	Ø 32 mm
2501419629	BIZ 700 872	Ø 33 mm
2501419630	BIZ 700 873	Ø 38 mm
2501419631	BIZ 700 874	Ø 40 mm
2501419632	BIZ 700 875	Ø 41 mm
2501419633	BIZ 700 876	Ø 48 mm
2501419634	BIZ 700 877	Ø 51 mm
2501419635	BIZ 700 878	Ø 54 mm
2501419636	BIZ 700 879	Ø 57 mm
2501419637	BIZ 700 880	Ø 60 mm
2501419638	BIZ 700 881	Ø 63 mm
2501419639	BIZ 700 882	Ø 64 mm
2501419640	BIZ 700 883	Ø 65 mm
2501419641	BIZ 700 884	Ø 67 mm
2501419642	BIZ 700 885	Ø 68 mm
2501419643	BIZ 700 886	Ø 70 mm
2501419644	BIZ 700 887	Ø 73 mm
2501419645	BIZ 700 888	Ø 76 mm
2501419646	BIZ 700 889	Ø 79 mm
2501419647	BIZ 700 890	Ø 80 mm
2501419683	BIZ 700 415	Ø 83 mm
2501419648	BIZ 700 891	Ø 86 mm
2501419684	BIZ 700 416	Ø 92 mm
2501419685	BIZ 700 417	Ø 95 mm
2501419686	BIZ 700 418	Ø 100 mm
2501419649	BIZ 700 892	Ø 102 mm
2501419650	BIZ 700 893	Ø 105 mm
2501419651	BIZ 700 894	Ø 127 mm

ARBORS FOR BI-METAL HOLE SAWS STANDARD

- Hexagonal shank
- Fitted with a 6.35 mm Ø HSS pilot drill and length 80 mm



Order No.	Model No.	Description
-----------	-----------	-------------

ARBORS FOR BI-METAL HOLE SAWS STANDARD

2501419653	BIZ 700 896	Ø 14 to 30 mm
2501419654	BIZ 700 897	Ø 31 to 210 mm

HSS PILOT DRILL

2501419652	BIZ 700 898	HSS pilot drill for arbors
------------	-------------	----------------------------

SET OF 3 ADAPTERS STANDARD HOLE SAW Ø > 30MM



Order No.	Model No.	Description
-----------	-----------	-------------

SET OF 3 ADAPTERS STANDARD HOLE SAW Ø > 30 MM

2501419834	BIZ 780 155	Set of 3 adapters standard hole saw Ø > 30 mm
2501419835	BIZ 780 156	Set of 3 adapters standard hole saw Ø > 30 mm

ADAPTER SAWS BELLS TO EXTEND HOLES

- The solution for enlarging existing holes by simultaneously mounting two hole saws on the chuck



Order No.	Model No.	Description
-----------	-----------	-------------

ADAPTER SAWS BELLS TO EXTEND HOLES

2501420052	BIZ 700 698	Adapter saws bells to extend holes
------------	-------------	------------------------------------

BI-METAL CLIC II HOLE SAWS

- Cutting depth 44mm
- Teeth per inch: 4/6
- Supplied without arbor or pilot drill



MULTI-MATERIAL CLIC II HOLE SAWS

- Cutting depth 59mm
- Tungsten carbide tips
- Wide ejection notches



Order No. Model No. Description

BI-METAL CLIC II HOLE SAWS

2501419806	BIZ 780 110	Ø 16 mm
2501419931	BIZ 781 130	Ø 17 mm
2501419807	BIZ 780 111	Ø 19 mm
2501419808	BIZ 780 112	Ø 20 mm
2501419809	BIZ 780 113	Ø 22 mm
2501419933	BIZ 781 132	Ø 24 mm
2501419810	BIZ 780 114	Ø 25 mm
2501419934	BIZ 781 133	Ø 27
2501419935	BIZ 781 134	Ø 29 mm
2501419936	BIZ 781 135	Ø 30 mm
2501419811	BIZ 780 115	Ø 32 mm
2501419938	BIZ 781 137	Ø 35 mm
2501419886	BIZ 780 026	Ø 38 mm
2501419812	BIZ 780 116	Ø 40 mm
2501419940	BIZ 781 139	Ø 41 mm
2501419941	BIZ 781 140	Ø 43 mm
2501419942	BIZ 781 141	Ø 44 mm
2501419943	BIZ 781 142	Ø 46 mm
2501419887	BIZ 780 027	Ø 48 mm
2501419813	BIZ 780 117	Ø 51 mm
2501419944	BIZ 781 143	Ø 52 mm
2501419814	BIZ 780 118	Ø 54 mm
2501419815	BIZ 780 119	Ø 57 mm
2501419816	BIZ 780 120	Ø 60 mm
2501419945	BIZ 781 144	Ø 64 mm
2501419817	BIZ 780 121	Ø 65 mm
2501419818	BIZ 780 122	Ø 67 mm
2501419860	BIZ 780 129	Ø 68 mm
2501419819	BIZ 780 123	Ø 70 mm
2501419820	BIZ 780 124	Ø 73 mm
2501419821	BIZ 780 125	Ø 75 mm
2501419822	BIZ 780 126	Ø 76 mm
2501419861	BIZ 780 131	Ø 80 mm
2501419947	BIZ 781 146	Ø 82 mm
2501419948	BIZ 781 147	Ø 83 mm
2501419823	BIZ 780 127	Ø 86 mm
2501419949	BIZ 781 148	Ø 89 mm
2501419950	BIZ 781 149	Ø 92 mm
2501419888	BIZ 780 132	Ø 95 mm
2501419951	BIZ 781 150	Ø 98 mm
2501419952	BIZ 781 151	Ø 102 mm
2501419824	BIZ 780 128	Ø 105 mm
2501419953	BIZ 781 152	Ø 111 mm

Order No. Model No. Description


MULTI-MATERIAL CLIC II HOLE SAWS

2501419977	BIZ 781 177	Ø 16 mm
2501419979	BIZ 781 179	Ø 20 mm
2501419980	BIZ 781 180	Ø 22 mm
2501419981	BIZ 781 181	Ø 25 mm
2501419957	BIZ 781 157	Ø 27 mm
2501419959	BIZ 781 159	Ø 30 mm
2501419961	BIZ 781 161	Ø 35 mm
2501419825	BIZ 780 140	Ø 40 mm
2501419963	BIZ 781 163	Ø 41 mm
2501419964	BIZ 781 164	Ø 43 mm
2501419966	BIZ 781 166	Ø 46 mm
2501419985	BIZ 781 185	Ø 51 mm
2501419967	BIZ 781 167	Ø 52 mm
2501419826	BIZ 780 141	Ø 55 mm
2501419986	BIZ 781 186	Ø 57 mm
2501419987	BIZ 781 187	Ø 60 mm
2501419968	BIZ 781 168	Ø 64 mm
2501419988	BIZ 781 188	Ø 65 mm
2501419989	BIZ 781 189	Ø 67 mm
2501419827	BIZ 780 142	Ø 68 mm
2501419990	BIZ 781 190	Ø 70 mm
2501419991	BIZ 781 191	Ø 73 mm
2501419992	BIZ 781 192	Ø 76 mm
2501419969	BIZ 781 169	Ø 79 mm
2501419993	BIZ 781 193	Ø 80 mm
2501419828	BIZ 780 143	Ø 85 mm
2501419972	BIZ 781 172	Ø 89 mm
2501419994	BIZ 781 194	Ø 95 mm
2501419975	BIZ 781 175	Ø 102 mm
2501419976	BIZ 781 176	Ø 111 mm

HEX. ARBOR FOR CLIC II HOLE SAW WITH HSS PILOT DRILL

- Supplied in standard with cobalt HSS pilot drill BIZ 780 153

Order No.	Model No.	Description
HEX ARBOUR FOR CLIC II HOLE SAW WITH HSS PILOT DRILL		
2501419830	BIZ 780 150	Hexagonal Shaft for CLIC II Hole Saw with HSS Pilot Drill 120 mm
2501419831	BIZ 780 151	Hexagonal Shaft for CLIC II Hole Saw with HSS Pilot Drill 120 mm
2501419832	BIZ 780 153	Cylindrical Shaft for CLIC II Hole Saw with HSS Pilot Drill 120 mm



CARBIDE TIPPED PILOT DRILL FOR CLIC II HOLE SAW

- Cylindrical shank



Order No.	Model No.	Description
CARBIDE TIPPED PILOT DRILL FOR CLIC II HOLE SAW		
2501419833	BIZ 780 154	Carbide Tipped Pilot Drill for Clic II Hole Saw 120 mm

EXTENSION FOR HOLE SAW

- Supplied in standard with cobalt HSS pilot drill BIZ 780 153



Order No.	Model No.	Description
EXTENSION FOR HOLE SAW		
2501420101	BIZ 781 195	Extension for Hole Saw 300 mm

SDS+ CONCRETE HOLE SAWS

- Supplied with carbide pilot drill BIZ 700 694 with flats for fitting to the hole saw holder
- SDS+ hole shank
- Carbide tips



Order No.	Model No.	Description
SDS+ CONCRETE HOLE SAWS		
2501419687	BIZ 700 419	SDS+ HD Hole Saw

DIAMOND CLIC II HOLE SAW

- Diamond coating



Order No.	Model No.	Description
DIAMOND CLIC II HOLE SAW		
2501419829	BIZ 780 148	Diamond Clic II Hole Saw Ø 68 mm

CUTTING DISCS



Order No.	Model No.	Description
CUTTING DISCS		
2501420095	BIZ 782 016	Diamond Cutting Disc for Steel 125 mm
2501420096	BIZ 782 017	Diamond Cutting Disc for Concrete 125 mm
2501420097	BIZ 782 018	Diamond Cutting Disc for Multimaterial 125 mm

DRUM ROLLERS

- One piece drum rollers



Order No.	Model No.	Description
MONOBLOCK DRUM ROLLERS		
2501419339	BIZ 700208	Monoblock Drum Roller 150 kg
2501419610	BIZ 700848	Monoblock Drum Roller 300kg

MULTI-DIAMETER HOLE SAW

- Supplied with anti-dust hood



Order No.	Model No.	Description
MULTI-DIAMETER HOLE SAW		
2501419464	BIZ 700 197	Multi-Diameter Hole Saw

DRUM ROLLER STAND

- Two separate stand parts which can be packed together like a suitcase with a handle for carrying to site



Order No.	Model No.	Description
DRUM ROLLER STAND		
2501419340	BIZ 700207	Drum Roller Stand 300kg

BLADES



Order No.	Model No.	Description
BLADES		
2501419841	BIZ 782 071	Set of 2 Blades for Very Clean Cuts in Wood
2501419840	BIZ 782 070	Set of 5 Special Quick-Cutting Blades for Wood
2501419842	BIZ 782 073	Set of 2 Special Quick Blades for Steel
2501419844	BIZ 782 076	Set of 2 Blades for Stainless Steel
2501419843	BIZ 782 074	Set of 5 Blades for Cutting Curves in Steel

HAND SAW DOUBLE TEETH

- Hand saw with double teeth edge and ergonomic handle



Order No.	Model No.	Description
HAND SAW DOUBLE TEETH		
2501583293	BIZ 700342	Hand Saw Double Teeth


GUN FOR CARTRIDGES AND FOAM 330ML

- Gun for cartridges and intumescent foam up to 330 ml



Order No.	Model No.	Description
GUN FOR CARTRIDGES AND FOAM 330ML		
2501583278	BIZ 710 320	Gun for Cartridges and Foam 330ml

SABRE BLADES



Order No.	Model No.	Description
SABRE BLADES		
2501420084	BIZ 782 077	Set of 5 Sabre Saw Blades for Metal
2501420085	BIZ 782 078	Set of 5 Sabre Saw Blades for Wood

AUTOLOCK TAPE MEASURES

- Double marking tape measure meter/feet



Order No.	Model No.	Description
AUTOLOCK TAPE MEASURES		
2501583291	BIZ 790063	Autolock Tape Measure 5m
2501583292	BIZ 790064	Autolock Tape Measure 8m

CAULKING GUN FOR CARTRIDGES 310ML

- Caulking Gun for Cartridges up to 310 ml



Order No.	Model No.	Description
CAULKING GUN FOR CARTRIDGES 310ML		
2501583279	BIZ 710214	Caulking Gun for Cartridges 310ml

21 PIECE MASTER ROLL TOOL CASE SET



- Master tool case (BIZ 790 502) equipped with:
- 1 i-SLIM flat-blade screwdriver 3.5 x 100 (BIZ 790 071).
- 1 i-SLIM flat-blade screwdriver 4 x 100 (BIZ 790 072).
- 1 i-SLIM flat-blade screwdriver 5.5 x 125 (BIZ 790 073).
- 1 i-SLIM flat-blade screwdriver 6.5 x 125 (BIZ 790 074).
- 1 i-SLIM PH1 screwdriver 4.5 x 80 (BIZ 790 075).
- 1 i-SLIM PH2 screwdriver 6 x 100 (BIZ 790 076).
- 1 i-SLIM flat-blade/PZ1 screwdriver (BIZ 790 079).
- 1 i-SLIM torx screwdriver T20 x 125 (BIZ 790 086).
- 1 insulated stripping pliers 1000 V (BIZ 790 223).
- 1 insulated reinforced cutter 1000 V (BIZ 790 234).
- 1 insulated combined pliers 1000 V (BIZ 790 225).
- 1 insulated half-round nose pliers 1000 V (BIZ 790 231).
- 1 electronic cutter (BIZ 700 862).
- 1 automatic stripping pliers 0.02-10mm² (BIZ 790 015).
- 1 multi-function cable stripper Ø 8-13mm (BIZ 790 014).
- 1 set of 9 hex head male wrenches (BIZ 700 063).
- 1 PICA DRY graphite mechanical pencil (BIZ 790 214).
- 1 Pica ink black marker (BIZ 780 428).
- 1 special black felt pen for cables (BIZ 780 204).
- 1 aluminium level 40 cm (BIZ 700 044).
- 1 set of 32 screw bits with holder (BIZ 781 027).

Order No.	Model No.	Description
21 PIECE MASTER ROLL TOOL CASE SET		
2501510491	BIZ 790523	21 Piece Master Roll Tool Case Set

13 PIECE BACKPACK SET

- Backpack (BIZ 790519) with 13 tools:
- 1 1000 V insulated flat-blade screwdriver 3 mm (BIZ 700 015).
- 1 1000 V insulated flat-blade screwdriver 4 mm (BIZ 700 016).
- 1 1000 V insulated flat-blade screwdriver 5.5 mm (BIZ 700 017).
- 1 1000 V insulated PH1 screwdriver (BIZ 700 021).
- 1 1000 V insulated PH2 screwdriver (BIZ 700 022).
- 1 1000 V insulated Torx® T15 screwdriver (BIZ 700 466).
- 1 1000 V insulated Torx® T20 screwdriver (BIZ 700 467).
- 1 chrome-plated 1000 V insulated cutters 160 mm (BIZ 790 221).
- 1 chrome-plated 1000 V insulated combined pliers 180 mm (BIZ 790 225).
- 1 chrome-plated 1000 V insulated half-round long nose pliers 160 mm (BIZ 790 227).
- 1 250 mm magnet level (BIZ 700 206).
- 1 fixed grip mini saw (BIZ 790 054).
- 1 cable stripper (BIZ 790 008).

Order No.	Model No.	Description
13 PIECE BACKPACK SET		
2501510488	BIZ 997063	13 Piece Backpack Set

13 PIECE LA COSTABELLE TOOL BAG SET



- La Costabelle tool bag (BIZ 700 229) composed of:
- 1 1000 V insulated flat-blade screwdriver 3 x 100 (BIZ 700 015).
- 1 1000 V insulated flat-blade screwdriver 4 x 100 (BIZ 700 016).
- 1 1000 V insulated flat-blade screwdriver 5.5 x 125 (BIZ 700 017).
- 1 1000 V insulated flat-blade screwdriver 6.5 x 150 (BIZ 700 018).
- 1 1000 V insulated PZ1 screwdriver 4.5 x 80 (BIZ 700 019).
- 1 1000 V insulated PZ2 screwdriver 6 x 100 (BIZ 700 020).
- 1 1000 V insulated PH1 screwdriver 4.5 x 80 (BIZ 700 021).
- 1 1000 V insulated PH2 screwdriver (BIZ 700 022).
- 1 Premium 1000 V insulated diagonal cutters 160 mm (BIZ 790 221).
- 1 Premium 1000 V insulated combined pliers 180 mm (BIZ 790 225).
- 1 Premium 1000 V insulated half-round long nose pliers 160 mm (BIZ 790 227).
- 1 joiner's pencil 180 mm (BIZ 790 002).
- 1 cable stripper knife with hooked blade (BIZ 790 008).

Order No.	Model No.	Description
13 PIECE LA COSTABELLE TOOL BAG SET		
2501510487	BIZ 790512	13 Piece La Costabelle Tool Bag Set



POLYESTER MO PULL-WIRE 30M 4.5MM WITHOUT REEL

- Polyester cable puller 30 m 4.5 mm without casing for pulling cables in ducts from 16 to 50 mm, even if they are impinged and curved
- Interchangeable end caps
- Very good rigidity and no form memory



Order No.	Model No.	Description
-----------	-----------	-------------

POLYESTER PULL-WIRE WITHOUT REEL

2501420043	BIZ 760030	Polyester Mo Pull-Wire 30m 4.5mm without Reel
-------------------	------------	---

POLYESTER MO PULL-WIRE 15M 3MM WITHOUT REEL

- Polyester cable puller 30 m 4.5 mm without casing for pulling cables in ducts from 16 to 50 mm, even if they are impinged and curved
- Interchangeable end caps
- Very good rigidity and no form memory




Order No.	Model No.	Description
-----------	-----------	-------------

POLYESTER PULL-WIRE WITHOUT REEL

2501419924	BIZ 760011	Polyester Mo Pull-Wire 15m 3mm without Reel
-------------------	------------	---

NYLON PULL-WIRE 4MM WITHOUT CASING

- Nylon wire puller without casing
- Ideal for non-cluttered environments
- Crimped ends
- For pulling cables through conduits and electrical ducts from 16 to 25 mm
- Very soft with low form memory



Order No.	Model No.	Description
-----------	-----------	-------------

NYLON PULL-WIRE WITHOUT CASING

2501419881	BIZ 700810	10m 4mm without Casing
2501419882	BIZ 700811	15m 4mm without Casing
2501419883	BIZ 700812	20m 4mm without Casing
2501419884	BIZ 700813	30m 4mm without Casing

CABLE PULLING LUBRICANT

- BIZ'LUB lubricant gel for cable and wires to ease passage of cables and wires through electrical conduits, ducts and pipes
- Non-toxic and non-flammable
- Can be applied to both high- and low-voltage cables



Order No.	Model No.	Description
-----------	-----------	-------------

CABLE PULLING LUBRICANT

2501419342	BIZ 700231	Cable Pulling Lubricant - 1 Litre Bottle - Clear
-------------------	------------	--

HOLE TRIMMING KNIFE

- 20.4 mm PG 13 and ISO 20 drill bit with 3-prong teeth for easy, fast and scrap-free drilling
- Plus point: reduces effort by 67%.



Order No.	Model No.	Description
HOLE TRIMMING KNIFE		
2501419694	BIZ 700286	Hole Trimming Knife 20.4mm

PUTTY KNIFE

- Painter's knife for filling small and medium-sized surfaces with 5 cm blade made of superior hardened steel
- Colourless varnish, hardness of 50 HRC and raw beechwood handle



Order No.	Model No.	Description
PUTTY KNIFE		
2501420031	BIZ 740131	Putty Knife 5cm Blade

PLASTER MIXING BOWL

- Flexible material
- Volume: 0.50 litre
- Dimension: 130 x H.95 mm
- Plaster bowl for minor mixtures



Order No.	Model No.	Description
PLASTER MIXING BOWL		
2501420030	BIZ 740130	Plaster Mixing Bowl 0.5 Litre - Mixing Bowl

MULTILAYER CONDUIT CUTTERS

- For easy cutting without damaging multi-layer pipes
- Replaceable blade in case of wear



Order No.	Model No.	Description
MULTILAYER CONDUIT CUTTERS		
2501419928	BIZ 400160	32mm Multi-Layer Pipe Cutter
2501419929	BIZ 400161	42mm Multi-Layer Pipe Cutter

CAULKING SKELETON GUN

- Sealant applicator
- Hexagon rod with hooked end
- Handle with plunger and release lever
- Suitable for use with most standard cartridges



Order No.	Model No.	Description
CAULKING SKELETON GUN		
1030021684	H2150	Caulking Skeleton Gun

14M CABLE ROD KIT & ACCESSORIES

- Wire puller kit 14 m with carry case and polymer accessories
- Complete set letting you adjust the wire puller according to the length and environment encountered
- New: polymer accessories glow in the dark



Order No.	Model No.	Description
14M CABLE ROD KIT & ACCESSORIES		
2501419923	BIZ 760010	14m Cable Rod Kit & Accessories

FLOODLIGHT MULTI-BATTERY

- Discover our powerful, energy-efficient 40 W multi-battery LED floodlight. With a brightness of 5000 lm, it provides optimum lighting
- Compatible with 18V power tool batteries, it goes everywhere with you
- 4 lighting modes : 100%/75%/50%/25%



Order No.	Model No.	Description
-----------	-----------	-------------

FLOODLIGHT MULTI-BATTERY

2501618778	BIZ 625060	Bizline Floodlight Multi-Battery
-------------------	------------	----------------------------------

INSPECTION LAMP RED LASER LED

- Rechargeable red LED laser inspection light for battery-powered inspection
- The built-in red laser makes it easy to point at an area



Order No.	Model No.	Description
-----------	-----------	-------------

INSPECTION LAMP RED LASER LED

2501583289	BIZ 625059	Inspection Lamp Red Laser Lamp LED Rechargeable
-------------------	------------	---

3 IN 1 RECHARGEABLE INSPECTION LAMP

- 3-in-1 rechargeable inspection lamp
- Inspection lamp and torch that is water and dust resistant (IP54)
- Practical: hook and magnetic base
- Can be rotated through 180°
- 12 hours of operation



Order No.	Model No.	Description
-----------	-----------	-------------

3 IN 1 RECHARGEABLE INSPECTION LAMP

2501420051	BIZ 620262	Inspection Lamp LED 3 in 1 Rechargeable
-------------------	------------	---

RECHARGEABLE LED HEADLAMP

- Integrated red LED and adjustable optics for inspection and safety lighting
- Adjustable optics let you adjust the beam to suit your activity



Order No.	Model No.	Description
-----------	-----------	-------------

RECHARGEABLE LED HEADLAMP

2501583288	BIZ 625058	Rechargeable LED Headlamp with Focus
-------------------	------------	--------------------------------------

RECHARGEABLE LED HEADLAMP WITH SENSOR FREEHANDS

- Compact and rechargeable LED headlamp
- Practical: can be switched on and off just with a movement of the hand
- Ideal for inspection and security lighting
- Magnetic holder to use headlamp without headband



Order No.	Model No.	Description
RECHARGEABLE LED HEADLAMP WITH SENSOR		
2501420074	BIZ 625034	Rechargeable LED Headlamp with Sensor Freehands

RECHARGEABLE LED NECK LIGHT

- LED rechargeable neck lamp. Its light beam is twice as wide as a head torch
- The high manoeuvrability of the heads allows for detailed inspection
- Can be worn around the neck or attached to a magnetic surface



Order No.	Model No.	Description
RECHARGEABLE LED NECK LIGHT		
2501420093	BIZ 625050	Rechargeable LED Neck Light 2x 1W

RECHARGEABLE LED HANDLAMP AND WIRELESS SPEAKER

- Rechargeable LED lamp for inspection lighting with connected wireless speaker
- Ideal for working to music and adding some atmosphere to building sites
- 500 Lm, 6000 K, IP54. Up to 7 hours of operation



Order No.	Model No.	Description
RECHARGEABLE LED HEADLAMP AND WIRELESS SPEAKER		
2501420073	BIZ 625032	Rechargeable LED Handlamp and Wireless Speaker

RECHARGEABLE LED INSPECTION LAMP

- Rechargeable LED inspection light, water and dust resistant (IP54)
- Easy to use as a result of hook and magnetic base
- Can be rotated through 90°. 200Lm 6000K
- Up to 4 hours of operation.



Order No.	Model No.	Description
RECHARGEABLE INSPECTION LAMP		
2501420050	BIZ 620261	Rechargeable LED Inspection Lamp 200 Lumens



REFUSE SACKS



Order No.	Model No.	Description
-----------	-----------	-------------

REFUSE SACKS

2501420048	BIZ 730951	Bin Bags Clear 125L - 25 Pack
2501420047	BIZ 730950	Garbage Bag Blue 125L - 25 Pack
2501419374	BIZ 700215	Rubble Bag 50 Litre White - 10 Pack
2501419713	BIZ 730927	Bin Liners Black 130L - 15 Pack

REFUSE SACKS

- Black refuse sacks from defiance suitable for a majority of waste disposal related applications
- 50 Sacks per roll



Order No.	Model No.	Description
-----------	-----------	-------------

REFUSE SACKS

1030006015	FL0913	Refuse Sacks 375 x 725 x 975mm Black
-------------------	--------	--------------------------------------

MICROFIBRE CLOTH

- Microfibre looped cloth wipes 38 x 38 cm (x 10)
- Ideal for cleaning any surface
- The microfibre texture easily traps dust
- Use dry or with soapy water



Order No.	Model No.	Description
-----------	-----------	-------------

MICROFIBRE CLOTH PACK OF 10

2501420108	BIZ 751034	Microfibre Cloth 38 x 38cm - 10 Pack
-------------------	------------	--------------------------------------

1500KG RUBBLE BIG BAG

- BIG BAG maximum load 1500 kg rubble sack 1m² for storage of dry materials such as gravel, sand, leaves etc.



Order No.	Model No.	Description
-----------	-----------	-------------

1500KG RUBBLE BIG BAG

2501420104	BIZ 730953	Rubble BIG BAG 1 m ² Maximum Capacity 1500 kg
-------------------	------------	---

RUBBLE SACKS

- Durable construction: Made from high-quality polyethylene, these sacks are resistant to tears and rips
- Holds a significant amount of waste, making them ideal for a variety of projects



Order No.	Model No.	Description
-----------	-----------	-------------

RUBBLE SACKS

1030006023	GR0301	Black Rubble Sacks 800 x 550mm - 10 Pack
-------------------	--------	--

GRIT SALT BINS

- Finger Grips - Moulded finger grips to assist lifting of lid and to avoid injury
- Fork Lift Access Points - Access points make the grit bin convenient for lifting with a fork lift truck



Order No.	Model No.	Description
-----------	-----------	-------------

GRIT SALT BINS

1030025109	HPK480	Large 450kg Grit Salt Bin - Yellow
1030025110	HPK470	Standard 250kg Grit Salt Bin - Yellow



SQUARE HEAD ASPHALT TAMPER

- This is a square head asphalt tamper with a 48 inch long wooden handle
- Reinforced cast iron head with perfectly flat face
- Strong but lightweight fibreglass handle offering more accessibility
- 8-inch square steel head for maximum compaction



Order No.	Model No.	Description
-----------	-----------	-------------

SQUARE HEAD ASPHALT TAMPER

1030051424	ATAMP8	8 Inch Square Head Asphalt Tamper
------------	--------	-----------------------------------

SINGLE POLE ROTARY CLOTHES AIRERS

- Dry your clothes quickly and easily with the 4 arm single pole rotary clothes airer complete with ground spike
- This heavy-duty airer has three arms
- Easy to use
- Comes with a ground spike



Order No.	Model No.	Description
-----------	-----------	-------------

ROTARY CLOTHES AIRER

1030041787	SR2011 SP	4 Arm Single Pole Rotary 50m Clothes Airer c/w Ground Spike
1030041786	SR20102 SP	4 Arm Single Pole Rotary 40m Clothes Airer c/w Ground Spike

EXTENDABLE BROOM HANDLE

- Telescopic broom handle 2 x 0.75m with 24 mm screw cap
- Polypropylene twist attachment



Order No.	Model No.	Description
-----------	-----------	-------------

EXTENDABLE BROOM HANDLE

2501419712	BIZ 730924	Extendable Broom Handle 2 x 75mm
------------	------------	----------------------------------

CLOTHES POST CROSS PEG SOCKET

- 2.4m
- Complete with Socket
- Standard cross-head clothes post
- Galvanised and has a socket for tubes to go through
- Material: Galvanised Metal



Order No.	Model No.	Description
-----------	-----------	-------------

CLOTHES POST CROSS PEG SOCKET

1030041788	GP/GV/CP/SK	Clothes Post Cross Peg Socket 2.4m Galvanised
------------	-------------	---

BROOM HANDLES & HEADS



Order No.	Model No.	Description
-----------	-----------	-------------

BROOM HEADS AND HANDLES

2501419711	BIZ 730923	Wooden Broom Handle 28 x 140mm
2501419710	BIZ 730922	Wooden Broom Handle 24 x 1300mm
2501419709	BIZ 730921	Coconut Broom Head 60cm
2501419708	BIZ 730920	Coconut Broom Head 29cm

COCONUT BANISTER BRUSH

- Coconut broom with short handle and integrated storage hole in handle
- Pure organic coconut fibre



Order No.	Model No.	Description
-----------	-----------	-------------

COCONUT BANISTER BRUSH

2501419707	BIZ 730926	Short Wood Handle Coconut Banister Brush
------------	------------	--

CLUB HAMMER FULLY INSULATED 1KG

- This is a fully insulated Club Hammer with a strong yet lightweight fibre glass shaft



Order No.	Model No.	Description
-----------	-----------	-------------

CLUB HAMMER FULLY INSULATED 1KG

1030025473	25LUGFINS	Club Hammer Fully Insulated 1kg
------------	-----------	---------------------------------

CLAW HAMMER WITH HICKORY HANDLE

- This is 567g Claw Hammer with genuine hickory handle




Order No.	Model No.	Description
-----------	-----------	-------------

CLAW HAMMER WITH HICKORY HANDLE

1030021648	20CL14	567g Claw Hammer with Hickory Handle
------------	--------	--------------------------------------

SLEDGE HAMMERS WITH HICKORY HANDLES

- Genuine hickory handles
- Treated and varnished



Order No.	Model No.	Description
-----------	-----------	-------------

SLEDGE HAMMERS WITH HICKORY HANDLES

1030021645	14DF36	Sledge Hammer 6.4kg
1030021644	10DF36	Sledge Hammer 4.5kg
1030021643	07DF30	Sledge Hammer 3.2kg
1030006428	525H36	900mm Hickory Handle

CLUB HAMMER WITH HICKORY HANDLE

- Genuine hickory handles
- Treated and varnished



Order No.	Model No.	Description
-----------	-----------	-------------

CLUB HAMMER WITH HICKORY HANDLE

1030021642	40LU10	Club Hammer 1.8kg
1030021641	25LU10	Club Hammer 1kg

FIBREGLASS SLEDGE HAMMERS

- Fibreglass handle
- Hardened steel head



Order No.	Model No.	Description
-----------	-----------	-------------

FIBREGLASS SLEDGE HAMMERS

1030021639	14DFFG	Fibreglass Sledge Hammer 6.4kg
1030021638	07DFFG	Fibreglass Sledge Hammer 3.2kg

FIBREGLASS CLUB HAMMERS

- 10 times stronger than wood
- Non-conductive Rubber grip



Order No.	Model No.	Description
-----------	-----------	-------------

FIBREGLASS CLUB HAMMERS

1030021637	40LUGF	Club Hammer Fibreglass 1.8kg
1030021636	25LUGF	Club Hammer Fibreglass 1kg

FIBREGLASS CLUB HAMMERS

- 10 times stronger than wood
- Non-conductive Rubber grip



Order No.	Model No.	Description
FIBREGLASS CLUB HAMMERS		
1030021634	20CLFG	Fibreglass Claw Hammer 567g
1030021633	16CLFG	Fibreglass Claw Hammer 455g

BALL PEIN HAMMER

- Genuine hickory handle
- Double wedged with wood and steel at head



Order No.	Model No.	Description
BALL PEIN HAMMER		
1030021630	20BP16	Ball Pein Hammer 990g

RUBBER MAUL HEAD

- Ideal for driving stakes, piles, or wedges
- Made of rubber



Order No.	Model No.	Description
RUBBER MAUL HEAD		
1030006664	10RM00	Rubber Maul Head

ALL STEEL CLAW HAMMER WITH RUBBER GRIP

- 10 times stronger than wood
- Non-conductive Rubber grip



Order No.	Model No.	Description
ALL STEEL CLAW HAMMER WITH RUBBER GRIP HANDLE		
1030021631	16CLAS	455g All Steel Claw Hammer with Rubber Grip Handle

HICKORY FELLING AXE

- Genuine hickory handle
- Double wedged



Order No.	Model No.	Description
HICKORY FELLING AXE		
1030021620	06FA36	Hickory Felling Axe 2.7kg

WRECKING BAR/CROWBARS

- Ideal for general demolition, removing nails, or prying boards
- Bevelled nail slot for removing nails



Order No.	Model No.	Description
WRECKING BAR/CROWBARS		
1030008819	WBAR900	900mm Wrecking Bar/ Crowbar
1030008818	WBAR750	750mm Wrecking Bar/ Crowbar
1030008817	WBAR600	600mm Wrecking Bar/ Crowbar



SHOVELS

FIBREGLASS SHOVELS

- Durable fiberglass construction
- Comfortable D-shaped handle



Order No.	Model No.	Description
-----------	-----------	-------------

FIBREGLASS SHOVELS

1030008032	FGMYDTS	Fiberglass Trenching Shovel Black
1030008029	FGMYDSM	Fiberglass Square Mouth No.2 Shovel Black

GENERAL SERVICE BLACK SHOVEL

- Durable fiberglass construction
- Open socket blade for easy digging and scooping



Order No.	Model No.	Description
-----------	-----------	-------------

GENERAL SERVICE BLACK SHOVEL

1030008034	FGMYDGSS	General Service Fiberglass Metal YD Handle Black Shovel
------------	----------	---

NO.2 SHOVELS

- Head size no 2



Order No.	Model No.	Description
-----------	-----------	-------------

NO.2 SHOVELS

1013420003	ASMYDTM	Taper Mouth Tubular Steel
1013420002	ASMYDSM	Square Mouth Tubular Steel
1013420001	ASMYDRM	Round Mouth Tubular Steel
1013410003	MYDTM	Taper Mouth Metal YD Handle
1013410002	MYDSM	Square Mouth Metal YD Handle
1013410001	MYDRM	Round Mouth Metal YD Handle

TRENCHING SHOVEL

- A lighter weight shovel for use where strength is not the main requirement



Order No.	Model No.	Description
-----------	-----------	-------------

TRENCHING SHOVEL

1030007922	MYDTS	Trenching Shovel
------------	-------	------------------

DIGGING FORK

- Ash shaft
- Epoxy coated



Order No.	Model No.	Description
DIGGING FORK		
1030007957	DFMYD	Digging Fork with Metal YD Handle

CONTRACTORS FORK

- 4 solid steel prongs
- Tubular steel handle



Order No.	Model No.	Description
CONTRACTORS FORK		
1030007933	ASMYDF	4 Prong Tubular Steel Contractors Fork with Metal YD Handle

DIGGING SPADE

- Material: Plastic (Handle), Polypropylene (Hilt)
- Epoxy coated
- Metal YD Handle



Order No.	Model No.	Description
DIGGING SPADE		
1013490001	DSMYD	Digging Spade Treaded Metal YD Handle

RAKES

- Heavy-duty construction
- Designed for tough use in paving



Order No.	Model No.	Description
RAKES		
1030007943	ARAKET	Asphalt Rake Square Tooth 16T Tubular Handle
1030007942	ARAKEW	Asphalt Rake Square Tooth 16T Wood Handle
1030007941	TRAKET	Tarmac Rake Round Tooth 16T Tubular Handle
1030007940	TRAKEW	Tarmac Rake Round Tooth 16T Wood Handle



DRAINING TOOL

- Strong and durable tubular steel shaft
- Can withstand the rigors of clearing drains and pipes
- Sharp, pointed tip: Makes it easy to break through clogs



Order No.	Model No.	Description
DRAINING TOOL		
1030007930	ASMYDDT	400mm Draining Tool Tubular Steel Metal YD Handle

GRAFTING TOOL

- Rotary welded tubular steel shaft
- Metal YD handle
- 1 1/2 times the strength



Order No.	Model No.	Description
GRAFTING TOOL		
1030007929	ASMYDGT	Grafting Tool Tubular Steel Metal YD Handle

FLOOR SCRAPERS

- The Floor Scrapers from Defiance are the perfect tool for removing debris and smoothing floors
- Made from high-quality materials and is designed to last
- The steel blade is sharp and durable



Order No.	Model No.	Description
HEAVY DUTY FLOOR SCRAPER		
1030023944	HDFS450	18 Inch Black Heavy Duty Floor Scraper
1030006205	FG1200	1200mm Floor Scraper
1030023945	BLADE450	Heavy Duty Floor Scraper Replacement Blade

POST HOLE DIGGER

- Hardened steel post hole digger blades
- Comfortable grip, Ash wood handles
- Sharp, pointed tip for easy digging
- Ergonomic design for comfort and control



Order No.	Model No.	Description
POST HOLE DIGGER		
1030006961	POSTHD	Post Hole Digger Heavy Duty With Wood Handle



BARRIER TAPE

- Barrier safety tape that can be used to mark out hazards as necessary
- Rolls in handy dispenser box



Order No.	Model No.	Description
BARRIER TAPE		
1030007087	O02570500BYPM	500m x 75mm Black+Yellow
1030007085	RWBT500	500m x 75mm Red+White

MATTOCK PICK HEAD CHISEL

- Pick head chisel & point
- For the breaking of concrete
- If you are looking for a durable and versatile tool for digging, chopping, and breaking, the 3.2kg Mattock Metal Pick Head Chisel from Defiance is a great option



Order No.	Model No.	Description
MATTOCK METAL PICK HEAD CHISEL & HANDLES		
1030006891	PICK7	Mattock Metal Pick Head Chisel 3.2kg
1030006662	MATT7	Mattock Forged Steel Pick Head Chisel 3.2kg
1030006893	556H36	900mm Hickory Pick Handle
1030006892	855E36	900mm Pick/Hammer Handle Hardwood

MANHOLE COVER LIFTING KEYS

- Cast Iron Manhole lifting keys, solid cast for superior strength and longevity



Order No.	Model No.	Description
MANHOLE COVER LIFTING KEYS		
1030006656	MANH12	Manhole Cover Lifting Keys 305mm
1030006657	MANH18	Manhole Cover Lifting Keys 457mm

DOUBLE SIDED TAPE



Order No.	Model No.	Description
DOUBLE SIDED TAPE		
2501419903	BIZ 351090	Double Grip Tape 25mm x 2m x 5.4mm
2501419351	BIZ 351070	Double Sided PE Foam Tape White 19mm x 10m x 0.95mm

PENDANT MARKER BUNTING


- Alternate red and white plastic markers suspended at intervals
- Ideal for any site surveying and boundary marking applications



Order No.	Model No.	Description
PENDANT MARKER BUNTING		
1030007082	O025RW-BUNTPTM	26m Red+White Pendant Marker Bunting

CURB RAMP

- Adjustable height: 60 to 160mm
- Can support weight up to 250kg



Order No.	Model No.	Description
CURB RAMP		
1030022533	SKERB	Curb Ramp 1.26m 6kg Yellow

ROAD MARKING ROLL

- Defiance visiline is a permanent thermoplastic road and car park marking system, consisting of preformed lines and symbols which are fused to the road surface
- Applied using a propane torch
- Contains retroreflective glass beads which are self cleaning through normal trafficking

Order No.	Model No.	Description
-----------	-----------	-------------

ROAD MARKING ROLL

1012520001	FLR10000	100mm x 5m White
1012520002	FLR10001	100mm x 5m Yellow



REINFORCED TARPAULIN

- 4 Reinforcing strips with eyelets at 10cm intervals
- Ideal for protection of timber, equipment and building materials
- UV-resistant: Protects against the sun's harmful rays



Order No.	Model No.	Description
-----------	-----------	-------------

REINFORCED TARPULINS

1030019378	26E0450	Reinforced Flex 10m x 4m Green
1030019376	26E0440	Reinforced Flex 8m x 4m Green
1030019375	26E0540	Reinforced Flex 8m x 4m Clear
1030019372	26E0420	Reinforced Flex 5m x 4m Green
1011730001	10/004/002	Tarpaulin 5.4 x 3.6m Blue

DEBRIS NETTING

- UV stabilised to prevent deterioration from sunlight
- Black reinforced eyelet band at 50cm intervals



Order No.	Model No.	Description
-----------	-----------	-------------

DEBRIS NETTING

1030006788	10/003/022	50m x 2m Roll Green
1030006787	10/003/062	50m x 3m Roll Green
1030006789	10/003/102	50m x 2m Roll Blue

AEROSOL MARKING PAINT SEMI PERMANENT

- Speedline permanent is an acrylic based linemarker, ideal for marking sharp, clear, durable lines
- The use of an applicator kit is recommended for controlled application



Order No.	Model No.	Description
-----------	-----------	-------------

AEROSOL MARKING PAINT SEMI PERMANENT

1011320007	75/004/010	Semi Permanent 750ml Yellow
1011320006	75/004/040	Semi Permanent 750ml White
1011320005	75/004/020	Semi Permanent 750ml Red
1011320004	75/004/070	Semi Permanent 750ml Orange
1011320003	75/004/050	Semi Permanent 750ml Green
1011320002	75/004/030	Semi Permanent 750ml Blue
1011320001	75/004/060	Semi Permanent 750ml Black

AEROSOL SURVEY PAINT SEMI PERMANENT

- Speedline survey spray is a highly visible, semi-durable marking paint suitable for application to a wide variety of substrates
- Plasticised paint, formulated for aerosol application



Order No.	Model No.	Description
-----------	-----------	-------------

AEROSOL SURVEY PAINT SEMI PERMANENT

1010600007	75/002/010	Semi Permanent 750ml Yellow
1010600006	75/002/040	Semi Permanent 750ml White
1010600005	75/002/020	Semi Permanent 750ml Red
1010600004	75/002/070	Semi Permanent 750ml Orange
1010600003	75/002/050	Semi Permanent 750ml Green
1010600002	75/002/030	Semi Permanent 750ml Blue
1010600001	75/002/060	Semi Permanent 750ml Black



MULTI PURPOSE LITHIUM GREASE CARTRIDGE

- Contains no ingredients at levels considered hazardous
- Insoluble in water



Order No.	Model No.	Description
MULTI PURPOSE LITHIUM GREASE CARTRIDGE		
1030006345	MPLG400	Multi Purpose Lithium Grease Cartridge 400g

MOULD RELEASE OIL

- Promotes a water repellent and rust inhibiting interface
- Promotes a water repellent and rust inhibiting interface
- Reduces the risk of slips and falls
- Safe for use around food and beverages



Order No.	Model No.	Description
MOULD RELEASE OIL		
1030005743	MRO25	25 Litre Mould Release Oil
1030005742	MRO5	5 Litre Mould Release Oil

2 STROKE OIL UNIVERSAL

- Defiance 2 stroke oil is packaged in convenient 100ml packs which will treat 5 litres of petrol at a 50:1 mix



Order No.	Model No.	Description
2 STROKE OIL UNIVERSAL		
1030005552	ORC1850	2 Stroke Oil Universal 100ml

JOINT SEALER COLD AEROSOL

- Road asphalt jointing spray from Defiance is an essential aerosol can for road repair applications



Order No.	Model No.	Description
JOINT SEALER COLD AEROSOL		
1030006045	CLD600	Joint Sealer Cold Aerosol 600ml Black

LUBE MAINTENANCE SPRAY

- Dispels moisture from electrics
- Penetrates and lubricates
- Sprays at any angle
- Helps prevent corrosion



Order No.	Model No.	Description
LUBE MAINTENANCE SPRAY		
1030005710	LUBE400	Lube Maintenance Spray 400ml

HEAVY DUTY SACK TRUCK

- This sack truck has a rigid tubular frame made up of a strong all steel welded construction and is an Ideal piece of equipment for handling and lifting purposes on site



Order No.	Model No.	Description
HEAVY DUTY SACK TRUCK		
1030007807	HDSACKS	Heavy Duty Sack Truck with Solid Rubber Tyres



Over 750 Products

To help you get the Job Done!

All products have been tested to their limits & come with a warranty*

**Speak to a member of the team
in branch or scan to find out more**

*Terms apply



08 | Fasteners & Fixings

Screws	166-167
Nails	166
Wall Plugs	168
Shield Bolts & Anchors	168
Fixing Tubs	169
Cavity Fixing	169
Applicator Gun	169



SELF TAPPING SCREWS



NLS4305BN

Order No.	Model No.	Size	Pack Size
POZIDRIV™ PAN HEAD			
1050152039	NLS4305AN	8 x 1/2"	200
1050152040	NLS4305BN	8 x 3/4"	200
1050152041	NLS4305CN	8 x 1"	200
1050152042	NLS4305DN	8 x 1 1/2"	200

ROUNDHEAD SCREWS



NLS4428BN

Order No.	Model No.	Size	Pack Size
SLOTTED BRASS ROUNDHEAD			
1050152087	NLS54BN	6 x 1"	200
1050152089	NLS54DN	8 x 1"	200
POZIDRIV™ ROUND HEAD TWIN THREAD			
1050152093	NLS4428BN	8 x 1"	200
1050152094	NLS4428CN	8 x 1 1/4"	200
1050152095	NLS4428DN	8 x 1 1/2"	200
1050152096	NLS4428EN	8 x 2	200

CAPPING NAIL & WASHERS



Order No.	Model No.	Size	Pack Size
CAPPING NAILS & WASHERS			
1050152027	NLSCN	25mm	100

MACHINE SCREWS

NLS4304EN



NLS4317DN



Order No.	Model No.	Size	Pack Size
SLOTTED PAN HEAD - BRASS			
1050152100	NLS4304AN	M4 x 6mm	100
1050152101	NLS4304BN	M4 x 8mm	100
1050152102	NLS4304CN	M4 x 10mm	100
1050152103	NLS4304DN	M4 x 12mm	100
1050152104	NLS4304EN	M4 x 16mm	100
1050152105	NLS4304FN	M4 x 20mm	100
1050152106	NLS4304GN	M4 x 25mm	100
1050153063	NLS4304HN	M4 x 35mm	50
1050152107	NLS4304JN	M4 x 40mm	50
1050152108	NLS4304KN	M4 x 50mm	50
SLOTTED RAISED COUNTERSUNK - BRIGHT ZINC PLATED			
1050152112	NLS4317AN	M3.5 x 25mm	100
1050152113	NLS4317DN	M3.5 x 40mm	100
1050152114	NLS4317EN	M3.5 x 50mm	25
1050152115	NLS4317FN	M3.5 x 75mm	25
SLOTTED RAISED ROUNDHEAD - SOLID BRASS			
1050152116	NLS4319AN	2BA x 1"	50
1050152117	NLS4319BN	2BA x 2"	50

COUNTERSUNK TWIN THREAD



NLS4628DN

Order No.	Model No.	Size	Pack Size
POZIDRIV™ COUNTERSUNK TWIN THREAD			
1050152061	NLS4626AN	6 x 3/4"	200
1050152062	NLS4626BN	6 x 1	200
1050152065	NLS4628AN	8 x 3/4"	200
1050152066	NLS4628BN	8 x 1"	200
1050152067	NLS4628CN	8 x 1 1/4"	200
1050152068	NLS4628DN	8 x 1 1/2"	200
1050152069	NLS4628EN	8 x 2	200
1050152070	NLS4628FN	10 x 1	200
1050152071	NLS4628GN	10 x 1 1/2"	200
1050152072	NLS4628HN	10 x 2	200
1050152073	NLS4628IN	10 x 2 1/2"	100
1050152074	NLS4628JN	10 x 3"	100



MASONRY SCREWS

- For rapid anchoring directly into most masonry materials
- No wall plug required
- SDS Drill NLSDS3.5X160 required for accurate fixing of screws



Order No.	Model No.	Size	Pack Qty
MASONRY SCREWS			
1051091289	NLMS432	4.8 x 32mm	100
1051091290	NLMS445	4.8 x 45mm	100

DRYWALL

Newlec

- Phillips, countersunk, bugle head, grey, phosphate screws
- Can be used through small gauge sheet metal
- Sharp point for use in plasterboard, partitioning and suspended ceilings



Order No.	Model No.	Size	Pack Size
DRYWALL			
1050152035	NLS4520A	3.5 x 38mm	250

CAVITY FIXINGS - SELF DRILL

NLMSD4N



NLMSD5



Order No.	Model No.	Size	Pack Size
CAVITY FIXINGS - SELF DRILL			
1000008848	NLMSD4N	4.5 x 20mm	25
1061024582	NLMSD5	4.5 x 20mm	100

HEX SET SCREWS



NLZS0620A



NLSSS625

Order No.	Model No.	Size	Pack Size
BRASS			
1050152118	NLSSS625	M6 x 25mm	20
1050152120	NLSSS640	M6 x 40mm	20
1050152121	NLSSS825	M8 x 25mm	20
1050152122	NLSSS830	M8 x 30mm	20
1050152124	NLSSS1025	M10 x 25mm	20
1050152125	NLSSS1030	M10 x 30mm	20
1050152126	NLSSS1040	M10 x 40mm	20

STEEL ZINC PLATED HT8.8			
1051047797	NLZS0620A	M6 x 20mm	10
1051047798	NLZS0625A	M6 x 25mm	10
1051047799	NLZS0825A	M8 x 25mm	10
1051047800	NLZS0835A	M8 x 35mm	10
1051047801	NLZS1025A	M10 x 25mm	10
1051047802	NLZS1035A	M10 x 35mm	10

CONE POINT SET SCREW - HT8.8

- Manufactured from high tensile 8.8 steel for ultimate performance



Order No.	Model No.	Size
CONE POINT SET SCREW - HT8.8		
1051047803	NLZCPI040A	M10 x 40mm

CONCRETE SCREW



Order No.	Model No.	Internal Thread	Pack Size
CONCRETE SCREW			
1051058242	NLCS810	M8 + M10	100

WALL PLUGS



NLPLYEL

Order No.	Model No.	Colour	Screw Size	Pack Size
-----------	-----------	--------	------------	-----------

WALL PLUGS

1050151288	NLPLYEL	Yellow	6	100
1050151289	NLPLRED	Red	6 & 8	100
1050151290	NLPLBRO	Brown	10 & 12	100

NYLON WALL PLUGS - HIGH PERFORMANCE

- Nylon Plug with 4 way expansion providing optimum force distribution
- Pack of 50




Order No.	Model No.	Screw Size	Dimensions
-----------	-----------	------------	------------

NYLON WALL PLUGS - HIGH PERFORMANCE

1051058240	NLPLH6	4 - 5mm	6 x 30mm
1051058241	NLPLH8	4.5 - 6mm	8 x 40mm

WEDGE ANCHORS



NLW8

Order No.	Model No.	Size	Pack Size
-----------	-----------	------	-----------

WEDGE ANCHORS


1000008835	NLW6	M6 x 25mm	25
1000008836	NLW8	M8 x 30mm	25
1000008837	NLW10	M10 x 40mm	25

SETTING TOOLS

1000008838	NLSET6	M6 Anchor Setting Tool
1000008839	NLSET8	M8 Anchor Setting Tool
1000008840	NLSET10	M10 Anchor Setting Tool

SHIELD EYE BOLT

- Suitable for use in concrete, brickwork and stone
- Suitable for permanent anchorage, i.e. securing guy ropes, stays and cables
- Supplied in packs of 25



Order No.	Model No.	Size	Hole Depth
-----------	-----------	------	------------

SHIELD EYE BOLT

1050150732	NLEB6	M6	50
1050150733	NLEB8	M8	55

SHIELD PROJECTION BOLT

- Suitable for use in concrete, brickwork and stone
- Suitable for situations where it is useful to support the weight of the fixture during installation, i.e. fixing cable trays, ducting and trunking
- Supplied in packs of 25



Order No.	Model No.	Size	Hole Depth
-----------	-----------	------	------------

SHIELD PROJECTION BOLT

1050150735	NLPB8	M8	55mm
1000008831	NLPB10	M10	65mm

THROUGH BOLT

- Easy to use through fixing for concrete and dense natural stone
- For fixing brick work support, angle cladding and curtain walling systems
- Suitable for fixing heavy machinery such as generators, as machine can be sited prior to installation of bolts
- Supplied in packs of 10



Order No.	Model No.	Size	Hole Depth
-----------	-----------	------	------------

THROUGH BOLT

1050150745	NLTB8	M8	55mm
1000008842	NLTB10	M10	60mm

FIXING TUBS



NLTUB1



NLTUB2

Order No.	Model No.	Colour	Pack Size
NEWLEC WALL PLUGS & SCREWS			
1051058237	NLTUB1	Brown	400
1051058238	NLTUB2	Red	500

FIXING TUBS



Order No.	Model No.	Size	Pack Size
METAL SELF DRILL CAVITY FIXINGS			
1051058239	NLTUB3	4.5 x 20mm	300

CAVITY FIXINGS - SPRING TOGGLE



Order No.	Model No.	Size	Pack Size
-----------	-----------	------	-----------

CAVITY FIXINGS - SPRING TOGGLE

1000008843	NLSTF350	M3 x 50mm	10
1000008844	NLSTF550	M5 x 50mm	10
1000008845	NLSTF580	M5 x 80mm	10

CAVITY FIXING - METAL

- High performance, interset cavity fixing for securing heavy objects to soft-faced partition boards
- Fixture can be removed and re-used, for example when removing wall heaters for re-decoration
- Supplied with screw and secured using NLFT fixing tool
- Supplied in packs of 25



Order No.	Model No.	Size	Grip Range
-----------	-----------	------	------------

CAVITY FIXING - METAL

1000008846	NLSA4	M4	8-15mm
1050150747	NLSA5	M5	15-28mm

CAVITY FIXING INSTALLATION TOOL

1000008847	NLFT
-------------------	------

APPLICATOR GUN



Order No.	Model No.	Description
-----------	-----------	-------------

APPLICATOR GUN

1000008841	NLCA5	Applicator Gun
-------------------	-------	----------------





ReXel

Denmans
REXEL GROUP

Need EV/PV cable today? Need specialist cable cut to size?

Your specialist cable is now available
cut to size for **Next Day Delivery**.

Cut cable available in branch today while you wait
Stocking **SWA, SY, NYY, PV, EV** and many more

**Speak to a member of the team
in branch or scan to find out more**

Order by 5pm for Next Day Delivery. Click and collect cable at your local branch. Same Day Delivery on cable if ordered by 12noon

09 | Clearance

Downlights	172
Emergency Lighting	172-173
Occupancy Detectors	173
Lamps	174-175
Junction Boxes	176
Data Modules	176
Front Plates	177
Back Boxes	177
Coaxial Accessories	177
Gels	178
Connection Kits	179



LED INTEGRATED FIRE RATED DOWNLIGHT IP65

- Life expectancy: 30,000 hours
- Bezels sold separately

WHILE STOCKS LAST!

Order No.	Model No.	Lumens	Wattage	CCT
LED FIRE RATED DOWNLIGHT				
2500987650	NLFRDL1	400lm	4.8W	3000K
2500987651	NLFRDL2	400lm	4.8W	4000K
2500987652	NLFRDL3	550lm	6.7W	3000K
2500987653	NLFRDL4	550lm	6.7W	4000K
BEZELS				
2500987656	NLFRDLTW	Matt White		
2500987657	NLFRDLTC	Chrome		
2500987658	NLFRDLTSC	Satin Chrome		



LED EMERGENCY SUSPENDED EXIT SIGN

A suspended LED exit sign with a drop blade and range of legends allowing complete flexibility in any installation.

- No re-lamping or maintenance required for lifetime of the fitting
- Maintained operation with charge indicator lamp
- Maximum viewing distance of 30m
- 5 Year Warranty - 50,000 Hours
- Class 1
- IP20



Order No.	Model No.	Description
EMERGENCY SUSPENDED EXIT SIGN		
2501497264	NLE3SUSES	3W LED M E3 SUS Exit Sign c/w Euro L Down

2W LED M/NM E3 WALL EXIT BOX C/W EURO LEGEND

- Life expectancy: 50,000 hours
- IP20
- Multiple installation mode: Maintained switchable, maintained non-switchable & non-switchable
- No re-lamping or maintenance required for the lifetime of the fitting
- Maximum viewing distance of 30m
- CE Marked



Order No.	Model No.	Description
2W LED M/NM E3 WALL EXIT BOX C/W EURO LEGEND		
2501421828	NLE3WALLS	5W Emergency LED Wall Exit Box with Euro Legends

LED NM TWINSPOT 2X1.5W

- Life expectancy: 50,000 hours
- IP65
- No re-lamping or maintenance required for the lifetime of the fitting
- Indicator lamps for test status
- Audible buzzer for indicating test status
- Suitable for mounting in any orientation
- CE Marked



Order No.	Model No.	Description
2 X 1.5W LED NM IP65 E3 TWINSPOT		
2501421827	NLEWINSP	LED TwinSpot

EMERGENCY BULKHEAD IP65 2W

- Life expectancy: 50,000 hours
- IP65
- Can be installed in maintained or non-maintained mode
- Supplied complete with euro style legend pack for use as an exit sign
- 20mm conduit entry
- Maximum viewing distance of 20m
- 3 hour emergency lighting duration
- CE Marked



Order No.	Model No.	Description
2W IP65 EMERGENCY BULKHEAD		
1051088376	NLE3B	Emergency Bulkhead

WALL & CEILING MOUNTED OCCUPANCY DETECTORS

- Lux level sensing
- Movement sensing
- Has an adjustable timer
- Switches any type of load
- Works with any type of lamp

Order No.	Model No.	Description
CEILING PIR OCCUPANCY SENSORS		
2501456165	NLOCCPIR-RECESS	Low Profile, Flush Mounted, Ceiling, PIR, Occupancy Sensor
2501456166	NLOCCPIR-SURFACE	Push Button, IP54, Surface Mounted, Ceiling, PIR, Occupancy Sensor
WALL MOUNTED PIR SENSORS & DIMMERS		
2501456167	NLOCCWALL-PIR2W	No Neutral, Concealed Fixings, Back Box Mounted, Wall, PIR, Occupancy Sensor
2501456168	NLOCCWALL-PIR3W	Concealed Fixings, Back Box Mounted, Wall, PIR, Occupancy Sensor



NLOCCPIR-RECESS



NLOCCPIR-SURFACE



NLOCCWALL-PIR2W



NLOCCWALL-PIR3W

LED ESCAPE ROUTE - OPEN AREA

A Small & discreet recessed mount emergency LED

- Non-Maintained Emergency Downlight
- Wide symmetric distribution
- Avoids the need for unsightly surface bulkheads



WHILE STOCKS LAST!

Order No.	Model No.	Description
LED ESCAPE ROUTE OPEN AREA		
1051088390	NLE3R	1W Recessed LED 3hr Circular Distribution

METAL HALIDE CERAMIC

- Excellent colour rendering for high quality light output
- Long life hours drastically reducing replacement frequency
- Significantly less power consumption than halogen equivalents, adding to energy saving opportunities and lower running costs



WHILE STOCKS LAST!

Order No.	Model No.	Wattage	Base	Lumens	Colour Temp
METAL HALIDE CERAMIC					
1052055350	NLCMH3594	35W	G8.5	3300lm	4200K

METAL HALIDE CERAMIC



WHILE STOCKS LAST!

Order No.	Base	Wattage	Lumens	Colour	Length
METAL HALIDE CERAMIC					
1052055351	G8.5	35W	3400lm	3000K	85mm
1052055353	G12	70W	7000lm	3000K	90mm
1052055352	G12	70W	6600lm	4200K	90mm

METAL HALIDE QUARTZ DOUBLE ENDED



WHILE STOCKS LAST!

Order No.	Base	Wattage	Lumens	Colour	Length
METAL HALIDE QUARTZ DOUBLE ENDED					
1052055348	Rx7s	70W	5500lm	4200K	117.6mm

SON ELLIPTICAL

- NLHPSE70IG has an internal ignitor



**WHILE STOCKS
LAST!**

Order No.	Base	Wattage	Lumens	Colour	Length
SON ELLIPTICAL					
1050379846	E27	70W	6270lm	2000K	156mm
1050379847	E27	70W	6270lm	2000K	156mm
1052055341	E40	150W	16340lm	2000K	227mm
1052055342	E40	250W	30875lm	2000K	227mm

**METAL HALIDE
TUBULAR - DUAL**



**WHILE STOCKS
LAST!**

Order No.	Base	Wattage	Lumens	Colour	Length
METAL HALIDE TUBULAR					
1051024042	E27	70W	5300lm	4000K	156mm
1051024044	E40	250W	23000lm	4500K	245mm
1051024045	E40	400W	37000lm	4500K	285mm

**METAL HALIDE
ELLIPTICAL - DUAL**



**WHILE STOCKS
LAST!**

Order No.	Base	Wattage	Lumens	Colour	Length
METAL HALIDE ELLIPTICAL - DUAL					
1051024048	E40	250W	22000lm	4500K	215mm
1051024049	E40	400W	35000lm	4500K	296mm

SON TUBULAR



**WHILE STOCKS
LAST!**

Order No.	Base	Wattage	Lumens	Colour	Length
SON TUBULAR					
1052053344	E27	70W	6500lm	2000K	156mm
1052053345	E40	150W	17200lm	2000K	211mm
1052053346	E40	250W	33000lm	2000K	260mm
1052053347	E40	400W	56700lm	2000K	278mm

MOULDED JUNCTION BOXES

- Terminals which can be removed/repositioned
- Ideal for arduous environments
- Self Sealing neoprene glands
- Suitable for hollow wall mounting
- Including caps for mounting holes to maintain IP rating



NL9025



NL9025B

WHILE STOCKS
LAST!

Order No.	Model No.	Max Conductor Size (mm ²)	Knock-outs (mm)	External Dimensions (mm) HxWxD
5 POLE IP65 GREY JUNCTION BOXES				
100009020	NL9325	2.5	20	88x88x47
1000016008	NL9025	2.5	20	88x88x53
1051011557	NL9355	35/50	Plain	260x210x 116
1050151876	NL9145	4	20	98x98x58
1000016009	NL9045	4	25	98x98x61
1000016010	NL9065	6	25/32	138x119x70
100009021	NL9105	10	Plain	167x125x82
100009022	NL9255	16/25	Plain	200x160x98
10 POLE IP65 GREY JUNCTION BOXES				
1050151877	NL9041	2.5	25	98x98x61
5 POLE IP66 BLACK JUNCTION BOXES				
1051086726	NL9025B	2.5	20	88x88x53
1051086727	NL9045B	4	20/25	98x98x61
1051086728	NL9065B	6	25/32	138x119x70
1051086729	NL9105B	10	Plain	167x125x82

DATA MODULES

- Cat5e ISO11801 Class D or EN50173 Class D
- 110/Krone/Newlec NLC5ETOOLA compatible IDC style punchdown
- 568B wiring
- Hinged label window
- Provided with a cable tie



NLC5EDMA



NLC6MD6CA

WHILE STOCKS
LAST!

Order No. Model No. Network Type Size

DATA MODULES

1050393065	NLC5EDMA	CAT5e	25x50mm
1050393082	NLC5EMD6CA	CAT5e	25x38mm

BLANKS & BRUSH MODULES

- Blank plates to fill spaces within mounting frames
- Euro style half module 12.5 x 50mm data blank
- Euro style single module 25 x 50mm data blank
- Euro style brush tidy module 50 x 50mm



NLBP.5A



NLBP1A



NLBT1A

WHILE STOCKS
LAST!


Order No. Model No. Description

BLANKS & BRUSH MODULES

1050393067	NLBP.5A	Data Blank Half Module
1050393071	NLBP1A	Data Blank Single Module
1050393073	NLBT1A	Brush Tidy Module

DATA FRONTPLATES

- No grid required, modules just clip into place
- Suitable for 25 x 50mm Euro modules only



WHILE STOCKS LAST!

Order No.	Model No.	Description	No of Mods
DATA FRONTPLATES			
1050393069	NLMF2A	50x50mm Data Mounting Frame 1 Gang	2
1050393070	NLMF4A	100x50mm Data Mounting Frame 2 Gang	4

BACK BOXES

- Manufactured in ABS
- Rear, top and side entries
- Square corners



WHILE STOCKS LAST!

Order No.	Model No.	Description
BACK BOXES		
1050393072	NLABS01A	32mm 1 Gang ABS Box
1050393068	NLABS02A	32mm 2 Gang ABS Box

COAXIAL CABLE SPLITTER 1 IN 2 OUT

- Splits the signal from one aerial to two TVs



WHILE STOCKS LAST!

Order No.	Model No.	Description
COAXIAL CABLE SPLITTER		
1000008733	NL6501N	Coaxial Cable Splitter 1 in 2 out White

COAXIAL CABLE MALE TO MALE CONNECTION LEAD

- Ideal for aerial amplifier connections
- 2m lead



WHILE STOCKS LAST!

Order No.	Model No.	Description
COAXIAL MALE TO MALE CONNECTION LEAD		
1000008734	NL6505N	Coaxial Cable Male to Male Connection Lead 2 Metre White

CLEARANCE WIRING ACCESSORIES



■ WATERPROOFING POTTING GEL

- BIZ'GEL sealing gel
- Electrical connection sealing and isolation
- Bi-component gel to mix evenly (1:1)
- Sets quick (according to temperature)
- Re-accessible
- Non Toxic
- No Shelf-life

**WHILE STOCKS
LAST!**

Order No.	Model No.	Description
WATERPROOFING POTTING GEL		
2501419576	BIZ 710295	1 Litre Sealing Gel
2501419699	BIZ 710395	1 Litre Sealing Gel - Rapid Setting



■ SEALING GEL EXPRESS - 280ML CARTRIDGE

- Biz'gel Express sealing gel, 280ml cartridge
- For waterproofing and insulating electrical connections
- Single component - ready to use
- Resealable
- Non-toxic
- No expiration date



**WHILE STOCKS
LAST!**

Order No.	Model No.	Description
SEALING GEL EXPRESS		
2501419698	BIZ 710000	280ml Cartridge

■ SEALING GEL POUCHES

- BIZ'GEL sealing gel in a pouch for the sealing of electrical connections
- Dosage preset according to the box to be filled
- Rapid reticulation (depending on the temperature)
- Easily re-accessible
- Non-toxic



**WHILE STOCKS
LAST!**

Order No.	Model No.	Description
SEALING GEL POUCHES		
2501419611	BIZ 710305	170ml Pouch
2501419613	BIZ 710307	420ml Pouch

CABLE CONNECTION KITS

- Prefilled connection kit for cables with cable separator
- Seals and insulates electrical connections
- Non-toxic, no expiry date and can be resealed
- Interior or exterior installation



WHILE STOCKS LAST!

Order No.	Model No.	Description
CABLE CONNECTION KITS		
2501419614	BIZ 710294	SQUALE 6 Kit for 4 x 6mm ² Conductors
2501419577	BIZ 710298	SQUALE 10 Kit for 4 x 16mm ² Conductors

D6 SEALED CONNECTION KIT

- SQUALE D6 junction box connection kit for connections up to 5 x 4 mm²
- Prefilled with 5-input connector
- For waterproofing and sealing connections
- Non-toxic, no expiry date and can be resealed
- Interior or exterior application



WHILE STOCKS LAST!

Order No.	Model No.	Description
D6 SEALED CONNECTION KIT		
2501419700	BIZ 710308	1 x 5 Entry Screw Connector Wire up to 5 x 4mm ²

MINI S4 SEALED CONNECTION BOX

- SQUALE mini S4 prefilled for connectors up to 3 x 4mm² (x 8)
- Compatible with several connectors
- One-click installation and rapid sealing of connections



WHILE STOCKS LAST!

Order No.	Model No.	Description
MINI S4 SEALED CONNECTION BOX		
2501419701	BIZ 710293	3 Conductors and for Wire Section up to 4mm ² (x8)

SEALED CONNECTION BOXES

- Prefilled SQUALE Boxes
- Compatible with several connectors
- Rapid sealing of connections in one click
- 3 possible openings
- Installation for adapted junction box



WHILE STOCKS LAST!

Order No.	Model No.	Description
SEALED CONNECTION BOXES		
2501419930	BIZ 711398	For up to 3 Conductors and for Wire Section up to 4mm ² (x 10)
2501419925	BIZ 711400	For up to 6 Conductors and for Wire Section up to 4mm ² (x10)

CLEARANCE WIRING ACCESSORIES





Our terms and conditions of sale apply to the sale of goods to the exclusion of all other terms. A copy of our terms is available at www.rexel.co.uk. The information in this document is for general information purposes only. Rexel UK Limited assumes no responsibility in so far as the law permits for errors or omissions in the contents of this document. No reliance shall be placed on the contents by readers.

230+ Branches Nationwide
Scan here for our Branch Locator

Rexel branch locator



Denmans branch locator

